
## UNCONTROLLED DOCUMENT

WHITE DIFFUSED LENS. 6.0" WIRE LEADS.

## PART NUMBER SSI-LXR3816SIUGW36



ELECTRO-OPTICAL CHARA	CTERISTIC	S TA=25℃	lf=20	ImA	
PARAMETER	MIN	TYP	MAX	UNITS	TEST COND
PEAK WAVELENGTH		636 (RED)		nm	
		574 (GREEN		nm	
FORWARD VOLTAGE (R/G)		2.0/Z.Z	2.5/2.6	۷f	
REVERSE VOLTAGE	5.0			۷r	Aبر100 r=1
AXIAL INTENSITY (R/G)		700/200		mcd	lf=20mA
VIEWING ANGLE		60		2x theta	
EMITTED COLOR: RE	ED/GREEN	١			
EPOXY LENS FINISH: MI	lky whit	e diffused			

## LIMITS OF SAFE OPERATION AT 25°C PER CHIP

PARAMETER	COLORS	MAX	UNITS
PEAK FORWARD CURRENT*		150	mA
STEADY CURRENT	(R/G)	30/25	mА
POWER DISSIPATION		105	mW
DERATE FROM 25°C		-1.2	mW/"C
OPERATING, STORAGE TEMP.		-40 TD +85	۲Ċ
Soldering Temp.		+ 260	<b>'</b> C
2.0mm FROM BODY			3 SEC. MAX
* 1/10.5			

\* t<10µS

UNCONTROLLED DOCUMENT \*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), XX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030), MN= +DECIMAL PRECISION WAX= +0.00 290 E. HELEN ROAD PALATINE, IL 60067-6976 tre PHONE: +1.847.359.2790 We have Showard to Mark Ser Var

US WEB: www.lumex.com TW WEB: www.lumex.com.tw RELIABILITY NOTE CHECKED BY: APPROVED BY: DRAWN BY: DATE: 1.22.02 OUR NANY YEARS OF EXPERIENCE DATA ACCUNULATION INDICATE THAT PAGE: 1 OF 1 SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS. SCALE: N/A CT

REV.

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Lumex: SSI-LXR3816SIUGW36