

OLED SPECIFICATION

Model No:

REC001602BGPP5N00001

CUSTOMER:

APPROVED BY

PCB VERSION

DATE

FOR CUSTOMER USE ONLY

| SALES BY | APPROVED BY | CHECKED BY | PREPARED BY | |
|---------------|-------------|------------|-------------|--|
| | | | | |
| | | | | |
| Release DATE: | | 1 | | |



曜凌光電股份有限公司

Raystar Optronics, Inc. OLED Display Provider

24 June, 2015

To Whom It May Concern,

In continuing to develop and promote the strategic partnership between <u>Microtips Technology</u> <u>USA (MTUSA)</u> and <u>Raystar Optronics</u>. Inc (Raystar), Raystar is pleased to announce that we have entered into a business agreement with MTUSA. Raystar shall provide MTUSA datasheets, prices, samples and orders status. MTUSA shall promote the products of Raystar. In order to avoid the customer conflicts in USA market, MTUSA shall disclose the project and end customer name to Raystar.

Raystar is confident that this arrangement between our two companies will ultimately benefit the end customer.

Raystar Optronics, Inc.,

2015/07/20.

Signature Zoe Chen **Printing Name**

Microtips Technology USA

Signature

REZD

Printing Name



1. Revision History

| VERSION | DATE | REVISED PAGE NO. | Note |
|---------|------------|------------------|----------------------|
| 0 | 2010/11/30 | | First release |
| A | 2011/07/01 | | Change version |
| В | 2012/09/27 | | Add CIE chromaticity |
| | | | diagram |
| С | 2014/04/30 | | Update Rev. |
| D | 2014/06/16 | | Add Low Temperature |
| | | | storage. |
| E | 2015/01/20 | | Modify Block Diagram |



Contents

- **1.General Specification**
- 2.Module Classification Information
- **3.Interface Pin Function**
- 4. Counter Drawing & Block Diagram
- 5. Absolute Maximum Ratings
- **6.**Electrical Characteristics
- 7. Optical Characteristics
- 8.OLED Lifetime
- 9.Reliability
- 10.Inspection specification
- 11.Precautions in use of OLED Modules

Microtips Technology

1.General Specification

The Features is described as follow:

- Module dimension: 122.0 x 44.0 x 10.0 (max.) mm
- View area: 99.0 x 24.0 mm
- Active area: 91.14 x 18.98 mm
- Number of Characters :16 Characters x 2 Line
- Dot size: 0.90 x 1.06 mm
- Dot pitch: 0.96 x 1.12 mm
- Character size: 4.74 x 8.90 mm
- Character pitch: 5.76 x 10.08 mm
- Duty: 1/16
- Emitting Color: OLED ,Green



2.Module Coding System

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|--------|---|---|---|---|---|----|----|----|-----|
| R | E | С | 001602 | В | G | Р | Р | 5 | Ν | 0 | 0 | 001 |

| Item | Description | |
|------|--------------------|---|
| 1 | R : Raystar Optron | ics Inc. |
| 2 | E : OLED | |
| 3 | Display Type: C→C | Character Type, G \rightarrow Graphic Type,T \rightarrow TAB Type ,X \rightarrow COG Type |
| 4 | Number of Charact | ers: 16Characters,02 Lines. |
| 5 | Serials code | |
| | | A : Amber R : RED |
| 6 | Emitting Color | B : Blue Y : Yellow |
| | | G : Green W : White |
| 7 | Polarizer | P: With Polarizer; N: Without Polarizer |
| 8 | Display Mode | P: Passive Matrix ; A: Active Matrix |
| 9 | Driver Voltage | 3: 3.0 V; 5: 5.0V |
| 10 | Touch Panel | N: Without touch panel; T: With touch panel |
| 10 | | S : Resistive touch panel |
| 11 | Species | 0:Normal, 1:Sunlight readable, 2:Transparent, 3:Flexible, 4:Lighting |
| 12 | Grade code | |
| 13 | Serial No. | Sales code |

| Pages | 10 | |
|-------|----|--|




3.Interface Pin Function

| Pin No. | Symbol | Level | Description |
|---------|--------|-------|--|
| 1 | VSS | 0V | Ground |
| 2 | VDD | 5.0V | Supply Voltage for logic |
| 3 | NC | _ | No Connection |
| 4 | RS | H/L | H: DATA, L: Instruction code |
| 5 | R/W | H/L | H: Read(Module→MPU) L: Write(MPU→Module) |
| 6 | E | H,H→L | Chip enable signal |
| 7 | DB0 | H/L | Data bit 0 |
| 8 | DB1 | H/L | Data bit 1 |
| 9 | DB2 | H/L | Data bit 2 |
| 10 | DB3 | H/L | Data bit 3 |
| 11 | DB4 | H/L | Data bit 4 |
| 12 | DB5 | H/L | Data bit 5 |
| 13 | DB6 | H/L | Data bit 6 |
| 14 | DB7 | H/L | Data bit 7 |
| 15 | NC | - | No Connection |
| 16 | NC | - | No Connection |


Page 7, Total 26 Pages


Microtips Technology

4.Counter Drawing & Block Diagram











5.Absolute Maximum Ratings

| Item | Symbol | Min | Max | Unit | Notes |
|--------------------------|---------------------|------|-----|------|-------|
| Operating Temperature | T _{OP} | -40 | +80 | °C | |
| Storage Temperature | T _{ST} | -40 | +80 | °C | |
| Supply Voltage For Logic | VDD-V _{SS} | -0.3 | 5.3 | V | Y |

Page 10, Total 26 Pages



6.Electrical Characteristics

| Item | Symbol | Condition | Min | Тур | Max | Unit |
|--------------------------------------|---------|------------|---------|-----|---------|------|
| Supply Voltage For Logic | VDD-VSS | — | 4.8 | 5.0 | 5.3 | V |
| Input High Volt. | VIH | — | 0.8 VDD | _ | VDD | V |
| Input Low Volt. | VIL | — | GND | _ | 0.2 VDD | V |
| Output High Volt. | VOH | IOH=-0.5mA | 0.8 VDD | - < | VDD | V |
| Output Low Volt. | VOL | IOL=0.5mA | GND | | 0.2 VDD | V |
| 50% Check Board Operating Current | IDD | VDD=5V | 56 | 62 | 65 | mA |


Note: In order to avoid any possible damages, 3V or 3.3V logic I/O for VDD 5V OLED module is not recommended.

Page 11, Total 26 Pages



7.Optical Characteristics

| Item | Symbol | Condition | Min | Тур | Max | Unit |
|--------------------------|--------|-----------|--------|------|-------|------|
| View Angle | (V)θ | _ | 160 | _ | - | deg |
| | (H)φ | | 160 | _ | - | deg |
| Contrast Ratio | CR | Dark | 2000:1 | - | | |
| Response Time | T rise | — | — | 10 | | μs |
| | T fall | — | _ | 10 | - | μs |
| Display with 50% check E | | 70 | 90 | _ | cd/m2 | |
| CIEx(Green) | | (CIE1931) | 0.24 | 0.28 | 0.32 | — |
| CIEy(Green) | | (CIE1931) | 0.59 | 0.63 | 0.67 | _ |



Page 12, Total 26 Pages



8.OLED Lifetime

| ITEM | Conditions | Min | Тур | Remark |
|------------------------|---|---------------|----------------|--------|
| Operating Life Time | Ta=25℃ / Initial 50% check Board Typical Brightness Value | 80,000 Hrs | 100,000 Hrs | Note |

Note:

- 1. Life time is defined the amount of time when the luminance has decayed to <50% of the initial value.
- 2. This analysis method uses life data obtained under accelerated conditions to extrapolate an estimated probability density function (*pdf*) for the product under normal use conditions.
- 3. Screen saving mode will extend OLED lifetime.



9.Reliability

Content of Reliability Test

| Environmenta | l Test | | Applicable |
|---|---|--|------------------------|
| Test Item | Content of Test | Test Condition | Applicable Standard |
| High Temperature storage | Endurance test applying the high storage temperature for a long time. | 80°C 240hrs | - 6 |
| Low Temperature storage | Endurance test applying the low storage temperature for a long time. | -40℃ 240hrs | |
| High Temperature Operation | Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time. | 80°C 240hrs | |
| Low Temperature Operation | Endurance test applying the electric stress under low temperature for a long time. | -40°C 240hrs | |
| High Temperature/ Humidity Storage | Endurance test applying the high temperature and high humidity storage for a long time. | 60°C,90%RH 240hrs | |
| Temperature Cycle | Endurance test applying the low and high temperature cycle. -40°C 25°C 80°C 30min 5min 30min 1 cycle | -40℃/80℃ 100 cycles | |
| Mechanical Tes | st | | |
| Vibration test | Endurance test applying the vibration during transportation and using. | 10~22Hz→1.5mmp-p 22~500Hz→1.5G Total 0.5hr | 50 |
| Shock test | Constructional and mechanical endurance test applying the shock during transportation. | 50G Half sin wave 11 ms 3 times of each direction | |
| Atmospheric pressure test | Endurance test applying the atmospheric pressure during transportation by air. | 115mbar 40hrs | |
| Others | | | |
| Static electricity test | Endurance test applying the electric stress to the terminal. | VS=800V,RS=1.5kΩ CS=100pF 1 time | |

*** Supply voltage for OLED system =Operating voltage at 25 $^\circ\!\mathrm{C}$



Test and measurement conditions

- 1. All measurements shall not be started until the specimens attain to temperature stability. After the completion of the described reliability test, the samples were left at room temperature for 2 hrs prior to conducting the failure test at 23±5℃; 55±15% RH.
- 2. All-pixels-on is used as operation test pattern.
- 3. The degradation of Polarizer are ignored for High Temperature storage, High Temperature/ Humidity Storage, Temperature Cycle

Evaluation criteria

- 1. The function test is OK.
- 2. No observable defects.
- 3. Luminance: > 50% of initial value.
- 4. Current consumption: within \pm 50% of initial value.

APPENDIX:

RESIDUE IMAGE

Because the pixels are lighted in different time, the luminance of active pixels may reduce or differ from inactive pixels. Therefore, the residue image will occur. To avoid the residue image, every pixel needs to be lighted up uniformly.




10.Inspection specification

| 01Electrical Testing1.1 Missing vertical, horizontal segment, segment contrast defect. 1.2 Missing character, dot or icon. 1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect.0.6502Black or white spots on OLED (display only)2.1 White and black spots on display ≤ 0.25 mm, no more than three white or black spots present. 3.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Psi \leq 0.10$ SIZE TY $\Psi \leq 0.10$ $\Delta ccept no$ $dense2.50.102\Phi \leq 0.200.25 < 01\Phi \leq 0.202.50.250.25 < 03.2 Line type : (As following drawing)\Psi \leq 0.022.50.4PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \Phi0.20 < 02.50.4PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \Phi0.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 00.20 < 0.20 < 00.20 < 0.20 < 00.20 < 0.20 < 00.20 < 0.20 < 0.20 < 00.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0$ | NO | Item | Criterion | | | | | AQL | | |
|--|----|----------------|----------------------|-------------|------------|-------------------------------------|-------------------|------|--|--|
| 1.2 Missing character, dot or icon. 1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. 1.8 Contrast defect.0.6502Black or white spots on OLED (display only)2.1 White and black spots on display ≤ 0.25 mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED black spots, white spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi = (x + y) / 2$ $\Psi = 0.10$ SIZE Accept no dense $0.10 <$ $\Phi \leq 0.20$ $0.20 <$ $0.20 0.20 <0.20 $ | 01 | Electrical | 1.1 Missing verti | cal, horizo | ontal se | egment, seg | ment contrast | | | |
| 0.65< | | Testing | | | | | | | | |
| 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 OLED viewing angle defect. 1.7 Mixed product types. | | | | | | | | | | |
| $\begin{array}{ c c c c c c } 1.5 \ \mbox{Current consumption exceeds product specifications.}\\ 1.6 \ \mbox{OLED viewing angle defect.}\\ 1.7 \ \mbox{Mixed product types.}\\ 1.8 \ \mbox{Contrast defect.}\\ 1.8 \ \mbox{Contrast defect.}\\ 1.8 \ \mbox{Contrast defect.}\\ 2.1 \ \mbox{White avoids on observe that black spots on display $\leq 0.25 \mbox{mm, no more than three white or black spots present.}\\ 2.2 \ \mbox{Densely spaced: No more than two spots or lines within 3mm.}\\ 2.5 \ \mbox{OLED display only}\\ 03 \ \mbox{OLED black spots, contamina tion (non-display) } & 3.1 \ \mbox{Round type : As following drawing } \\ \Phi=(x+y)/2 \ \mbox{Mite spots, contamina tion (non-display) } & 1.8 \ \mbox{Contamina tion (non-display) } & 1.8 \ Contamina tion ($ | | | | | | | | | | |
| $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | | | | | | | | 0.65 | | |
| 1.7 Mixed product types. 1.8 Contrast defect.1.7 Mixed product types. 1.8 Contrast defect.02Black or white spots on OLED (display only)2.1 White and black spots on display ≤ 0.25 mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x+y)/2$ Ψ SIZE Y Acceptable Q TY $\Phi \leq 0.10$ $Accept nodense2.503OLEDblackspots,contamination(non-display)3.1 Round type : Asfollowing drawing\Psi=(x+y)/2\Psi = 0.10Accept no\Delta coeptSIZEY\Phi \leq 0.200.20 < 1\Delta coept2.504PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAccept and type2.504PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAccept and typeAccept no denseAccept no denseCoept and type2.5$ | | | | | | is product sp | ecifications. | | | |
| 1.8 Contrast defect.1.8 Contrast defect.02Black or white spots on OLED (display only)2.1 White and black spots on display ≤ 0.25 mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x+y)/2$ $\Psi \neq 0.10$ SIZE Accept and $\Phi \leq 0.10$ Acceptable Q TY $\Phi \leq 0.10$ 2 $\Phi \leq 0.20$ $0.25 < \Phi$ 2.50.102 $\Phi \leq 0.20$ $0.25 < \Phi$ 02.50.102 $\Phi \leq 0.20$ $0.25 < \Phi$ 1 $\Phi \leq 0.20$ 2.50.102 $\Phi \leq 0.20$ $0.25 < \Phi$ 1 $\Phi \leq 0.20$ 2.50.102 $\Phi \leq 0.20$ 1 $\Phi \leq 0.20$ 20.102 $\Phi \leq 0.20$ 22.50.102 $\Phi \leq 0.20$ 22.50.102 $\Phi \leq 0.20$ 22.50.4Polarizer bubblesIf bubbles are visible, iudge using black spot specifications, not easy to find, must check in specify direction.Size Φ $Acceptable Q TY\Phi \leq 0.20Accept no dense0.20 < \Phi \leq 0.5020.4PolarizerbubblesIf bubbles are visible,iudge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAcceptable Q TY\Phi \leq 0.502$ | | | | | elect. | | | | | |
| 02Black or white spots on OLED (display only)2.1 White and black spots on display ≤ 0.25 mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED (display only)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ white spots, contamination (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ Ψ SIZE $\Phi \leq 0.10$ $\Phi \leq 0.20$ $0.20 < 1$ $\Phi \leq 0.20$ $0.20 < 0.20 < 10$ $0.20 < 10$ 22.504Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ $\Delta ccept and ease0.20 < \Phi \leq 0.5030.50 < \Phi \leq 1.0022.5$ | | | | | | | | | | |
| white spots on OLED (display only)three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.2.503OLED black spots, white spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x+y)/2$ \mathbf{Y} $SIZE$ $\Phi \le 0.10$ $\Delta ccept nodense0.10 <\Delta ccept nodense0.25 <0.20 <0.20 <0.20 <0.20 <0.25 <0.25 <0.25 <2.504PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size\Delta<$ | | | | 001. | | | X X | | | |
| $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$ | 02 | Black or | 2.1 White and bl | ack spots | on dis | play \leq 0.25r | nm, no more than | | | |
| OLED (display only)3mm.2.303OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x+y)/2$ \mathbf{Y} SIZE $\Phi \le 0.10$ $Accept nodenseAcceptable QTY\Phi \le 0.10Accept nodense2.50.102\Phi \le 0.200.20 < 10.20 < 10.20 < 10.20 < 12.53.2 Line type : (As following drawing)\mathbf{Y}U \le 0.250.25 < \Phi03.2 Line type : (As following drawing)\mathbf{Y}U \le 0.25 < \Phi0.25 < \Phi2.50.10 < 2\Phi \le 0.200.20 < 120.10 < 2\Phi \le 0.201\Phi \le 0.200.25 < \Phi2.50.20 < 00.25 < \Phi03.2 Line type : (As following drawing)\mathbf{Y}U \le 0.03\mathbf{L} \le 2.52.50.03 < W \le 0.03\mathbf{L} \le 2.50.03 < W \le 0.03\mathbf{L} \le 2.52.504PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAccept no dense0.20 < \Phi \le 0.5030.50 < \Phi \le 1.0022.5$ | | white | | • | • | | | | | |
| OLED (display only)3mm.Size $Acceptable Q$ TYAcceptable Q TY2.503OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y)/2$ $\Psi=(x + y)/2$ SIZE $\Phi \le 0.10$ Acceptable Q TY $\Phi \le 0.20$ 20.102 $\Phi \le 0.20$ 0.102 $\Phi \le 0.20$ 20.102 $\Phi \le 0.20$ 0.20< $0.20 < 1$ $0.20 < 1$ 2.50.200.201 $\Phi \le 0.25$ $0.25 < 0$ 20.25< $0.25 < 0$ 020.25< $0.25 < 0$ 021 $\Psi \le 0.2$ $0.25 < 0$ 21 $\Psi \le 0.2$ $0.25 < 0$ 22.50.03 < W ≤ 0.03 $L \le 2.5$ 20.4Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ Accept no dense $0.20 < \Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 20.4Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ Accept no dense $0.20 < \Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 2 | | | | ced: No m | nore that | an two spots | s or lines within | 25 | | |
| only3.1 Round type : As following drawing $\Phi=(x+y)/2$ SIZEAcceptable Q TY2White spots, contamina tion (non-displ ay) $X \rightarrow \downarrow$ \downarrow \downarrow \downarrow $\Phi \le 0.10$ Accept no dense2.53.2 Line type : (As following drawing) \downarrow \downarrow \downarrow $\Phi \le 0.20$ 1 $\Phi \le 0.20$ 2.53.2 Line type : (As following drawing) \downarrow \downarrow \downarrow \downarrow $Length$ $\Psi \le 0.02$ $Accept able Q TY$ $$ 2.504Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ $Accept able Q TY\Phi \le 0.2022.504PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAccept able Q TY\Phi \le 0.20Accept no dense0.20 < \Phi \le 0.503 0.50 < \Phi \le 1.0021.00 < \Phi2.5$ | | - | 3mm. | | | | | 2.0 | | |
| 03OLED black spots, white spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x+y)/2$ SIZEAcceptable Q TY22.5 $\Psi \le 0.10$ Accept no dense0.10< | | | | | | $\mathcal{A} \setminus \mathcal{A}$ | | | | |
| black spots, white spots, contamina tion (non-displ ay) $\begin{array}{c c} & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & $ | 03 | | 3.1 Pound type | ٠Ac | | | | | | |
| spots, white spots, contamina tion (non-displ ay) | 05 | | ~ 1 | | | SIZE | Acceptable Q | | | |
| white spots, contamina tion (non-display) ay) $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | 9 | | | • | | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | x . | | 4 | Þ≦0.10 | | | | |
| tion (non-displ ay)Y $arc (arc (brown))$ $arc (brown))$ ay) $arc (arc (brown))$ $arc (brown))$ < | | spots, | └─ ⋗ ऀ ₩─↓ | | \searrow | | - | | | |
| $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | | contamina | | v | 0 | 0.10< | 2 | 2.5 | | |
| ay) $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | - 7 | | 4 | Փ≦0.20 | | | | |
| $\begin{array}{ c c c c c } \hline & & & & & & & & & & & & & & & & & & $ | | · · | | | 0 | 0.20< | 1 | | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | ay) | $\wedge V$ | | 4 | Փ≦0.25 | | | | |
| $\begin{array}{ c c c c c } \hline & & & & & & & \\ \hline & & & & & \\ \hline & & & &$ | | | | 4 | 0 |).25<Ф | 0 | | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | 3.2 Line type : (A | As followin | ng drav | ving) | | - | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | 4 | (<u> </u> | Length | Widt | h | Acceptable Q TY | | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | $\sim 1 \frac{w}{w}$ | | W≦0 | 0.02 | Accept no dense | | | |
| 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ Acceptable Q TY $\Phi \le 0.20$ 2.50.00 $\Delta ccept no dense$ $0.20 < \Phi \le 0.50$ 32.5 | | | → - | L≦3.0 | 0.02 | $<\!W\!\le\!0.03$ | 2 | 2.5 | | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | . L | L≦2.5 | 0.03 | $<$ W \leq 0.05 | 2 | | | |
| bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ Acceptable Q TY $\Phi \le 0.20$ 2.5 $0.20 < \Phi \le 0.50$ 3 $0.20 < \Phi \le 0.50$ 3 2.5 | | | | | 0.05 | < W | As round type | | | |
| bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size Φ Acceptable Q TY $\Phi \le 0.20$ 2.5 $0.20 < \Phi \le 0.50$ 3 $0.20 < \Phi \le 0.50$ 3 2.5 | 04 | Polarizer | | | | | | | | |
| judge using black spot specifications, not easy to find, must check in specify direction. $\Phi \le 0.20$ Accept no dense $0.20 < \Phi \le 0.50$ 2.5 $0.50 < \Phi \le 1.00$ 2 $1.00 < \Phi$ 0 | | h. Additionant | | • | Size | Φ | Acceptable Q TY | | | |
| to find, must check in specify direction. $0.20 < \phi \equiv 0.00$ 0 $0.50 < \Phi \leq 1.00$ 2 $1.00 < \Phi$ 0 | | X | , , , | | Ф≦(| 0.20 | Accept no dense | | | |
| specify direction. $\begin{array}{c c} 0.50 < \Phi \ge 1.00 & 2 \\ \hline 1.00 < \Phi & 0 \end{array}$ | | | | | 0.20 | $< \Phi \leq 0.50$ | 3 | 2.5 | | |
| <u>1.00<</u> Φ 0 | | | - | | 0.50 | <Φ≦1.00 | 2 | 0.0 | | |
| Total Q TY 3 | | | | • | 1.00 | Φ> | 0 | | | |
| | | | | | Tota | IQTY | 3 0000 | | | |



| NO | Item | Criterion | | | AQL |
|----|--|--|--------------------------|---------------------------------------|-----|
| 05 | Scratches Follow NO.3 OLED black spots, white spots, contamination | | ots, contamination | | |
| | | Symbols Define: x: Chip length k: Seal width L: Electrode pad leng | | Chip thickness a: OLED side length | |
| | | 6.1 General glass ch 6.1.1 Chip on panel s | | tween panels: | P |
| | | | | | |
| | | z: Chip thickness | y: Chip width | x: Chip length | |
| 06 | Chipped | Z≦1/2t | Not over viewing area | x≦1/8a | 2.5 |
| 00 | glass | $1/2t < z \leq 2t$ | Not exceed 1/3k | x≦1/8a | 2.3 |
| | | If there are 2 or more chips, x is total length of each chip. 6.1.2 Corner crack: | | | |
| | / | z: Chip thickness | y: Chip width | x: Chip length | |
| | | $Z \leq 1/2t$ | Not over viewing area | x≦1/8a | PS |
| | | $1/2t < z \leq 2t$ | Not exceed 1/3k | x≦1/8a | |
| | | \odot If there are 2 or mo | ore chips, x is the tota | al length of each chip. | |








| NO | Item | Criterion | AQL |
|----|-----------------------|---|---|
| 07 | Cracked glass | The OLED with extensive crack is not acceptable. | 2.5 |
| 08 | Backlight elements | 8.1 Illumination source flickers when lit. 8.2 Spots or scratched that appear when lit must be judged. Using OLED spot, lines and contamination standards. 8.3 Backlight doesn't light or color wrong. | 0.65 2.5 0.65 |
| 09 | Bezel | 9.1 Bezel may not have rust, be deformed or have fingerprints, stains or other contamination.9.2 Bezel must comply with job specifications. | 2.5 0.65 |
| 10 | PCB、COB | 10.1 COB seal may not have pinholes larger than 0.2mm or contamination. 10.2 COB seal surface may not have pinholes through to the IC. 10.3 The height of the COB should not exceed the height indicated in the assembly diagram. 10.4 There may not be more than 2mm of sealant outside the seal area on the PCB. And there should be no more than three places. 10.5 No oxidation or contamination PCB terminals. 10.6 Parts on PCB must be the same as on the production characteristic chart. There should be no wrong parts, missing parts or excess parts. 10.7 The jumper on the PCB should conform to the product characteristic chart. 10.8 If solder gets on bezel tab pads, OLED pad, zebra pad or screw hold pad, make sure it is smoothed down. | 2.5 2.5 2.5 2.5 0.65 0.65 2.5 |
| 11 | Soldering | 11.1 No un-melted solder paste may be present on the PCB. 11.2 No cold solder joints, missing solder connections, oxidation or icicle. 11.3 No residue or solder balls on PCB. 11.4 No short circuits in components on PCB. | 2.5 2.5 2.5 0.65 |



| NO | Item | Criterion | AQL |
|----|------------|---|------|
| | | 12.1 No oxidation, contamination, curves or, bends on interface Pin (OLB) of TCP. | 2.5 |
| | | 12.2 No cracks on interface pin (OLB) of TCP. | 0.65 |
| | | 12.3 No contamination, solder residue or solder balls on | 2.5 |
| | | product. | 2.5 |
| | | 12.4 The IC on the TCP may not be damaged, circuits. | 2.5 |
| | | 12.5 The uppermost edge of the protective strip on the | An |
| 12 | General | interface pin must be present or look as if it cause the interface pin to sever. | 2.5 |
| 12 | appearance | 12.6 The residual rosin or tin oil of soldering (component or | 2.5 |
| | | chip component) is not burned into brown or black color. | 0.65 |
| | | 12.7 Sealant on top of the ITO circuit has not hardened. | 0.65 |
| | | 12.8 Pin type must match type in specification sheet. | 0.65 |
| | | 12.9 OLED pin loose or missing pins. | |
| | | 12.10 Product packaging must the same as specified on packaging specification sheet. | 0.65 |
| | | 12.11 Product dimension and structure must conform to product specification sheet. | |
| l | | | |

Page 20, Total 26 Pages







11.Precautions in use of OLED Modules

- (1) Avoid applying excessive shocks to module or making any alterations or modifications to it.
- (2) Don't make extra holes on the printed circuit board, modify its shape or change the components of OLED display module.
- (3) Don't disassemble the OLED display module.
- (4) Don't operate it above the absolute maximum rating.
- (5) Don't drop, bend or twist OLED display module.
- (6) Soldering: only to the I/O terminals.
- (7) Storage: please storage in anti-static electricity container and clean environment.
- (8) It's pretty common to use "Screen Saver" to extend the lifetime and Don't use fix information for long time in real application.
- (9) Don't use fixed information in OLED panel for long time, that will extend "screen burn" effect time..
- (10) Raystar has the right to change the passive components, including R2and R3 adjust resistors. (Resistors, capacitors and other passive components will have different appearance and color caused by the different supplier.)

(11) Raystar have the right to change the PCB Rev. (In order to satisfy the supplying stability, management optimization and the best product performance...etc, under the premise of not affecting the electrical characteristics and external dimensions, Raystar have the right to modify the version.)

11.1 Handling Precautions

- (1) Since the display panel is being made of glass, do not apply mechanical impacts such us dropping from a high position.
- (2) If the display panel is broken by some accident and the internal organic substance leaks out, be careful not to inhale nor lick the organic substance.
- (3) If pressure is applied to the display surface or its neighborhood of the OLED display module, the cell structure may be damaged and be careful not to apply pressure to these sections.
- (4) The polarizer covering the surface of the OLED display module is soft and easily scratched. Please be careful when handling the OLED display module.
- (5) When the surface of the polarizer of the OLED display module has soil, clean the surface. It takes advantage of by using following adhesion tape.
- * Scotch Mending Tape No. 810 or an equivalent


Never try to breathe upon the soiled surface nor wipe the surface using cloth containing solvent Also, pay attention that the following liquid and solvent may spoil the polarizer:

* Water

* Ketone

- * Aromatic Solvents
- (6) Hold OLED display module very carefully when placing OLED display module into the System housing. Do not apply excessive stress or pressure to OLED display module. And, do not over bend the film with electrode pattern layouts. These stresses will influence the display performance. Also, secure sufficient rigidity for the outer cases.





- (7) Do not apply stress to the LSI chips and the surrounding molded sections.
- (8) Do not disassemble nor modify the OLED display module.
- (9) Do not apply input signals while the logic power is off.
- (10) Pay sufficient attention to the working environments when handing OLED display modules to prevent occurrence of element breakage accidents by static electricity.
- * Be sure to make human body grounding when handling OLED display modules.
- * Be sure to ground tools to use or assembly such as soldering irons.
- * To suppress generation of static electricity, avoid carrying out assembly work under dry environments.
- * Protective film is being applied to the surface of the display panel of the OLED display module. Be careful since static electricity may be generated when exfoliating the protective film.
- (11) Protection film is being applied to the surface of the display panel and removes the protection film before assembling it. At this time, if the OLED display module has been stored surface of the display panel after removed of the film. In such case, remove the residue material by the method introduced in the above Section 5.
- (12) If electric current is applied when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful to avoid the above.

11.2 Storage Precautions

- (1) When storing OLED display modules, put them in static electricity preventive bags avoiding exposure to direct sun light nor to lights of fluorescent lamps. And, also, avoiding high temperature and high humidity environment or low temperature (less than 0℃) environments.(We recommend you to store these modules in the packaged state when they were shipped from Raystar Optronics Inc. At that time, be careful not to let water drops adhere to the packages or bags nor let dewing occur with them.
- (2) If electric current is applied when water drops are adhering to the surface of the OLED display module, when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful about the above.

Page 23, Total 26 Pages



11.3 Designing Precautions

- (1) The absolute maximum ratings are the ratings which cannot be exceeded for OLED display module, and if these values are exceeded, panel damage may be happen.
- (2) To prevent occurrence of malfunctioning by noise, pay attention to satisfy the VIL and VIH specifications and, at the same time, to make the signal line cable as short as possible.
- (3) We recommend you to install excess current preventive unit (fuses, etc.) to the power circuit (VDD). (Recommend value: 0.5A)
- (4) Pay sufficient attention to avoid occurrence of mutual noise interference with the neighboring devices.
- (5) As for EMI, take necessary measures on the equipment side basically.
- (6) When fastening the OLED display module, fasten the external plastic housing section.
- (7) If power supply to the OLED display module is forcibly shut down by such errors as taking out the main battery while the OLED display panel is in operation, we cannot guarantee the quality of this OLED display module. Connection (contact) to any other potential than the above may lead to rupture of the IC.



| Modu | le Sampl | e Estimate Feedback Sheet |
|-------------------------------|----------|---------------------------|
| Module Number : | | |
| | | |
| 1 · Panel Specification : | | |
| 1. Panel Type : | Pass | □NG , |
| 2. Numbers of Pixel : | Pass | □NG , |
| 3. View Area: | Pass | □NG , |
| 4. Active Area: | Pass | □NG , |
| 5.Emitting Color : | Pass | □NG , |
| 6.Uniformity: | □Pass | □NG , |
| 7.Operating | Pass | □NG , |
| Temperature : | | |
| 8.Storage Temperature : | Pass | □NG , |
| 9.Others : | | |
| 2 · Mechanical Specificati | on : | |
| 1. PCB Size : | □Pass | □NG , |
| 2.Frame Size : | □Pass | □NG , |
| 3.Materal of Frame : | □Pass | □NG , |
| 4.Connector Position : | □Pass | □NG , |
| 5.Fix Hole Position : | □Pass | □NG , |
| 6. Thickness of PCB : | □Pass | □NG , |
| 7. Height of Frame to | □Pass | □NG , |
| PCB : | | |
| 8.Height of Module : | □Pass | □NG , |
| 9.Others : | □Pass | □NG , |
| 3 · Relative Hole Size : | | |
| 1.Pitch of Connector : | □Pass | □NG , |
| 2.Hole size of Connector : | □Pass | □NG , |
| 3.Mounting Hole size : | □Pass | □NG , |
| 4.Mounting Hole Type : | □Pass | □NG , |
| 5.Others : | □Pass | □NG , |



| | | Page: 2 |
|---|----------|---------------------|
| Module Number : | <u> </u> | |
| 4 · Electronic Characteristic | | |
| 1.Input Voltage : | □Pass | □NG , |
| 2.Supply Current : | □Pass | DNG , |
| 3.Driving Voltage for | □Pass | □NG , |
| OLED : | Daaa | |
| 4.Contrast for OLED : | □Pass | □NG , |
| 5.Negative Voltage | □Pass | □NG , |
| Output : 6.Interface Function : | □Pass | |
| 7.ESD test : | | |
| 8.Others : | | |
| 5 <u>Summary</u> : | UPass | □NG , |
| Sales signature : Customer Signature | : | |
| | Page | 26 , Total 26 Pages |
| | i uge | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Microtips Technology: REC001602BGPP5N00001