SMT Power Inductors

Flat Coils - PG0255NL Series





- *•* Height: 4.0mm Max
- *•* Footprint: 11.5mm x 10.3mm Max
- *Heating Current Rating:* up to 51A
- *P* Inductance Range: 0.17μH to 2.1μH

Electrical Specifications @ 25°C – Operating Temperature –40°C to +125°C										
Part Number	Inductance ² @ Irated (TYP)	Irated ³ (A)	Controlled Electrical Specifications				Coturation ⁵	llesting	Core Loss Factor ⁷	
			DCR (m Ω)		Inductance	Inductance ⁴	Saturation ⁵ Current	Heating ⁶ Current		
			TYP	MAX	@ ΟΑ ω (μΗ ±15%)	@ Bias (μΗ ±20%)	Isat (A)	loc (A)	K1	K2
PG0255.201NL	0.17	30	0.45	0.55	0.20	0.18 @ 21Adc	30	51	6.20e-10	47
PG0255.401NL	0.34	29	1.05	1.15	0.40	0.36 @ 17Adc	29	34	6.20e-10	56
PG0255.601NL	0.51	27	1.70	1.87	0.60	0.56 @ 15Adc	28	27	6.20e-10	60
PG0255.102NL	0.90	21	2.80	3.20	1.00	0.87 @ 26Adc	27	21	6.20e-10	78
PG0255.152NL	1.35	16	4.50	5.00	1.50	1.20 @ 17Adc	22	16	6.20e-10	95
PG0255.182NL	1.57	16	4.50	5.00	1.80	1.57 @ 16Adc	21	16	6.20e-10	115
PG0255.222NL	2.10	13	6.60	7.00	2.20	1.80 @ 20Adc	20	13	6.20e-10	118


Notes:

- 1. The temperature of the component (ambient plus temperature rise) must be within the specified operating temperature range.
- 2. Inductance at Irated is a typical inductance value for the component taken at rated current.
- 3. The rated current listed is the lower of the saturation current @ 25°C or the heating current.
- 4. The inductance at Bias is the controlled inductance value measured after subjecting the part to the listed dc bias current.
- 5. The saturation current, ISAT, is the current at which the component inductance drops by 20% (typical) at an ambient temperature of 25°C. This current is determined by placing the component in the specified ambient environment and applying a short duration pulse current (to eliminate self-heating effects) to the component.
- 6. The heating current, IDC, is the DC current required to raise the component temperature by approximately 40°C. The heating current is determined by mounting the component on a typical PCB and applying current for 30 minutes. The temperature is measured by placing the thermocouple on top of the unit under test. Take note that the component's performance varies depending on the system condition. It is suggested that the component be tested at the system level, to verify the temperature rise of the component during system operation.
- Core loss approximation is based on published core data:
 Core Loss = K1 * (f)^{1.48} * (K2△I)^{1.97}
 Where: Core Loss = in Watts
 f = switching frequency in kHz
 K1 & K2 = core loss factors
 △I = delta I across the component in Ampere
 K2△I = one half of the peak to peak flux density across the component in Gauss
- 8. Unless otherwise specified, all testing is made at 100kHz, 0.1V_{ar}.
- Optional Tape & Reel packaging can be ordered by adding a "T" suffix to the part number (i.e. PG0255.601NL becomes PG0255.601NLT). Pulse complies to industry standard tape and reel specification EIA481.

SMT Power Inductors

Flat Coils - PG0255NL Series





Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2019. Pulse Electronics, Inc. All rights reserved.

Fax: 86 755 33966700

2

Fax: 858 674 8262

Fax: 49 2354 777 168

Fax: 86 2162786973

Fax: 65 6280 0080

Fax: 886 3 4356820

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

PG0255.222NLT PG0255.601NLT PG0255.401NLT