

- A DIVISION OF **tyco** ELECTRONICS
- Continuous format heat-shrinkable identification tubing
- · Computer printable
- Military specification material and print performance
- -55°C to 135°C operating temperature
- · 3:1 shrink ratio
- CSA certified, UL recognised (VW-1 rated)

TTMS

Flat heat-shrinkable identification tubing

TTMS tubing is flattened, heat-shrinkable tubing intended for wire and cable identification. Available in continuous spools, TTMS tubing is designed for computer-based printing using Raychem's TMS 2000Plus printer. This product format makes TTMS identification tubing ideal for applications where in-sequence kitting is not of overriding importance, for example where several hundred identical markers are required. Large pack sizes, usually 100m (328 feet), minimise the number of spool

changes necessary during production runs.

TTMS identification tubing is made from durable, flame retarded, radiation-crosslinked heat-shrinkable polyolefin. The printed tubing meets the mark permanence requirements of MIL-DTL-23053/5 classes 1 and 3. The identification marks are permanent immediately after printing and remain legible even when exposed to solvents, fuels and oils. The tubing meets the mark permanence requirements of MIL-M-

81531 and MIL-STD-202 both before and after shrinking. Raychem-recommended ribbons should always be used. The tubing has a 3:1 shrink ratio (except sizes 38.1 and 50.8, which are 2:1) and cover a wide range of wire diameters, thus simplifying inventory. The tubing shrinks extremely rapidly, so installation is fast and economical. The installed markers are low profile and lightweight. They may be used to provide strain relief and insulation in addition to identification.



Temperature rating

Operating temperature range	-55°C to 135°C
Minimum recovery temperature	85°C
Maximum storage temperature	40°C

Specifications and approvals


Raychem	RW 2025		
UL recognised	Standard 224, file E35586		
CSA certified	CSA C22.2 No. 198.1-98, file 31929		
Military	MIL-DTL-23053/5, MIL-M-81531, MIL-STD-202F		

TTMS

Dimensions inches (millimeters)

	Inside diameter						
	Expanded (minimum)	Recovered (maximum)	Recommended use range	Recovered wall thickness	Weight lb/ft <i>(g/m)</i>		
TTMS-2.4	0.093 (2.36)	0.031 <i>(0.79)</i>	0.032 - 0.075 <i>(0.81 - 1.90)</i>	0.021 ± 0.003 (0.53 ± 0.08)	0.0017 <i>(2.76)</i>		
TTMS-3.2	0.125 <i>(3.18)</i>	0.042 <i>(1.07)</i>	0.044 - 0.105 <i>(1.11 - 2.66)</i>	0.023 ± 0.003 (0.58 ± 0.08)	0.0025 (3.73)		
TTMS-4.8	0.187 <i>(4.75)</i>	0.062 <i>(1.57)</i>	0.069 - 0.160 <i>(1.75 - 4.06)</i>	0.023 ± 0.003 (0.58 ± 0.08)	0.0033 (4.93)		
TTMS-6.4	0.250 <i>(6.35)</i>	0.083 <i>(2.11)</i>	0.091 - 0.215 <i>(2.31 - 5.46)</i>	0.023 ± 0.003 (0.58 ± 0.08)	0.0043 (6.46)		
TTMS-9.5	0.375 <i>(9.53)</i>	0.125 <i>(3.18)</i>	0.137 - 0.320 <i>(3.47 - 8.12)</i>	0.023 ± 0.003 (0.61 ± 0.08)	0.0062 <i>(9.27)</i>		
TTMS-12.7	0.500 <i>(12.70)</i>	0.166 <i>(4.22)</i>	0.183 - 0.425 <i>(4.64 - 10.79)</i>	0.024 ± 0.003 (0.61 ± 0.08)	0.0084 <i>(12.53)</i>		
TTMS-19.0	0.750 <i>(19.05)</i>	0.250 <i>(6.35)</i>	0.275 - 0.640 <i>(6.99 - 16.25)</i>	0.024 ± 0.003 (0.61 ± 0.08)	0.0149 <i>(22.13)</i>		
TTMS-25.4	1.000 <i>(25.40)</i>	0.333 (8.46)	0.366 - 0.850 <i>(9.29 - 21.59)</i>	0.025 ± 0.003 (0.64 ± 0.08)	0.0190 <i>(28.24)</i>		
TTMS-38.1	1.500 <i>(38.10)</i>	0.750 <i>(19.05)</i>	0.825 - 1.300 <i>(20.95 - 33.02)</i>	0.020 ± 0.003 (0.51 ± 0.08)	0.0340 <i>(50.61)</i>		
TTMS-50.8	2.000 <i>(50.80)</i>	1.000 <i>(25.40)</i>	1.100 - 1.750 <i>(27.94 - 44.95)</i>	0.025 ± 0.003 (0.64 ± 0.08)	0.0584 <i>(86.96)</i>		

Part numbering system



Ordering information

Colors	Standard	Yellow	White	Black			
	Code	4	9	0			
	Non-standard	Red	Orange	Green	Blue	Violet	Gray
	Code	2	3	5	6	7	8
Packaging	Standard 328ft (100m) spools for all sizes except 38.1 and 50.8, which are 164ft (50m)						
	Tubing size		Total length		Order des	cription	Color
Ribbons	2.4mm (3/32") to 12.7mm (1/2")		300m (984ft)		2000P-RIE	BBON-4TT-NAR	Black
	19.0mm (3/4") & 25.4 mm (1")		300m (984ft)		2000P-RIE	2000P-RIBBON-4TT-MED	
	38.1 mm (1 ¹ / _{2"}) & 50.8mm (2")		300m (984ft)		TMS-RJS-I	TMS-RJS-RIBBON-4RPSCE	
	2.4mm (3/32") to 12.7mm (1/2")		300m (984ft)		2000P-RIE	2000P-RIBBON-4AG-NAR	
	19.0mm (3/4") & 25.4 mm (1")		300m (984ft)		2000P-RIE	2000P-RIBBON-4AG-MED	
	38.1mm (1 ¹ / ₂ ") & 50.8 mm (2")		300m (984ft)		TMS-RJS-I	TMS-RJS-RIBBON-4AG	

^{*} Raychem-recommended ribbons should always be used.

TTMS



TMS 2000Plus in-line thermal transfer printer

Typical TTMS performance

refer to Raychem specification RW-2025 for details

	Property	Performance	Test method	
Physical	Tensile strength	10.3MPa (1500psi) minimum	MIL-DTL-23053, section 4.6.13	
	Ultimate elongation	200% minimum	MIL-DTL-23053, section 4.6.13	
	Longitudinal change	0 to -20% maximum	MIL-DTL-23053, section 4.6.4	
	Specific gravity	1.35 maximum	ASTM D 792	
	Heat aging 168 hours at 175°C (347°F)	Minimum 100% ultimate elongation Print legible after 50 rubs	MIL-DTL-23053, section 4.6.9 See RW-2025	
	Heat shock 4 hours at 250°C (482°F	No cracking, dripping or flowing Print legible	MIL-DTL-23053, section 4.6.8 See RW-2025	
	Print performance	Print legible after 50 rubs Print legible after 30 strokes	MIL-M-81531, section 4.6.2 MIL-STD-202, method 215	
Electrical	Dielectric strength	19.7 kV/mm (500V/mil) minimum	ASTM D 2671	
Chemical	Flammability	No flaming or glowing after 1 minute 25% maximum flag burn No burning of cotton; no dripping	ASTM D 2671, procedure B ASTM D 2671, procedure C ASTM D 2671, procedure C	
	Fungus resistance	Rating 1 maximum Original tensile properties retained	ASTM G 21 ISO 846 B	
	Corrosive effect 16 hours at 175°C (347°F)	Non-corrosive (copper contact) No pitting or blackening (copper mirror)	MIL-DTL-23053, section 4.6.10.1 MIL-DTL-23053, section 4.6.10.2	
	Fluid resistance 24 hours at 24°C (75°F)	Print legible after 20 rubs Dielectric strength 15.8kV/mm min Tensile strength 6.9Mpa min	MIL-M-81531, section 4.6.2 ASTM D 2671 MIL-DTL-23053, section 4.6.13	
		JP-8	MIL-T-5624	
		Aviation Gasoline (100/130)		
		Hydraulic fluid	MIL-H-5606	
		Skydrol 500		
		Lubricating Oil	MIL-L-7808	
		Lubricating Oil	MIL-L-23699	
		5% salt water		
		Anti-icing fluid	MIL-A-8243	

Skydrol is a trademark of Monsanto Company

Raychem is a trademark of Raychem Interconnect, a division of Tyco Electronics Corporation.

All of the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Specifications are subject to change without notice. In addition Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.

Tyco Electronics Corporation Raychem Interconnect 306 Constitution Drive Menlo Park, CA 94025 U.S.A. www.tycoelectronics.com Tyco Electronics UK Ltd. Raychem Interconnect Cheney Manor Industrial Estate Swindon, Wiltshire SN2 2QE ILIK

Tyco Electronics Raychem K.K. Raychem Interconnect 3816 Noborito, Tama-ku Kawasaki 214-8533 Japan Raychem Singapore Pte Ltd. Raychem Interconnect No. 26 Ang Mo Kio Ind. Park Singapore 569507

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

TTMS2.40 TTMS9.59 TTMS-12.7-5 TTMS-2.4-6 TTMS-9.5-6 TTMS-25.4-5 TTMS-12.7-6 TTMS-50.8-4 TTMS2.4-1 E43428-000 9-1200678-6 663090-000 D40492-000 E37296-000 C93883-000 A11755-000 837342-000

CS7985-000 A67890-000 E67279-000 067230-000 388818-000 F24597-000 F94082-000 TTMS-3.2-5