


PEM® self-clinching locknuts prevent mating hardware from loosening.










SELF-LOCKING FASTENERS





PEM® SELF-CLINCHING LOCKNUTS PREVENT MATING HARDWARE FROM LOOSENING

PEM® self-clinching locknuts provide ideal solutions to prevent mating hardware from loosening in service due to vibration or other application-related factors. This family of fasteners includes a variety of types and different locking-feature styles to satisfy a wide range of applications. Their use can save time and money compared with alternative chemical locking methods or patches.

ABOUT LOCKING THREADS

PEM® locknuts include two locking designs:

1) PREVAILING TORQUE (CFN™, FE™, FEO™, UL™, LAS™, LAC™, LA4™, LK™, LKS™, LKA™, PL™, PLC™ and SL™ locknuts) – a design feature of the lock nut produces friction between threads of mated components thereby increasing the force needed to tighten as well as loosen the nut. Prevailing torque locknuts provide essentially the same torque value regardless of the amount of axial load applied.

Available in two types:

- All metal -

All PEM metal prevailing torque type locknuts achieve their prevailing torque by altering the shape of the nut in some way - most commonly by distorting the threads of the nut, which then grips the mating part during tightening. Screws for use with PEM prevailing torque locknuts should be Class 3A/4h fit or no smaller than Class 2A/6g.

Available in three styles:

- Elliptically squeezed threads (UL™, FE™, FEO™, LAC™, LAS™ and LA4™ locknuts) the thread barrel is slightly deformed into an elliptical shape.
- Flexing jaws (LK[™], LKS[™] and LKA[™] locknuts) the thread barrel is vertically slit and then the two sections are squeezed together.
- One or two deformed threads (SL™ locknuts) the last threads on the head side of the nut are deformed.

Typically prevailing torque locknuts utilizing a metal locking feature are treated with a dry film lubricant coating to afford some level of lubricity to reduce damage to the threads from repeated installation and removal of the screw and reduce required tightening torque. Care should be taken to be sure that lubricant is not removed in any post installed finishing operations.

Nylon insert

The PL™, PLC™ and CFN™ locknuts use a plastic insert, typically made from nylon to generate the torque resistance. A nylon ring is attached to the self-clinching body on the screw exit side with an ID approximately at the screw pitch diameter. As the screw enters this ring, there is interference at the major diameter generating a prevailing torque. The major advantage of this locking method is the greatly reduced chance of any conductive debris being generated by repeated installation and removal of the screw.

2) FREE-RUNNING (PEM RT® locknuts) – a nut that requires tightening against a bearing surface in order for the locking mechanism to function. If the tightening force (clamp load) is removed for any reason, these nuts no longer provide any torsional resistance to rotation. The modified thread formation allows mating screws to spin freely during the attachment process until clamp load is induced during the screw-tightening process.

PEM free-running locknuts will accept a maximum material 6g/2A screw.





CFN™ broaching fasteners are available for thinner sheet, close-to-edge applications. The nylon locking element provides prevailing torque to eliminate loosening of mating threaded hardware - PAGE 4



Nylon Insert

FE™/FEO™/UL™ miniature locking nuts, provide a smaller body for tight space, lightweight applications - PAGE 5



Elliptically Squeezed Threads

LAS™/LAC™/LA4™ nuts with self-locking, floating threads that permit up to .030"/0.76 mm adjustment for mating hole misalignment - PAGE 6



Elliptically Squeezed Threads

LK™/LKS™/LKA™ nuts have a rugged PEMFLEX® self-locking feature which meets demanding locking performance requirements - PAGE 7



Flexing Jaws

PL™/PLC™ PEMHEX® nuts with a nylon hexagonal element provide a locking option for applications where a metal on metal locking feature is not desired - PAGE 8



Nylon Insert

SL™ locknuts offer a cost effective TRI-DENT® locking feature and effective prevailing locking torque - PAGE 9



Deformed Threads

PEM RT® locknuts are free-running until clamp load is induced. A modified thread angle on the loaded flank provides the vibration resistant locking feature- PAGE 10



Free-runnina Threads

Material and finish specifications - PAGES 11

Installation - PAGES 12 - 16

Performance data - PAGES 17 - 23

LOCKING NUT SELECTOR GUIDE

				Application F	eatures		Locking	Non-metal			
PEM Locking	Page No.	Locking Performance	High Clamp	Floating	Limba	Close-to-	Performance	on Metal	Laskins	Covered	by ⁽¹⁾
Nut	NU.	Cycles	Strength	Threads	Light Weight	edge Applications	Temperature Limit	Locking Feature	Locking Style	M45938/7	M45938/11
CFN	4	1	•			•	(6)	•	Nylon Insert		
FE	5	15 ⁽³⁾			•	•	(7)		Elliptically Squeezed	•	
FE0	5	15 ⁽³⁾			•	•	(7)		Elliptically Squeezed	•	
UL	5	5(4)			•	•	(7)		Elliptically Squeezed	•	
LAS	6	15 ⁽³⁾	•	•			(7)		Elliptically Squeezed		•
LAC	6	15 ⁽³⁾	•	•			(7)		Elliptically Squeezed		•
LA4 ⁽²⁾	6	15 ⁽³⁾		•			(7)		Elliptically Squeezed		•
LK	7	15 ⁽³⁾	•				(7)		Flexing Jaws		
LKS	7	15 ⁽³⁾					(7)		Flexing Jaws		
LKA	7	15 ⁽³⁾	•				(9)		Flexing Jaws		
PL	8	15 ⁽³⁾					(6)	•	Nylon Insert		
PLC	8	15 ⁽³⁾					(6)	•	Nylon Insert		
SL	9	3	•				(8)		Deformed Threads		
PEM RT®	10	(5)	•				(8)		Free-running Threads		

⁽¹⁾ To meet national aerospace standards and to obtain testing documentation, product must be ordered using appropriate NASM45938 part number. Check our web site for a complete Military Specification and National Aerospace Standards Reference Guide (Bulletin NASM).



⁽²⁾ Specifically designed to be installed into stainless steel sheets.

⁽³⁾ See page 23 for information on NASM25027 as applied to PEM self-clinching, self-locking nuts.

⁽⁴⁾ Meets torque requirements for NASM25027 through five cycles.

⁽⁵⁾ Locking performance is not affected by the number of on/off cycles.

⁽⁶⁾ Nylon locking element temperature limit is 250° F / 120° C.

⁽⁷⁾ Dry film lubricant rated for use up to 400° F / 204° C.

⁽⁸⁾ The fastening strength of the locknut is maintained up to 800° F / 426° C. Temperatures above 300° F / 149° C will dehydrate the conversion coating.

⁽⁹⁾ Aluminum material temperature limit is 250° F / 120° C.


CFN™ BROACHING LOCKNUT





- For thinner sheets, close-to-edge applications.
- Prevailing torque locking element provides torque to eliminate loosening of mating threaded hardware.

Nylon locking element (Blue identifier* for unified fasteners / black identifies metric fasteners)









Clinching profile may vary.

All dimensions are in inches.

FIED	Thread Size	Туре	Thread Code	Shank Code	A (Shank) ±.003	Min. Sheet Thickness	Hole Size In Sheet +.003000	C ±.002	D ±.004	E +.001 004	T Max.	Min. Dist. Hole © to Edge
NO	.112-40 (#4-40)	CFN	440	1	.040	.043	.152	.162	.175	.203	.104	.115

All dimensions are in millimeters.

rRIC	-	Thread Size x Pitch	Туре	Thread Code	Shank Code	A (Shank) ±0.08	Min. Sheet Thickness	Hole Size In Sheet +0.08	C ±0.05	D ±0.1	E +0.03 -0.1	T Max.	Min. Dist. Hole ⊄ to Edge
E		M3 x 0.5	CFN	M3	1	1.02	1.1	3.86	4.11	4.45	5.16	2.65	2.93

^{*} PEM Trademark.





FE™/FEO™/UL™ LOCKNUTS



- Strong, knurled collar guarantees against rotation of the fastener in the sheet.
- The torque-out resistance of the embedded knurl greatly exceeds the torque that can be exerted by the self-locking feature.







PART NUMBER DESIGNATION <u>UL</u> 080 <u>CW</u> FΕ <u>440</u> **MD FEO** 440 **MD**

Shank

Code

Finish

Code

Thread

Code

Type

Clinching profile may vary

All dimensions are in inches.

	Thread Size	Туре	Thread Code	Shank Code (1)	A (Shank) Max.	Sheet Thickness (2)	Hole Size In Sheet +.003 000	C +.000 005	D Max.	E ±.005	T +.015 000	Min. Dist. Hole ⊈ to Edge	Max. Hole In Attached Parts
	.060-80 (#0-80)	UL	080	0	.020	.019022	.110	.1095	.076	.125	.050	.09	.080
	.073-64 (#1-64)	UL	164	0	.020	.019022	.110	.1095	.090	.125	.050	.09	.093
I E D	.086-56 (#2-56)	UL	256	0	.020 .031	.019022 .030036	.144	.1435	.106	.160	.065	.11	.106
144	.112-40	FE0	440		.040	.039045	.172	.171	.145	.192	005	.14	.132
I N O	(#4-40)	FE	440		.060	.059070	.172	.1/1	.143	.192	.065	.14	.132
	.138-32	FE0	632		.040	.039045	.213	.212	.180	.244	.075	.17	.158
	(#6-32)	FE	032		.060	.059070	.213	.212	.180	.244	.075	.17	.108
	.164-32	FE0	832		.040	.039045	.290	.289	.215	.322	.090	.20	.184
	(#8-32)	FE	832		.060	.059070	.290	.289	.215	.322	.090	.20	.184
	.190-32	FE0	022		.040	.039045	200	200	245	222	.110	20	210
	(#10-32)	FE	032		.060	.059070	.290	.289	.245	.322	.110	.20	.210
	1/4-20	CC	0420		.060	.059070	.344	242	.318	.384	.120	20	.270
	1/4-28	FE	0428		.000	.070 860.	.344	.343	.318	.384	.120	.28	.210

All dimensions are in millimeters.

	Thread Size x Pitch	Туре	Thread Code	Shank Code (1)	A (Shank) Max.	Sheet Thickness (2)	Hole Size In Sheet +0.08	C -0.13	D Max.	E ±0.13	T +0.4	Min. Dist. Hole © to Edge	Max. Hole In Attached Parts
	M2 x 0.4	UL	M2	1	0.76	0.76 - 0.91	3.61	3.6	2.5	4.07	1.65	2.8	2.5
<u> </u>	M0 0 F	FE0	MO		1.02	0.99 - 1.14	4.00	4.07	2.00	4.00	10	0.0	2.5
T B	M3 x 0.5	FE	M3		1.53	1.5 - 1.78	4.39	4.37	3.96	4.88	1.9	3.6	3.5
M	0.7	FE0			1.02	0.99 - 1.14	7.39	7.37	5,23	8,17	2,55	- 0	4.5
-	M4 x 0.7	FE	M4		1.53	1.5 - 1.78	1.33	1.31	5.25	0.17	2.33	5.2	4.5
	M5 0.0	FE0	МЕ		1.02	0.99 - 1.14	7.39	7.37	6.48	8,17	3.05	5.2	
	M5 x 0.8	FE	M5		1.53	1.5 - 1.78	1,33	1.01	0.40	0.17	5.05	5.2	5.5
	M6 x 1	FE	М6		1.53	1.5 - 1.78	8.74	8.72	7.72	9.74	3.3	7.1	6.5

⁽¹⁾ Shank code applicable only to UL fasteners.


⁽²⁾ In applications between the sheet thicknesses for your thread size, see last paragraph of installation data on page 12. Knurled collar may fracture if fastener is used in sheets thicker than the specified range and the screw is tightened beyond maximum tightening torque.

LAS™/LAC™/LA4™ LOCKNUTS




- Provide load-bearing threads in thin sheets and permit a minimum of .030"/0.76 mm adjustment for mating hole misalignment.
- Extra strength and support in assembly is obtained by the threads of the floating nut extending into the retainer shank.
- Thread locking torque performance is equivalent to applicable NASM25027 specifications.
- LA4 floating fasteners are specifically designed to be installed into stainless steel sheets.


To meet national aerospace standards and to obtain testing documentation, product must be ordered to US NASM45938/11 specifications. Check our web site for a complete Military Specification and National Aerospace Standards Reference Guide (Bulletin NASM)



PEM® Double Squares are a registered trademark.



Float - .015"/0.38 mm minimum, in all directions from center, .030"/0.76 mm total.



All dimensions are in inches.


			Туре			a	_		Hole	•	_	_	_	
	Thread Size		Fastener Material		Thread Code	Shank Code	A (shank)	Min. Sheet	Size in Sheet	C Max.	D Max.	E ±.015	T ₂ Max.	Min. Dist. Hole ⊄
		Steel	300 Series Stainless	400 Series Stainless			Max.	Thickness	+.003 000					to Edge
	.112-40	LAS	LAC	LA4	440	1	.038	.038	.290	.289	.290	.360	.190	.30
	(#4-40)	Litto	Lito	L/(!	110	2 (1)	.054	.054	1200	1200	1200	1000	1100	100
۵	.138-32	LAS	LAC	LA4	632	1	.038	.038	.328	.327	.335	.390	.200	.32
ш	(#6-32)	LAG	LAC	LAT	032	2 (1)	.054	.054	.520	1321	.555	.550	.200	.52
Ξ	.164-32	LAS	LAC	LA4	033	1	.038	.038	.368	.367	.365	.440	.210	.34
Ξ	(#8-32)	LAS	LAC	LA4	832	2 (1)	.054	.054	.500	.307	.303	.440	.210	.54
5	.190-24	LAS	LAC	LA4	024	1	.038	.038	.406	.405	.405	.470	.270	.36
	(#10-24)	LAS	LAC	LA4	024	2	.054	.054	.400	.405	.405	.470	.270	.30
	.190-32	LAS	LAC	LA4	032	1	.038	.038	.406	.405	.405	.470	.270	.36
	(#10-32)	LAS	LAC	LA4	032	2 (1)	.054	.054	.400	.405	.405	.470	.270	.30
	.250-20	LAS	LAC		0420	2	.054	.054	.515	.514	.510	.600	.310	.42
	(1/4-20)	LAS	LAC	-	0420		.034	.004	פוטי	.014	.010	.000	.310	.42
	.250-28 (1/4-28)	LAS	LAC	-	0428	2	.054	.054	.515	.514	.510	.600	.310	.42

All dimensions are in millimeters.

		read		Type Fastener Material	1	Thread	Shank	A	Min.	Hole Size in	С	D	E	T ₂	Min. Dist.
	Pit	ze x itch	Steel	300 Series Stainless	400 Series Stainless	Code	Code	(shank) Max.	Sheet Thickness	Sheet +0.08	Max.	Max.	±0.38	Max.	Hole ⊈ to Edge
2 - A		x 0.5	LAS	LAC	LA4	M3	1	0.97	0.97	7.37	7.35	7.37	9.14	4.83	7.62
۱Ë		X 0.0	LAO	Litto	L/(4	WIO	2 (1)	1.38	1.38	1.01	7.00	1.01	5.17	4.00	1.02
ш		x 0.7	LAS	LAC	LA4	M4	1	0.97	0.97	9.35	9,33	9,28	11.18	5.34	8.64
Σ	10147	X 0.7	LAS	LAC	LA4	IVI4	2 (1)	1.38	1.38	3.55	3.33	3.20	11.10	5.51	0.04
	MEX	x 0.8	LAS	LAC	LA4	M5	1	0.97	0.97	10.31	10,29	10,29	11.94	6.86	9.14
	IVIO)	X U.O	LAS	LAC	LA4	CIVI	2 (1)	1.38	1.38	10.31	10.29	10.29	11.54	0.00	5.14
	M6	6 x 1	LAS	LAC	-	M6	2	1.38	1.38	13.08	13.06	12.96	15.24	7.88	10.67

(1) This shank code is not available for LA4 nuts.

PART NUMBER DESIGNATION






LK™/LKS™/LKA™ PEMFLEX® LOCKNUTS



The PEM design utilizes two rugged, semicircular flexing jaws instead of several less-supported segments. The greater ruggedness and retention of this PEMFLEX® action prevents relaxation and loosening of the fastener in severe service. This design also protects the screw threads. Clearances obtained by only two interruptions of a full circumference, together with the spreading of the jaws by the entering screw, minimize the possibility of thread damage.

- Hex shoulder provides increased pull-through performance and a positive stop during installation.
- The flexing action of locking feature permits repeated use and effective locking torque.
- Thread locking performance of LK and LKS fasteners (with MD finish) and LKA fasteners (lubricated) are equivalent to applicable NASM25027 specifications.



All dimensions are in inches.

	Thread		Type Fastener Material		Thread	Shank	A (Shank)	Min. Sheet	Hole Size In Sheet	C	D	E Name	T	Min. Dist. Hole ¢
	Size	Carbon Steel	Stainless Steel	Aluminum	Code	Code	`Max.´	Thickness	+.003 000	Max.	Max.	Nom.	±.010	to Edge
	.086-56	LV	11/0	11/4	050	1	.038	.040	170	171	105	050	105	150
٥	(#2-56)	LK	LKS	LKA	256	2	.054	.056	.172	.171	.165	.250	.135	.156
ш	.112-40	LIK	11/0	11/4	440	1	.038	.040	107	100	105	050	105	150
Ψ.	(#4-40)	LK	LKS	LKA	440	2	.054	.056	.187	.186	.185	.250	.135	.156
N N	.138-32	LIZ	11/0	11/4	000	1	.038	.040	010	010	000	010	145	107
	(#6-32)	LK	LKS	LKA	632	2	.054	.056	.219	.218	.220	.312	.145	.187
	.164-32	114	11/0	11/4	000	1	.038	.040	000	005	050	0.40	475	000
	(#8-32)	LK	LKS	LKA	832	2	.054	.056	.266	.265	.250	.343	.175	.203
	.190-32	114	11/0		000	1	.038	.040	010	044	005	075	005	010
	(#10-32)	LK	LKS	LKA	032	2	.054	.056	.312	.311	.285	.375	.205	.218


All dimensions are in millimeters.

	Thread Size x		Type Fastener Material		Thread Code	Shank Code	A (Shank)	Min. Sheet Thickness	Hole Size In Sheet	C Max.	D Max.	E Nom	T ±0.25	Min. Dist. Hole ⊄
	Pitch	Carbon Steel	Stainless Steel	Aluminum	Code	Code	Max.	HIICKHESS	+0.08	Wax.	Wax.	Nom.	±0.20	to Edge
ပ	MO F V O 4F		11/0	1.1/4	MOF	1	0.97	1	4.07	4.05	4.45	0.05	0.40	0.0
R C	M2.5 X 0.45	LK	LKS	LKA	M2.5	2	1.38	1.4	4.37	4.35	4.45	6.35	3.43	3.9
-	MO V O F		11/0	11/4	***	1	0.97	1	4.75	4.70	4.05	0.05	0.40	
M	M3 X 0.5	LK	LKS	LKA	М3	2	1.38	1.4	4.75	4.73	4.85	6.35	3.43	4
						1	0.97	1						
	M4 X 0.7	LK	LKS	LKA	M4	2	1.38	1.4	6.76	6.73	6.2	8.73	4.45	5.2
	ME V 0.0		11/0	11/4		1	0.97	1	700	70	7.4	0.50	F 04	5.0
	M5 X 0.8	LK	LKS	LKA	M5	2	1.38	1.4	7.92	7.9	7.4	9.53	5.21	5.6

PL™/PLC™ PEMHEX® LOCKNUTS



- Thread locking torque performance is equivalent to applicable NASM25027 specifications.
- The strong knurled collar receives the installation force and resists torque.
- The spin resistance of the knurl greatly exceeds the torque that can be exerted by the self-locking feature.



All dimensions are in inches.

	Thread	Tyl Fastener Mate		Thread	A (Shank)	Sheet Thickness	Hole Size In Sheet	С	D	F	Ţ	Min. Dist. Hole ¢	Max. Hole In
	Size	Steel	Stainless Steel	Code	Max.	(1) (2)	+.003000	Max.	Max.	Max.	Max.	to Edge	Attached Parts
I E D	.112-40 (#4-40)	PL	PLC	440	.060	.040070	.234	.233	.215	.274	.130	.170	.132
UNIF	.138-32 (#6-32)	PL	PLC	632	.060	.040070	.265	.264	.246	.305	.130	.190	.158
	.164-32 (#8-32)	PL	PLC	832	.060	.040070	.297	.296	.278	.338	.155	.220	.184
	.190-32 (#10-32)	PL	PLC	032	.060	.040070	.312	.311	.293	.353	.165	.250	.210

All dimensions are in millimeters.

RIC	Thread Size x Pitch	Fastener Mat	-	Thread Code	A (Shank) Max.	Sheet Thickness (1) (2)	Hole Size In Sheet +0.08	C Max.	D Max.	E Max.	T Max.	Min. Dist. Hole © to Edge	Max. Hole In Attached Parts
ET	M3 x 0.5	PL	PLC	M3	1.53	1 - 1.78	6	5.98	5.52	7.01	3.56	4.32	3.5
Σ	M4 x 0.7	PL	PLC	M4	1.53	1 - 1.78	7.5	7.48	7.01	8.54	4.2	5.59	4.5
	M5 x 0.8	PL	PLC	M5	1.53	1 - 1.78	8	7.98	7.52	9	4.45	6.35	5.5

⁽¹⁾ Can be used in panel thickness of .040" to .060"/1 mm to 1.53 mm provided the fastener is not fully installed. The knurled collar must be left protruding above the sheet to the degree that the sheet thickness is less than .060"/1.53 mm. See installation instructions.




⁽²⁾ Knurled collar may fracture if fastener is used in sheets thicker than .070"/1.78 mm and screw is tightened beyond maximum tightening torque.

^{*} PEM Trademark.

SL™ TRI-DENT® LOCKNUTS



- SL locknuts meet 3 cycle locking performance (1).
- Recommended for use in sheets HRB (Rockwell "B" scale) 80 or less and HB (Hardness Brinell) 150 or less.



All dimensions are in inches.

	Thread Size	Туре	Thread Code	Shank Code	A (Shank) Max.	Min. Sheet Thickness	Hole Size In Sheet +.003000	C Max.	E ±.010	T ±.010	Min. Dist. Hole ⊄ to Edge
	.112-40	01	440	1	.038	.040	100	105	050	070	10
	(#4-40)	SL	440	2	.054	.056	.166	.165	.250	.070	.19
	.138-32	CI.	000	1	.038	.040	1075	107	000	070	00
2		SL	632	2	.054	.056	.1875	.187	.280	.070	.22
-	.164-32	SL	832	1	.038	.040	.213	.212	.310	.090	.27
Z		SL	032	2	.054	.056	.213	.212	.310	.090	.21
=	.190-32	CI	022	1	.038	.040	.250	.249	.340	000	20
	(#10-32)	SL	032	2	.054	.056	.250	.249	.340	.090	.28
	.250-20	CI	0.400	1	.054	.056	244	242	440	170	24
	(1/4-20)	SL	0420	2	.087	.091	.344	.343	.440	.170	.34
	.313-18	CI	0510	1	.054	.056	410	410	500	000	20
	(5/16-18)	SL	0518	2	.087	.091	.413	.412	.500	.230	.38

All dimensions are in millimeters.


	Thread Size x Pitch	Туре	Thread Code	Shank Code	A (Shank) Max.	Min. Sheet Thickness	Hole Size In Sheet +0.08	C Max.	E ±0.25	T ±0.25	Min. Dist Hole ⊄ to Edge
	M3 x 0.5	SL	M3	1	0.98	1	4.22	4.2	6.35	1.5	4.8
	IVIS X 0.5	JL	IVIS	2	1.38	1.4	4.22	7.2	0.55	1.0	4.0
				1	0.98	1	4.75	4.73	7.11	1.5	5.6
	M3.5 x 0.6	SL	M3.5	2	1.38	1.4	4.75	4.73	7.11	1.0	5.0
0	M4 x 0.7	SL	M4	1	0.98	1	5,41	5.38	7.87	2	6.9
T B	WI4 X U.7	3L	IVI4	2	1.38	1.4	3,41	5.30	7.07	2	0.3
ш	M5 x 0.8	SL	L M5	1	0.98	1	6.35	622	8.64	2	7.1
Σ	INIO X 0.0	3L	IVIO	2	1.38	1.4	0.33	6.33	0.04	2	7.1
	M6 x 1	SL	M6	1	1.38	1.4	8.75	8.73	11.18	4.08	8.6
	IVIO X I	3L	IVIO	2	2.21	2.3	0.75	0.73	11.10	4.00	0.0
	M8 x 1.25	105	M8	1	1.38	1.4	10.5	10.47	12.7	5,47	9.7
	IVIO X I.25	SL	IVIB	2	2.21	2.3	10.5	10.47	12.7	5.47	3.7
	M10 v 1 E	01	SL M10	1	2.21	2.29	14	10.07	17.35	7.48	13.5
	M10 x 1.5	δL	IVIIU	2	3.05	3.18	14	13.97	11.33	1.48	13.5

(1) Achieved using steel socket head cap screws, 180 ksi / property class 12.9 with standard finish of thermal oxide and light oil.

PEM RT® FREE-RUNNING LOCKNUTS

Free-running locking feature allows screw to turn freely until clamp load is applied. If the tightening force is removed, these nuts no longer provide any torsional resistance to rotation until clamp load is reapplied.

- Resistant to vibrational loosening.
- Back side of panel is flush or sub-flush for screw installation.
- Locking feature reusability is not affected by number of on/off cycles.
- Uses same mounting hole and installation tooling as standard S[™] nuts.
- Recommended for use in steel or aluminum sheets HRB 80 / HB 150 or less.



All dimensions are in inches.

	Thread Size	Туре	Thread Code	Shank Code	A (Shank) Max.	Rec. Min. Sheet Thickness (1)	Hole Size In Sheet +.003000	C Max.	E ±.010	T ±.010	Min. Dist Hole ⊈ To Edge
	.112-40			0	.030	.030					
	(#4-40)	S	RT440	1	.038	.040	.166	.165	.250	.070	.19
	(#4-40)			2	.054	.056					
	.138-32			0	.030	.030					
۵	(#6-32)	S	S RT632	1	.038	.040	.1875	.187	.280	.070	.22
ш	(#0-32)			2	.054	.056					
ī	.164-32	S	RT832	0	.030	.030	.213				.27
_	(#8-32)			1	.038	.040		.212	.310	.090	
Z	(#0-32)			2	.054	.056					
-	.190-32			0	.030	.030					
	(#10-32)	SS	RT032	1	.038	.040	.250	.249	.340	.090	.28
	(#10 32)			2	.054	.056					
	.250-20			0	.045	.047					
	(1/4-20)	S	RT0420	1	.054	.056	.344	.343	.440	.170	.34
	(1/4-20)			2	.087	.090					
	.313-18	c	RT0518	1	.054	.056	.413	.412	.500	.230	.38
	(5/16-18)	S	RT0518	2	.087	.090		.412	.500	.230	.50

All dimensions are in millimeters

	Thread Size x Pitch	Туре	Thread Code	Shank Code	A (Shank) Max.	Rec. Min. Sheet Thickness (1)	Hole Size In Sheet +0.08	C Max.	E ±0.25	T ±0.25	Min. Dist Hole ⊈ To Edge
				0	0.77	0.8					
	M3 x 0.5	S	RTM3	1	0.97	1	4.22	4.2	6.35	1.5	4.8
				2	1.38	1.4					
١.,	M4 x 0.7			0	0.77	0.8					
2		S	RTM4	1	0.97	1	5.41	5.38	7.87	2	6.9
~				2	1.38	1.4					
ET		SS	RTM5	0	0.77	0.8	6.35	6.33			7.1
Ξ	M5 x 0.8			1	0.97	1			8.64	2	
_				2	1.38	1.4					
				00	0.89	0.92					
	M6 x 1	s	RTM6	0	1.15	1.2	8.75	8.73	11.18	4.08	8.6
	IND X I	3	niwo	1	1.38	1.4	0.75	0.73	11.10	4.00	0.0
				2	2.21	2.29					
	M8 v 1 25	ç	S RTM8 -	1	1.38	1.4	10.49	10.47	12.7	5.47	0.7
	M8 x 1.25	3		2	2.21	2.29		10.47	12.7	5.47	9.7

The graph represents the clamp load of the joint versus the amount of cycles during transverse vibration testing for a PEM RT® free-running locknut, a standard S nut, a split ring lock washer and Loctite Red 271.

Testing conditions:


Transverse vibration testing.

M6 thread size nuts, average of 30 pieces.

Clamp load applied using metric property class 10.9 screws. Nuts tested until loss of clamp load or 2,000 cycles is reached.

Details on PEM RT® vibration resistant thread technology can be found on our web site at:

https://www.pemnet.com/files/design_info/techsheets/RT_Thread_Form.pdf





MATERIAL AND FINISH SPECIFICATIONS

			Threads						Fastener Material				
			Internal,						Nylon Locking Element	Retainer	Floating Retainer	Fastener Retainer	Nut
Туре	Internal, ASME B1.1, 2B / ASME B1.13M, 6H	Internal, ASME B1.1, 3B / ASME B1.13M, 6H	UNJ Class 3B per ASME B1.15 / MJ Class 4H6H per ASME B1.21M (M6 thread 4H5H)	(1) Modified Thread Form on Loaded Flank	Hardened Carbon Steel	Carbon Steel	300 Series Stainless Steel	(2) 7075-T6 Aluminum	Blue or Black Temperature Limit 250° F/ 120° C	Hardened Carbon Steel	Hardened 400 Series Stainless Steel	300 Series Stainless Steel	300 Series Stainless Steel
CFN	•					•			•				
FE			•				•						
FE0			•				-						
UL			-				•						
LAS			•							•			
LAC			-									•	•
LA4			•								•		
LK		•			•								
LKS		•					•						
LKA		•						•					
PL	•				•				•				
PLC	•						•		•				
SL	•				•								
PEM RT®				•	•								

				Stand	dard Finishes	(3)				Optional Finish (3)(4)		For Use	In Sheet Hard	iness: (5)	
Туре	Zinc Plated per ASTM B633, SC1 (5µm), Type III, Colorless	Passivated and/or Tested Per ASTM A380	Passivated and/pr Tested Per ASTM 380 Plus Clear Dry-film Lubricant	(6) Black Dry-film Lubricant	(7) Black Dry-film Lubricant Over Phosphate	Plain	Retainer Zinc Plated, 5µm, Color- less	Retainer Passivated and/or Tested Per ASTM A380	Nut Black Dry-film Lubricant	Zinc Plated per ASTM B633, SC1 (5µm), Type III, Yellow	HRB 88/ HB 183 or Less	HRB 80/ HB 150 or Less	HRB 70/ HB 125 or Less	HRB 60/ HB 107 or Less	HRB 50/ HB 89 or Less
CFN	-									•				-	
FE				-									•		
FE0				•									•		
UL			•										•		
LAS									•				•		
LAC								•	•				•		
LA4									•		•				
LK					•								•		
LKS				-									•		
LKA															•
PL	•									•			-		
PLC		•											-		
SL	•											•			
PEM RT®	•									•		•			
Finish Codes	ZI	None	CW	MD	MD			MD		ZC					

- (1) Will accept a maximum material 6g/2A screw.
- (2) Mating screws must be lubricated.
- (3) See PEM Technical Support section of our web site for related plating standards and specifications.
- (4) Special order with additional charge.
- (5) HRB Hardness Rockwell "B" Scale. HB Hardness Brinell.
- (6) MD finish on stainless steel provides a minimum of 100 hours of salt spray resistance.
- (7) MD finish on steel provides a minimum of 24 hours of salt spray resistance.

INSTALLATION

INSTALLATION NOTES

- For best results we recommend using a HAEGER® or PEMSERTER® machine for installation of PEM® self-clinching fasteners. Please check our website for more
- Visit the Animation Library on our website to view the installation process for select products.


CFN™ NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Insert fastener into the anvil hole and place the mounting hole over the shank of the fastener (preferably the punch side) as shown in drawing.
- 3. With installation punch and anvil surfaces parallel, apply squeezing force until the shoulder of the fastener contacts the sheet.

Installation Tooling

Type	Thread	HAEGER® Pa	art Number	PEMSERTER® Part Number		
Турс	Code	Anvil	Punch	Anvil	Punch	
CFN	440/M3	(1)	(1)	8012038	975200048	

(1) Click here for a quote on Haeger® custom installation tooling.




FE™/FEO™/UL™ NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Insert fastener into the anvil hole and place the mounting hole (preferably the punch side) over the shank of the fastener as shown in the drawing.
- 3. With installation punch and anvil surfaces parallel, apply squeezing force to the knurled collar until knurled collar is flush with top of the sheet for sheets .060"/1.5 mm thick and up, or until shank is flush with the bottom of the sheet for sheets .040" / 1 mm to .060"/1.5 mm thick for FF/FFO nuts.

PEM miniature fasteners must be installed by a force applied through parallel surfaces. Since force must not be applied to the barrel, a cavity must be used in either the punch or anvil so that the installation force is applied to the knurled collar. "D" dimensions for the punch or anvil cavity are given in the tables on page 5.

Installation Tooling

Туре	Thread	HAEGER® Pa	art Number	PEMSERTER*	Part Number
турс	Code	Anvil	Punch	Anvil	Punch
UL	256/M2	H-133-2L	H-108-0019L	975200020	975200048
FE/FE0	440/M3	H-133-4L	H-108-0019L	975200021	975200048
FE/FE0	632/M3.5	H-133-6L	H-108-0019L	975200022	975200048
FE/FE0	832/M4	H-133-8L	H-108-0019L	975200023	975200048
FE/FE0	032/M5	H-133-10L	H-108-0019L	975200024	975200048
FE/FE0	0420	H-133-04L	H-108-0019L	975200025	975200048
FE/FE0	M6	_	_	8013143	975200048




INSTALLATION RECOMMENDATION


In applications for sheet thicknesses between the two ranges (see "Sheet Thickness" on page 5) use the fastener with the larger "A" dimension. For example, if you want a #4-40 thread and your sheet thickness is between .045"/1.14 mm and .059"/1.49 mm, you should use FE or FEX nuts. This is not recommended installation practice, but in this case if it is necessary, you should install the fastener so that the bottom of the shank is flush with the underside of the sheet (instead of having the top of the knurled collar flush with the top of the sheet). When this method is used, care must be taken to protect the fastener against crushing which would damage the threads. This method will also result in reduced pushout and torque-out values.



LAS™/LAC™/LA4™ NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Place fastener into the anvil hole and place the mounting hole (preferably the punch side) over the shank of the fastener.
- 3. With installation punch and anvil surfaces parallel, apply sufficient squeezing force until flange contacts mounting sheet (LAC/LAS) or until anvil contacts the mounting sheet (LA4). Drawings show suggested tooling for applying these forces.






Installation Tooling

Thread	HAEGER° Part Number		PEMSERTER® Part Number		Coun	terbore A	Hole Depth Below Counterbore B		
Code	Anvil	Punch	Anvil	Punch	±.001"	±0.03mm	±.005"	±0.13mm	
440/M3	H-131-4/M3L	H-108-0020L	8013889	975200048	.054"	1.37mm	.258"	6.55mm	
632	H-131-6/M3.5L	H-108-0020L	8013890	975200048	.054"	1.37mm	.258"	6.55mm	
832/M4	H-131-8/M4L	H-108-0020L	8013891	975200048	.054"	1.37mm	.258"	6.55mm	
032/M5	H-131-10/M5L	H-108-0020L	8013892	975200048	.071"	1.8mm	.241"	6.12mm	
0420/M6	H-131-04/M6L	H-108-0020L	8021392	975200048	.092"	2.34mm	.220"	5.59mm	

LK™/LKS™/LKA™ NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Insert fastener into the anvil hole and place the mounting hole over the shank of fastener (preferably the punch side) as shown in drawing.
- 3. With installation punch and anvil surfaces parallel, apply squeezing force until hexagonal shoulder contacts mounting sheet. Sketch at the right shows suggested tooling for applying these forces. Installation force and performance data shown below.




Installation Tooling

Type	Thread	HAEGER® Pa	art Number	PEMSERTER®	Part Number
турс	Code	Anvil	Punch	Anvil	Punch
LK/LKS/LKA	256/M2.5	H-130-2L	H-108-0020L	975200015	975200048
LK/LKS/LKA	440/M3	H-130-4L	H-108-0020L	975200016	975200048
LK/LKS/LKA	632	H-130-6L	H-108-0020L	975201242	975200048
LK/LKS/LKA	832/M4	H-130-8L	H-108-0020L	975201241	975200048
LK/LKS/LKA	032/M5	H-130-10L	H-108-0020L	975200019	975200048

PL™/PLC™ NUTS


Sheet thickness .060" to .070" / 1.53 mm to 1.78 mm

- **1.** Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Insert fastener into the anvil hole and place the mounting hole over the shank of the fastener (preferably the punch side) as shown in drawing.
- **3.** With the punch and anvil surfaces parallel, apply a squeezing force until the knurled collar is flush with the top sheet.



Sheet thickness .040" to .060" / 1 mm to 1.53 mm

- **1.** Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- Insert fastener into the anvil hole and place the mounting hole over the shank of the fastener (preferably the punch side) as shown in drawing.
- 3. With the punch and anvil surfaces parallel, apply a squeezing force until the fastener shank is flush with the underside of the sheet. This should be accomplished by setting the depth of the counterbore in the anvil to the difference between the "A" dimension and the sheet thickness*. When this method is used, care must be taken to protect the fastener against crushing which would damage the threads. This method will also result in reduced pushout and torque-out values.



Installation Tooling

Туре	Thread	HAEGER® Pa	art Number	PEMSERTER® Part Number		
Турс	Code	Anvil	Punch	Anvil	Punch	
PL/PLC	440/M3	H-134-4L	H-108-0020L	975200011	975200048	
PL/PLC	632	H-134-6L	H-108-0020L	975200012	975200048	
PL/PLC	832/M4	H-134-8L	H-108-0020L	975200013	975200048	
PL/PLC	032/M5	H-134-10L	H-108-0020L	975200014	975200048	



SL™ NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Insert fastener into the anvil hole and place the mounting hole over the shank of the fastener (preferably the punch side) as shown in drawing.
- 3. With installation punch and anvil surfaces parallel, apply squeezing force until the head of the nut comes into contact with the sheet material.

Installation Tooling


	Thread	HAEGER® Pa	art Number	PEMSERTER*	Part Number	Anvil Dime	nsions (in.)
	Code	Anvil	Punch	Anvil	Punch	A ±.002	P ± .005
Ш	440	H-101-2-4/M3L	H-108-0020L	975200034	975200048	.267	.045
盂	632	H-101-6/M3.5L	H-108-0020L	975200035	975200048	.298	.045
_	832	H-101-8/M4L	H-108-0020L	975200036	975200048	.330	.070
Z	032	H-101-10-M5L	H-108-0020L	975200037	975200048	.361	.070
	0420	H-101-04/M6L	H-108-0020L	975200038	975200048	.454	.150
	0518	H-101-05/M8L	H-108-0020L	975200039	975200048	.515	.200

	Thread	HAEGER® P	art Number	PEMSERTER*	Part Number	Anvil Dimer	nsions (mm)
	Code	Anvil	Punch	Anvil	Punch	A ±0.05	P ±0.13
ပ	M3	H-101-2-4/M3L	H-108-0020L	975200034	975200048	6.78	1.14
-	M3.5	H-101-6/M3.5L	H-108-0020L	975200035	975200048	7.57	1.14
F	M4	H-101-8/M4L	H-108-0020L	975200036	975200048	8.38	1.78
ш	M5	H-101-10-M5L	H-108-0020L	975200037	975200048	9.17	1.78
Σ	M6	H-101-04/M6L	H-108-0020L	975200038	975200048	11.53	3.81
	M8	H-101-05/M8L	H-108-0020L	975200039	975200048	13.08	5.08
	M10	10-00301	H-108-0020L	8005682 (1)	975200901400	7.62	6.35


(1) Large nut anvils use protrusion to locate part instead of counterbore.

COUNTERBORE ANVIL

Thread Sizes #4-40 to 5/16 and M3 to M8



PROTRUSION ANVIL Thread Size M10




PEM RT® NUTS

- 1. Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- 2. Place fastener into the anvil hole and place the mounting hole (preferably the punch side) over the shank of the fastener as shown in diagram to the right.
- 3. With installation punch and anvil surfaces parallel, apply squeezing force until the head of the nut comes into contact with the sheet material.


Installation Tooling

	Thread	HAEGER® P	art Number	PEMSERTER*	Part Number	Anvil Dime	nsions (in.)
Q	Code	Anvil	Punch	Anvil	Punch	A ±.002	P ±.005
ш	RT440	H-101-2-4/M3L	H-108-0020L	975200034	975200048	.267	.045
盂	RT632	H-101-6/M3.5L	H-108-0020L	975200035	975200048	.298	.045
_	RT832	H-101-8/M4L	H-108-0020L	975200036	975200048	.330	.070
2	RT032	H-101-10-M5L	H-108-0020L	975200037	975200048	.361	.070
	RT0420	H-101-04/M6L	H-108-0020L	975200038	975200048	.454	.150
	RT0518	H-101-05/M8L	H-108-0020L	975200039	975200048	.517	.200

	Thread	HAEGER® P	art Number	PEMSERTER®	Part Number	Anvil Dimen	isions (mm)
O	Code	Anvil	Punch	Anvil	Punch	A ±0.05	P ±0.13
=	RTM3	H-101-2-4/M3L	H-108-0020L	975200034	975200048	6.78	1.14
F	RTM4	H-101-8/M4L	H-108-0020L	975200036	975200048	8.38	1.78
ш	RTM5	H-101-10-M5L	H-108-0020L	975200037	975200048	9.17	1.78
Σ	RTM6	H-101-04/M6L	H-108-0020L	975200038	975200048	11.53	3.81
	RTM8	H-101-05/M8L	H-108-0020L	975200039	975200048	13.08	5.08



For Additional HAEGER® and PEMSERTER® Tooling Information / Part Numbers



CLINCH FASTENER PERFORMANCE DATA

CFN™ NUTS (1)

		Thread Locking	Specifications	Tes	st Sheet Mater	ial
ΞD	Thread	Max.	Min.	.040" Cold-rolled Steel		
UNIFIED	Code	First On Prevailing Torque (in. lbs.)	First Off Prevailing Torque (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)
	440	3	0.38	1000	10	4

		Thread Locking	Specifications	Test Sheet Material			
2	Thread	Thread Max. Min.		1 mm Cold-rolled Steel			
METR	Code	First On Prevailing Torque (N-m)	First Off Prevailing Torque (N-m)	Installation (kN)	Pushout (N)	Torque-out (N-m)	
	М3	0.339	0.042	4.45	44.5	0.45	

FE™/FEO™/UL™ NUTS (1)(2)

					Test Shee	t Material		
		 .		5052-H34 Aluminum			Cold-rolled Steel	
	Туре	Thread Code	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)
	FE0	440	900	88	12	1500	140	12
E D	FE	440	500	135	12	1300	210	12
Ξ	FE0	632	1200	105	20	2100	185	20
Z	FE	032	1300	175	20	2100	255	20
	FE0	832	1500	155	48	2500	260	48
	FE	032	1300	255	40	2500	360	40
	FE0	032	1500	155	40	2500	260	48
	FE	032	- 032 1500 255 48	2300	360	40		
	FE	0420 0428	2100	320	110	3500	420	110
	12		2100	320	110	3500	720	110

					Test Sheet	Material		
				5052-H34 Aluminum		Cold-rolled Steel		
ပ			Installation (kN)	Pushout (N)	Torque-out (N•m)	Installation (kN)	Pushout (N)	Torque-out (N-m)
	FE0	M3 4	1	391	1,35	6.7	622	1.35
-	FE		7	600	1.55	0.7	934	
<u> </u>	FE0	M4	6.7	689	5.42	11,1	1156	5.42
	FE	IVI	0.7	1134	3.42	11.1	1601	3.42
	FE0	M5	6.7	689	5.42	11,1	1156	5,42
Ī	FE	INIO	1134		11.1	1601	3.42	
	FE	М6	9.4	1423	12.43	15.6	1868	12.43

						Test Sheet Mate	rial		
		Thread	Shank		5052-H34 Aluminum		Cold-rolled Steel		
E D			Code	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)
E		080	0	750	20	2	1000	30	2
NO	UL	164	0	750	20	3	1000	30	3
		25.0	0	1000	20	4	1300	30	4
	256		1	1000	20	4	1300	30	4

						Test Shee	et Material				
1 =		Thunnel	Chaul		5052-H34 Aluminum			Cold-rolled Steel			
~	Туре	Thread Code	Shank Code	Installation	Pushout Torque-out		Installation Pushout Torque-out				
		Coue	Code	(kN)	(N)	(N-m)	(kN)	(N)	(N-m)		
Ξ	UL	M2	1	4	89	0.45	5.8	133	0.45		

⁽¹⁾ Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/ or samples for this purpose.

⁽²⁾ For FE and FEO fasteners, thread locking performance is equivalent to applicable NASM25027 specifications. For details, see chart on page 21.

LAS™/LAC™ NUTS (1)(2)

							Test Sheet Material				
	Thread	Shank		2024-T3 Aluminum			5052-H34 Aluminum			Cold-Rolled Steel	
	Code	Code	Installation (lbs.)	Retainer Pushout (lbs.)	Retainer Torque-out (in. lbs.)	Installation (lbs.)	Retainer Pushout (lbs.)	Retainer Torque-out (in. lbs.)	Installation (lbs.)	Retainer Pushout (lbs.)	Retainer Torque-out (in. lbs.)
	440	1	3000	220	65	1500	215	65	3000	300	85
ш	440	2	3000	225	150	2000	225	80	3000	300	150
느	632	1	3000	235	110	2000	240	140	3000	300	150
Z	032	2	3000	275	150	2000	250	150	3000	300	175
	832	1	3000	240	110	2000	250	140	3000	300	150
	032	2	3000	300	150	2000	265	150	3000	400	200
	032	1	3500	300	150	2000	300	150	3500	400	150
	032	2	3300	300	200	2000	350	175	3300	450	200
	0420 0428	2	5000	300	325	3000	400	325	5000	500	325

							Test Sheet Material				
	Thread	Shank		2024-T3 Aluminum		5052-H34 Aluminum			Cold-Rolled Steel		
2	Code	Code	Installation (kN)	Retainer Pushout (N)	Retainer Torque-out (N-m)	Installation (kN)	Retainer Pushout (N)	Retainer Torque-out (N-m)	Installation (kN)	Retainer Pushout (N)	Retainer Torque-out (N-m)
T.	MO	1	13.3	978	7.3	6.7	956	7.3	13.3	1334	9.6
ш	М3	2	13.3	1000	16.9	8.9	1000	9	13.3	1334	16.9
Σ	14.4	1	13.3	1067	12.4	8.9	1112	15.8	13.3	1334	16.9
	M4	2	15.6	1334	16.9	8.9	1178	16.9	13.3	1779	22.6
	МЕ	1	15.6	1334	16.9	8.9	1334	16.9	15.6	1779	16.9
	M5	2	16.6	1334	22.6	8.9	1556	19.7	15.6	2001	22.6
	M6	2	22.2	1334	36.7	13.3	1779	36.7	22.2	2224	36.7

LA4™ NUTS (1)(2)

			Test Sheet Material					
	Thread	300 Series Stainless Steel						
FIED	Code	Installation (lbs.)	Retainer Pushout (lbs.)	Retainer Torque-out (in. lbs.)				
Ξ	440	9000	200	85				
	632	10000	200	85				
	832	12000	200	85				
	032	13000	250	125				

			Test Sheet Material				
	Thread	300 Series Stainless Steel					
ETRIC	Code	Installation (kN)	Retainer Pushout (N)	Retainer Torque-out (N-m)			
M	М3	40	890	9.6			
	M4	53	890	9.6			
	M5	57	1100	14.1			

⁽¹⁾ Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/ or samples for this purpose.



⁽²⁾ Thread locking performance is equivalent to applicable NASM25027 specifications. For details, see chart on page 21.

LKTM/LKSTM/LKATM NUTS (1)(2)

					Test Sheet	t Material					
	Thread	Shank		5052-H34 Aluminum		Cold-rolled Steel					
	Code	Code	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)			
	256	1	1600	130	20	3000	150	20			
	230	2	2000	150	30	3000	160	20			
=	440	1	1600	130	25	3000	150	30			
Ξ	440	2	2000	200	35	3000	250	40			
5	632	1	2400	130	25	4000	150	45			
	032	2	2700	225	45	4300	275	50			
	832	1	2700	150	45	4000	190	50			
	832	2	3000	250	50	4300	300	70			
	032	1	3200	150	90	4000	250	100			
	UJZ	2	3200	250	105	4300	300	120			

					Test Sheet	et Material						
	Thread	Shank		5052-H34 Aluminum		Cold-rolled Steel						
	Code	Code	Installation (kN)	Pushout (N)	Torque-out (N-m)	Installation (kN)	Pushout (N)	Torque-out (N-m)				
၁	M2.5	1	7.1	578	2.3	13.3	667	2.3				
~	IVIZ.3	2	8.9	667	3.4	13.3	711	2.3				
ЕТ	M3	1	7.1	578	2.8	13.3	667	3.4				
Σ	IVIO	2	8.9	890	4	13.3	1112	4.5				
	M4	1	12	667	5.1	17.8	845	5.6				
	IVIT	2	13.3	1112	5.7	19.1	1334	7.9				
	M5	1	14.2	667	10.2	17.8	1112	11.3				
	IVIJ	2	14.2	1112	11.9	19.1	1334	13.6				

PL™/PLC™ NUTS (1)(2)

							Test Sheet	Material					
	Thread	.06	0" 5052-H34 Alumir	num	.04	0" 5052-H34 Alumii	num	.060" Cold-rolled Steel			.048" Cold-rolled Steel		
٥	Code	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)
Ξ	440	2000	225	20	1500	160	20	3000	260	20	3000	225	20
N	632	2000	285	30	1500	180	25	3000	290	30	3000	270	30
	832	2000	290	60	1500	180	28	3000	290	60	3000	270	60
	032	2000	300	70	1500	180	40	3000	350	70	3000	310	70

							Test Sheet	Material					
	Thread	1.5 n	nm 5052-H34 Alumi	inum	1 mr	n 5052-H34 Alumin	num	1.5 mm Cold-rolled Steel			1.2 mm Cold-rolled Steel		
RIC	Code	Installation (kN)	Pushout (N)	Torque-out (N • m)	Installation (kN)	Pushout (N)	Torque-out (N • m)	Installation (kN)	Pushout (N)	Torque-out (N • m)	Installation (kN)	Pushout (N)	Torque-out (N • m)
ET	М3	8.9	1000	2.25	6.67	710	2.25	13.34	1156	2.25	13.34	1000	2.25
Σ	M4	8.9	1290	6.77	6.67	800	3.16	13.34	1290	6.77	13.34	1200	6.77
	M5	8.9	1330	7.9	6.67	800	4.51	13.34	1557	7.9	13.34	1380	7.9

⁽¹⁾ Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/ or samples for this purpose.

⁽²⁾ Thread locking performance is equivalent to applicable NASM25027 specifications. For details, see chart on page 21.

SL[™] NUTS (1)

			Thread Locking	Specifications	Test Sheet Material								
	Thread	Shank	Max. Prevailing Torque	Min. Prevailing Torque	5	052-H34 Aluminum	1		Cold-rolled Steel				
	Code	Code	(1st thru 3rd) (in. lbs.)	(1st thru 3rd) (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)			
	440	1	5.75	0.4	1500 - 2000	90	10	2500 - 3500	125	15			
	440	2	3.73	·	1300 - 2000	170	13	2300 - 3300	230	18			
Q	632	1	10.5	0.8	2500 - 3000	95	17	3000 - 6000	130	20			
ш	032	2	10.0	0.0	2300 - 3000	190	22	3000 - 0000	275	28			
Ξ.	832	1	18	1.2	2500 - 3000	105	23	4000 - 6000	145	35			
Ξ	032	2	10	1.2		2300 3000	220	35	4000 0000	285	45		
N	032	1	21	1.65	2500 - 3000	110	32	4000 - 9000	180	40			
7	032	2	21	1.00	2300 3000	190	50	4000 3000	250	60			
	0420	1	35	3.75	4000 - 7000	360	90	6000 - 9000	400	150			
	0420	2	30	3.73	4000 7000	360	125	0000 - 9000	400	150			
	0518	1	53	4.75	4000 - 7000	380	120	6000 - 8000	420	165			
	0310	2	33	כויד	4000 - 7000	380	160	0000 - 0000	420	180			
	0616	0616	95	6.3	5000 - 8000	400	270	7000 - 11000	460	320			
	UDID	2	33	0.0	3000 - 0000	400	270	7000 11000	460	320			

			Thread Locking	Specifications			Test Sheet	Material			
	Thread	Shank	Max. Prevailing Torque	Min. Prevailing Torque		052-H34 Aluminun	1		Cold-rolled Steel		
	Code	Code	(1st thru 3rd) (N-m)	(1st thru 3rd) (N-m)	Installation (kN)	Pushout (N)	Torque-out (N-m)	Installation (kN)	Pushout (N)	Torque-out (N-m)	
	M3	1	0.67	0.04	6.7 - 8.9	400	1.13	11,2 - 15,6	550	1.7	
	IVIO	2	0.07		0.7 - 0.3	750	1.47	11.2 - 13.0	1010	2.03	
ပ	M3.5	1	1,2	0.08	11,2 - 13,5	400	1.92	13.4 - 26.7	570	2.3	
=	WIOIO	2	I.Z	0.00	11.2 15.5	840	2.5	13.4 20.7	1210	2.3	
	M4	1	2.1	0.13	11.2 - 13.4	470	2.6	18 - 27	645	4	
ЕТ		2	Lii	0.13	0.10	1112 1011	970	4	10 27	1250	5.1
Ξ	M5	1	2.4	0.18	11.2 - 15.6	480	3.6	18 - 38	800	4.5	
	illo	2	211	0.10	1112 1010	845	5.7	10 00	1112	6.8	
	M6	1	4	0.3	18 - 32	1580	10.2	27 - 36	1760	17	
		2	•	0.0	10 02	1580	14.1	27 00	1760	17	
	M8	1	6	0.5	18 - 32	1570	13.6	27 - 36	1870	18.7	
	1110	2	3	0.0	10 02	1570	18.1	2, 30	1870	20.3	
	M10	1	12	0.8	22 - 36	1760	32.7	32 - 50	2020	36.2	
	mio	2 0.8		0.0	22 - 30		32.7	0 <u>2</u> 00	2020	36.2	

⁽¹⁾ Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/or samples for this purpose.



PEM RT® NUTS (1)

	Туре	Thread Code	Shank Code	Test Sheet Material	Installation (lbs.)	Pushout (lbs.)	Torque-out (in. lbs.)
			0	5052-H34		63	8
			1	Aluminum	1500-2000	90	10
	S	RT440	2	Alullillulli		170	13
	3	N1440	0	Cold-rolled		105	13
			1	Steel	2500-3500	125	15
			2	3(66)		230	18
			0	5052-H34		63	16
			1	Aluminum	2500-3000	95	17
	S	RT632	2	Alullillulli		190	22
	3	N1032	0	Cold-rolled		110	16
			1	Steel	3000-6000	130	20
			2	3(66)		275	28
			0	5052-H34		68	21
Ω			1	Aluminum	2500-3000	105	23
ш	S	RT832	2	Alummum		220	35
E.	8	niosz	0	Cold-rolled		110	26
_			1	Steel	4000-6000	145	35
Z			2	3(66)		285	45
\Box			0	5052-H34		68	26
			1	Aluminum	2500-3500	110	32
	SS	RT032	2	Aluminum		190	50
	33	niusz	0	Cold-rolled		120	32
			1	Steel	4000-9000	180	40
			2	3(66)		320	60
			0	5052-H34		220	70
			1	Aluminum	4000-7000	360	90
	S	RT0420	2	Alullillulli		300	125
	ა	N10420	0	Cold-rolled		315	115
			1	Steel	6000-8000	400	150
			2	3,661		700	130
			1	5052-H34	4000 7000	200	120
		DTOC10	2	Aluminum	4000-7000	380	160
	S	RT0518	1	Cold-rolled	0000 0000	400	165
			2	Steel	6000-8000	420	180

	Туре	Thread Code	Shank Code	Test Sheet Material	Installation (kN)	Pushout (N)	Torque-out (N•m)
			0	5052-H34		280	0.9
			1	Aluminum	6.7-8.9	400	1.13
	S	RTM3	2	71101111110111		750	1.47
	ľ		0	Cold-rolled		470	1.47
			1	Steel	11.2-15.6	550	1.7
			2			1010	2.03
			0	5052-H34		300	2.37
			1	Aluminum	11.2-13.4	470	2.6
	S	RTM4	2	71101111110111		970	4
	Ů		0	Cold-rolled		490	2.95
			1	Steel	18-27	645	4
ပ			2	0.00.		1250	5.1
R I (RTM5	0	5052-H34		300	3
	SS		1	Aluminum	11.2-15.6	480	3.6
ΕT			2	71101111110111		845	5.7
Σ			0	Cold-rolled	10.00	530	3.6
_			1	Steel	18-38	800	4.5
			2			1420	6.8
			00			750	6.5
			0	5052-H34	18-32	970	7.9
			1	Aluminum	10-32	1580	10.2
	S	RTM6	2				14.1
	٦	TITIVIO	00			900	10
			0	Cold-rolled	27-36	1380	13
			1	Steel]	1760	17
			2			00	
			1	5052-H34	18-32	1690	13.6
	s	RTM8	2	Aluminum	10-32	1030	18.1
	٠	ITTIVIO	1	Cold-rolled	27-36	1865	18.7
			2	Steel	21-30	1865	20.3

(1) Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/or samples for this purpose.

AXIAL STRENGTH AND TIGHTENING TORQUE COMPARISON

		_						— Increa	sing Axial S	trength —						→
		1	Types UL-0/FEC)		Types UL-1/FE			Types PL/PLC			Type SL		Types LK/	LKA/LKS/LAC/	LAS/LA4
	Thread	Locknut	Mating	Screw												
	Code	Min. Axial Strength (lbs.) (1)	Strength Level (ksi) (2)	Tightening Torque (in. lbs.) (3)	Min. Axial Strength (lbs.) (1)	Strength Level (ksi) (2)	Tightening Torque (in. lbs.) (3)	Min. Axial Strength (lbs.) (1)	Strength Level (ksi) (2)	Tightening Torque (in. lbs.) (3)	Min. Axial Strength (lbs.) (4)	Strength Level (ksi) (4)	Tightening Torque (in. lbs.) (5)	Min. Axial Strength (lbs.) (7)	Strength Level (ksi) (7)	Tightening Torque (in. lbs.) (5)
	080	125	69	1.0	_	-	_	-	_	_	_	-	-	_	_	_
ЕБ	164	125	49	1.2	-	ı	1	-	ı	_	_	_	_	_	-	_
Ξ	256	169	46	1.9	316	85	3.5	-	_	_	_	_	_	_	_	_
Z	440	465	77	6.8	705	117	10.3	897	149	13.1	1,085	180	15.8	1,085	180	15.8
	632	546	60	9.8	847	93	15.2	1,036	114	18.6	1,636	180	29.4	1,636	180	29.4
	832	779	56	16.6	1,213	87	25.9	1,179	84	25.1	2,270 (6)	180	48.4	2,522	180	53.8
	032	779	39	19.2	1,213	61	30.0	1,246	62	30.8	2,880 (6)	180	71.1	3,600	180	88.9
	0420	_	-	-	1,412	44	45.9	-	ı	_	5,728	180	186	5,728	180	186
	0518	_	-	-	-	1	_	-	-	_	9,437	180	383	-	-	_
	0616	_	_	_	_		_	-	ı	_	13,948	180	680	_	_	_

		_						— Increa	asing Axial S	trength —						→
		1	Types UL-0/FEC)		Types UL-1/FE			Types PL/PLC			Type SL		Types LK/	LKA/LKS/LAC/I	LAS/LA4
	Thread	Locknut	Mating	Screw	Locknut	Mating	Screw	Locknut	Mating	Screw	Locknut	Mating	Screw	Locknut	Mating	Screw
٥	Code	Min. Axial Strength (kN) (1)	Strength Level (MPa) (2)	Tightening Torque (N-m) (3)	Min. Axial Strength (kN) (1)	Strength Level (MPa) (2)	Tightening Torque (N-m) ⁽³⁾	Min. Axial Strength (kN) (1)	Strength Level (MPa) (2)	Tightening Torque (N-m) (3)	Min. Axial Strength (kN) (4)	Strength Level (MPa) (4)	Tightening Torque (N•m) (5)	Min. Axial Strength (kN) (7)	Strength Level (MPa) (7)	Tightening Torque (N•m) (5)
BIC	M2	-	ı	-	1.39	432	0.36	-	ı	-	_	1	ı	-	-	-
-	М3	2.08	267	0.81	3.16	405	1.23	4.03	517	1.57	6.14	1220	2.39	6.14	1220	2.39
M	M4	3.48	255	1.81	5.42	398	2.82	5.21	382	2.71	9.64 (6)	1220	5.01	10.71	1220	5.57
	M5	3.48	158	2.26	5.42	246	3.52	5.6	255	3.64	12.63 (6)	1220	8.21	17.3	1220	11.2
	M6	_	-	-	6.28	201	4.9	-	-	-	24.55	1220	19.1	24.55	1220	19.1
	M8	-	1	-	ı	-	-	-	ı	-	44.66	1220	46.5	1	-	-
	M10	-	ı	-	ı	-	ı	-	ı	-	70.75	1220	92	İ	-	-

- (1) Axial strength for UL, FEO, FE, PL and PLC locknuts are limited by knurled ring strength.
- (2) Screw strength level shown is the minimum needed to develop full nut strength, higher strength screws may be used.
- (3) Tightening torque shown will induce preload of 65% of locknut min axial strength with K or nut factor is equal to 0.20. In some applications tightening torque may need to be adjusted based on the actual K value. If heat treated steel screw strength is less than the value shown, tightening torque should be proportionately reduced by multiplying the torque shown by the actual screw strength over the screw strength shown. For screws of other materials, never exceed the lower of this reduced torque or the tightening torque recommended for the screw. If higher strength screws are used, torque is not adjusted upward because assemble strength is still limited by locknut strength.
- (4) Unless otherwise noted, (see note 6) SL locknuts have axial strength exceeding the min tensile strength of 180 ksi/Property Class 12.9 screws. Contact tech support regarding assemble strength for higher strength screws.
- (5) Tightening torque shown will induce preload of 65% of locknut min axial strength with K or nut factor is equal to 0.20. In some applications tightening torque may need to be adjusted based on the actual K value. All tightening torques shown are based on 180 ksi/ Property Class 12.9 screws. For lower strength heat treated steel screws the tightening torque is proportionately less. For example, for 120 ksi screws (Grade 5), torque is 67% of value shown. For 900 MPa screws (Property Class 9.8) torque value is 74% of value shown. For screws of other materials, never exceed the lower of this reduced torque or the tightening torque recommended for the screw.
- (6) Due to limited nut height in this size, failure mode is screw stripping and axial strength value shown is slightly less than min tensile strength of 180 ksi/ Property class 12.9 screw.
- (7) All LK, LKS, LKA, LAC, LAS and LA4 locknuts have axial strength exceeding the min tensile strength of 180 ksi/Property Class 12.9 screws. Contact tech support regarding assemble strength for higher strength screws.



NASM25027 AS APPLIED TO PEM® SELF-CLINCHING, SELF-LOCKING NUTS

PEM FE, FEO, LAS, LAC, LA4, LK, LKS, LKA, PL and PLC locknuts are produced to meet the prevailing locking torque requirements of NASM25027. Specification NASM25027 is a rather lengthy spec which includes many requirements for attributes such as tensile strength and wrenching strength which are not applicable to PEM self-clinching, selflocking nuts. It is difficult for those not familiar with the specification to determine exactly which portions of it apply to the locking torque of PEM self-clinching, self-locking nuts. This matter is further complicated by the fact that many of the requirements in the specification that do apply, apply only to qualification and are not so called "quality conformance inspections" which need to be applied to every lot of product. The fact of the matter is that only one test (room ambient temperature locking torque per the first row of Table IV) needs to be applied on a regular basis of PEM self-clinching, self-locking nuts. This requirement is defined by Table XIV and the permanent set test is not required per footnote 1. The requirements for this test are given in Paragraphs 3.8.2.2.1 and 3.8.2.2.2. The test method is specified in paragraphs 4.5.3.3. and 4.5.3.3.4.1. For convenience of those who do not have access to this specification and/or are not familiar with specification language, these test requirements and test methods are re-stated below in layman's terms.

The one required test is a 15 cycle re-usability test. There are two values of torque which are required by specification. The first is a maximum torque value which dare not be exceeded anytime during the 15 installation and removal cycles. The second is a minimum breakaway torque which must be met during the 15th removal cycle. These torque values are shown in Table III of specifications NASM25027. They are also listed below for PEM fastener sizes only and also for metric sizes.

Details of the test procedure and significant definitions can be found on our web site at: http://www.pemnet.com/files/design_info/techsheets/NASM25027.pdf

	Maximum Lo (Any (Minimum 15th Cycle Breakaway Torque				
Thread Size	in. lbs.	N-m	in. lbs.	N•m			
#2-56	2.5	0.28	0.2	0.023			
#4-40	5	0.57	0.5	0.057			
#6-32	10	1.13	1.0	0.113			
#8-32	15	1.7	1.5	0.17			
#10-24	18	2.03	2.0	0.226			
#10-32	18	2.03	2.0	0.226			
1/4-20	30	3.39	4.5	0.509			
1/4-28	30	3.39	3.5	0.396			
M2.5	3.8	0.43	0.38	0.043			
M3	5	0.56	0.5	0.056			
M3.5	10	1.13	1.0	0.113			
M4	15	1.7	1.5	0.17			
M5	18	2.03	2.0	0.22			
M6	28.3	3.2	3.3	0.37			

PEM® Double Squares (Registered Trademark)



PEM® Blue Nylon Locking Element (Registered Trademark)



PEM® Stamp (Registered Trademark)



PEM RT® Stamp (Trademark) /



To be sure that you are getting genuine PEM® brand fasteners, look for the unique PEM product markings and identifiers.

All PEM® products meet our stringent quality standards. If you require additional industry or other specific quality certifications, special procedures and/or part numbers are required. Please contact your local sales office or representative for further information.

Regulatory <u>compliance information</u> is available in Technical Support section of our website. Specifications subject to change without notice. See our website for the most current version of this bulletin.





North America: Danboro, Pennsylvania USA • E-mail: info@pemnet.com • Tel: +1-215-766-8853 • 800-237-4736 (USA)

Europe: Galway, Ireland = E-mail: europe@pemnet.com = Tel: +353-91-751714 **Asia/Pacific:** Singapore = E-mail: singapore@pemnet.com = Tel: +65-6-745-0660

Shanghai, China = E-mail: china@pemnet.com = Tel: +86-21-5868-3688

Visit our PEMNET™ Resource Center at www.pemnet.com = Technical support e-mail: techsupport@pemnet.com

LN-24 2/25/22

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

PEM:

S-RTM6-0ZI S-RTM6-1ZI S-RTM6-2ZI S-RTM3-1ZI S-RTM3-2ZI S-RTM4-0ZI S-RTM4-1ZI S-RTM4-2ZI S-RTM6-00ZI S-RT632-1ZI S-RT632-2ZI S-RT832-0ZI S-RT832-1ZI S-RT832-2ZI S-RTM3-0ZI S-RT0518-1ZI S-RT0518-2ZI S-RT440-0ZI S-RT440-1ZI S-RT440-2ZI S-RT632-0ZI S-RT0420-0ZI S-RT0420-1ZI S-RT0420-2ZI SS-RTM5-2ZI SS-RT032-0ZI SS-RT032-0ZI SS-RTM5-0ZI SS-RTM5-1ZI LKS-M4-1MD LKS-M4-2MD LKS-M5-2MD LKS-632-2MD LKS-832-1MD LKS-832-2MD LKS-M3-1MD LKS-M3-2MD LK-M4-1MD LKS-M3-2MD LK-M4-1MD LK-M4-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-2MD LK-M5-1MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2MD LK-M5-1MD LK-M5-2 LKA-M5-1 LKA-M5-2 LK-M40-1 LKA-M5-1 LKA-M5-2 LK-M5-1 LKA-M5-2 LK-M5-1 LKA-M5-2 LK-M5-1MD LKS-M5-1MD