

# **ThermaTEC<sup>™</sup> Series HT8,12,F2,4040** Thermoelectric Modules

### Innovative **Technology** for a **Connected** World



The ThermaTEC<sup>™</sup> Series of thermoelectric modules (TEMs) are designed to operate under cycling conditions or high temperature applications.

This product line is available in multiple configurations and is ideal for applications that require both heating and cooling mode (reverse polarity) or power generation. Assembled with proprietary solder construction, Bismuth Telluride semiconductor material and thermally conductive Aluminum Oxide ceramics, the ThermaTEC<sup>™</sup> Series is designed for higher current and larger heat-pumping applications.

#### **FEATURES**

- Thermal Cycling Durability
- Power Cycling Reliability
- Precise Temperature Control
- Strong Lead Attachment
- RoHS Compliant
- Continuous Operation at High Temperatures

#### **APPLICATIONS**

- Analytical Instrumentation
- PCR Cyclers
- Thermal Test Sockets
- Electronic Enclosure Cooling
- Chillers (Liquid Cooling)
- Power Generation

PERFORMANCE SPECIFICATIONS					
Hot Side Temperature (°C)	25°C	50°C			
Qmax (Watts)	72.9	80.0			
Delta Tmax (°C)	63	75			
Imax (Amps)	8.5	8.5			
Vmax (Volts)	14.5	16.4			
Module Resistance (Ohms)	1.58	1.78			

SUFFIX	THICKNESS (PRIOR TO TINNING)	FLATNESS & PARALLELISM	HOT FACE	COLD FACE	Lead Length
11	0.131"± 0.005"	0.002" / 0.0035"	Lapped	Lapped	6.0
ТА	0.131"±0.001"	0.001" / 0.001"	Lapped	Lapped	6.0″
ТВ	0.131"±0.0005"	0.0005" / 0.0005"	Lapped	Lapped	6.0″

## **SEALING OPTION**

SUFFIX	SEALANT	COLOR	TEMP RANGE	DESCRIPTION
R	RTV	White	-60 to 204 °C	Non-corrosive, silicone adhesive sealant
E	Ероху	Black	-55 to 150 °C	Low density syntactic foam epoxy encapsulant

### global solutions: local support ...


Americas: +1 888.246.9050 Europe: +46.31.420530 Asia: +86.755.2714.1166

clv.customerpos@lairdtech.com www.lairdtech.com



# **ThermaTEC<sup>™</sup> Series HT8,12,F2,4040** Thermoelectric Modules

### Innovative **Technology** for a **Connected** World



Performance Curves at  $Th = 25^{\circ}C$ 

#### THR-DS-HT8, 12, F2, 4040 0509

Any information further by Laind Technologies and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laind Technologies materials rests with the end user since Laind Technologies materials or suitability of any Laind Technologies materials or southability of any Laind Technologies materials or southability of any Laind Technologies materials or southability of any Laind Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laind Technologies products are sold pursuant to the Laird Technologies terms and conditions of sale in effect from time to time, a copy of which will be furnished upon request. For further information please visit our website at www.lairdtech.com Alternatively contact: sales@lairdtech.com. Bluetooth" is a trademark owned by Bluetooth SIG. Inc., USA and licensed to Laind Technologies.

® 2008 All Rights Reserved. Laird Technologies is a registered trademark of Laird Technologies, Inc.

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird Thermal Systems: <u>430160-504</u> <u>430160-502</u> <u>HT8,12,F2,4040,TA,W6</u>