



PRODUCT NO. NOTE 1,3	POSITIONS LOADED	CONTACT PLATING NOTE 6	HOUSING COLOR		
68897-001	ALL	5u" Au + high performance lubri	BLACK		
-002	ALL	5u" Au + high performance lubri	BLACK		
-003	ALL	5u" Au + high performance lubri	icant	OFF-WHITE	
-004	ALL	1,27um / 50u" GXT	BLACK	(5)	
-005	ALL	0.15um / 6u" AU		BLACK	



VIEW A-A

RECOMMENDED BOARD LAYOUT VIEWED FROM TOP



NOTES:

- 1 WHEN PRODUCT CALLS FOR PACKAGING IN TRAY ORDER THE PRODUCT WITH PART NUMBER 68897-XXXT FOR PACKAGING IDENTIFICATION. FOR PRODUCT NUMBER WITHOUT SUFFIX "T", THE PRODUCT WILL BE PACKED IN TUBE AS PER DUPONT STANDARD PACKAGING.
- ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AN OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- THE HOUSING TEMPERATURE WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5 MM MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.
- PLATING OPTION: MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.

						_		J 1 1			T	-			_							
					sur	† Q	ce,	/μτοι	era	nce	pro	ojec	tion	pro	duc	it f	amil	.y				
					IS□1302			□406				MOD JACK										
ecr	n nd	dr	dat	e	toleraņces unless				55 O	other wise specific					.e							
S80	281	BL	12/1	8/98	200	20010		0.X	±0.3		mm		A DOS HODIZONITAL									
S00022 BL 26/01/00		1/00	0.xx±0.15			-		-														
M05-	0067	MHT	4/8	/05	0°±2" = 0.XXX			(±0.05	5	sco	ile2	0	T PC.B. MOD JACK ASSY									
M05-	0155	MHT	6/29	9/05	dr M.HERNA			NDEZ	4/8	3/05				dwc	nc)		sheet2of2				
N ELX-N-010696 SH MM0 3		SH MIAO	3/14	4/12	engr m.BARRIOS		4/8/05		FCi					600	0007				١,,			
					chr M.B		BARRIOS		4/8/05				00097						A4			
	appd m.barrios		4/8	3/05		7		type Product Customer Drawing								ing						
et	rev	isio/	n																			
ex	she	et																				
	ecr \$80 \$00 M05- M05- ELX-N-	ecn no \$80281 \$00022 M05-0067 M05-0155 ELX-N-010696	ecn nodr \$80281 BL \$00022 BL M05-0067 MHT M05-0155 MHT ELX-N-010696581 MM0	ecn noon dates 12/1 \$80281 BL 12/1 \$00022 BL 26/0 M05-0067 MHT 4/8 M05-0155 MHT 6/29 ELX-N-010696 SH MM0 3/14	ecn nodr date \$80281 BL 12/18/98 \$00022 BL 26/01/00 M05-0067 MHT 4/8/05 M05-0155 MHT 6/29/05 ELX-N-010696SH MM0 3/14/12	ISIII	ISII1302 ecn nodr date	ISDI302	ISD1302 \ ISD1	ISB1302	ISD1302 \ ISD1101 ISD406 CCN NO Olate tolerances unless otheral S80281 BL 12/18/98	ISDI302 \ V ISDI301 ISDI406	ISD1302	ISDI302 ISDI301 ISDI406 ISDI302 ISDI302 ISDI306 ISDI30	ISD1302	ISDI1302 ISDI101 ISDI406	ISD 1302	ISDI101 ISDI106 ISDI	ISDI302	ISDI 1202 ISDI 150406 MOD JACK	ISDI302	ISDI302

В

form: A4mmXLc

1

2

PDS: Rev :N3

STATUS:Released

Printed: Apr 19,42012

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

68897-004 68897-001LF 68897-001