



REV.	DATE	DESCRIPTION							
NC	06/08/98	INITIAL RELEASE							
Α	01/11/07	UPDATE DRAWING FORMAT							









NOTE:

- 1. CRIMPED FERRULE HEX. CRIMP SIZE .429"
- 2. CRIMPED CONTACT PIN HEX. CRIMP SIZE .118"

Я					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [] ARE IN INCHES AND FOR CUSTOMER REFERANCE ONLY.		APPROVALS	DATE		Amphanal	Con	NO	,
7					UNLESS OTHERWISE SPECIFIED TOLERANCES FOR MILLIMETERS ARE:	DRAWN	G.R.S.	01/11/07		Amphenol	COL		
6 5				0.5 - 8mm ± 0.20mm 8 - 30mm ± 0.40mm	CHECKED			PART DESCR	PART DESCRIPTION				
4	FERRULE	COPPER	NEXCOTE	1	30 - 120mm ± 0.50mm	SHEET 1 OF 1			N REVERSE POLARITY CRIMP JACK				
3	CONTACT PIN	BRASS	GOLD	1	UNLESS OTHERWISE SPECIFIED TOLERANCES FOR INCHES ARE:			(BELDEN 9913, LMR400)					
2	INSULATOR	TEFLON	NATURAL	1	$.020315 = \pm 0.007$ "			PART NO.					
1	BODY	BRASS	NEXCOTE	1	$.315 - 1.180 = \pm 0.015$ " $1.180 - 4.724 = \pm 0.020$ "				172203RP				
	DESCRIPTION	MATERIAL	FINISH	QTY	DO NOT SCALE DRAWING		cad file C:/172/172203RP.DWG		DWG. NO.	172203RP.DWG	REV. A	SIZE A	SCALE NA

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: 172203RP