
1,87±0,06   1,87±0,06   1,09±.0021   3,99±0,02   1.157±.0011   1.157±.0011   1.157±.0011   1.157±.0011		2	A POSITIVE GOID TERMINAL, RELA LOCATED FROM TH CONVENIENCE. ( SURFACE, NOT TO	SURE AT THE SOUND I NG VOLTAGE TO APPEA TIVE TO THE NEGATIV WO SURFACES FOR CUS ONLY APPLICABLE FRC O BE USED TOGETHER. ATION FOR TERMINAL	R AT THE E TERMINA TOMER M ONE	ES OUTPUT
<pre></pre>			0,74 [.029]	I,84±0,04 [.0725±.0 OUTER DIA I,02±0,05 [.040±.00 I,19±0,05 [.047±.002]	1015] METER	
NOMINAL WEIGHT . I 3 GRAM	Revision	C.O. #	Implementation Date	RELEASE LEV	L	REVISIO
DIMENSIONS IN MILLIMETERS EINCHESS KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.		MI0100766	9 - 1 2 - 0 5	Releas	e d	A
		SCALE: 2:1 DO NOT SCALE DRAWING			DR. ВУ АВ Ск. ву G J P	DATE 9 - 1 2 - ( DATE 9 - 1 3 - (
			INE DRAWING	EK-23977-C36	APP. BY GJP	DATE 9 -   3 - C Rev



NOTES:

I. CASE CONNECTED TO NEGATIVE TERMINAL.

2. MICROPHONE TO BE FUNCTIONAL WITH 10 VDC SUPPLY.

3. CONFORMS TO REQUIREMENTS SHOWN ON 'ELECTRET MICROPHONE ENVIRONMENTAL QUALIFICATIONS TEST, EK-PA SHEET 2.2' WITH REF. FREQ. OF 1000 Hz.


4. TYPICAL SENSITIVITY TO HUMIDITY AT 1000 Hz IS 0.02 dB/%RH.

5. SENSITIVITY AND NOISE VALUES INDICATED ON THIS SPECIFICATION ARE VALID AT 50% HUMIDITY.

DC AMPLIFIER SUPPLY CURRENT DRAIN	SENSITIVITY CHANGE ON REDUCING SUPPLY TO 0.9VDC	"A" WEIGHTED NOISE (I kHz EQUIV. SPL)	OUTPUT IMPEDANCE OHMS			CAPACITANCE $\pm 50\%$		
			MIN.	NOM.	MAX.	I - 2	- 3	
Ι.3V	50 µA MAX.	3 dB MAX.	26.0 MAX.	2800	4400	6800	75pF	75pF



	Revision C.O. # Implementation Date RELEASE LEVEL	REVISION
	A MI0100766 9-12-05 Released	A
KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.	WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION DR. BY CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION ALSO REQUIRED FOR AB CK. BY	9 -   2 - 0 5
	MICROPHONE   EK-23977-C36   G.J.P.     APP. B   APP. B   APP. B   APP. B	9 - 1 3 - 0 5 Y DATE
	PERFORMANCE SPECIFICATION SHT 2.1 gjp	9 -   3 - 0 5



## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Knowles: EK-23977-C36