	TOP VIEW		SIDE VIEW		BOTTOM VIEW					
		14.8			3			/ Ma	creen king	
					I	→ 2	2			
	Specifications		1	Natar	, T] 2		n History		
Description		Unit	-	Notes	Version			ו History	Date	Approved
Description Technology	Specifications	Unit	1) All dimensions are in mm		Version 1	De	Revision		Date 10/21/2013	Approved J.S
	Specifications Value	Unit (Hz)				De	' Revision escription			
Technology	Specifications Value Piezo	(Hz) (V)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency	Specifications Value Piezo 5,000	(Hz)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency Rated Voltage	Specifications Value Piezo 5,000 12	(Hz) (V)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency Rated Voltage SPL @ 10cm	Specifications Value Piezo 5,000 12 85	(Hz) (V) (dBA)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency Rated Voltage SPL @ 10cm Capacitance	Specifications Value Piezo 5,000 12 85 12,000	(Hz) (V) (dBA)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency Rated Voltage SPL @ 10cm Capacitance Mount Type	Specifications Value Piezo 5,000 12 85 12,000 Surface Mount	(Hz) (V) (dBA) (pF)	1) All dimensions are in mm			De	' Revision escription			
Technology Resonant Frequency Rated Voltage SPL @ 10cm Capacitance Mount Type Voltage Range	Specifications Value Piezo 5,000 12 85 12,000 Surface Mount 1~40	(Hz) (V) (dBA) (pF) (V)	1) All dimensions are in mm			De Released f	' Revision escription			
Technology Resonant Frequency Rated Voltage SPL @ 10cm Capacitance Mount Type Voltage Range Max Rated Current	Specifications Value Piezo 5,000 12 85 12,000 Surface Mount 1~40 7	(Hz) (V) (dBA) (pF) (V)	1) All dimensions are in mm			De Released f	Revision escription from Engine	eering	10/21/2013	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

DB Unlimited: TP145012-1