




Reliability Test Data


MVL Series

●105°C Endurance





MVH Series

●125°C Endurance




MVY Series

●Impedance/ESR vs Frequency




KZE Series


●105°C Endurance with Rated Ripple Current



●105°C Shelf Life




●Impedance-Frequency Characteristics




LXZ Series

●105°C Endurance with Rated Ripple Current




●Impedance-Frequency Characteristics




LXY Series


●105°C Endurance with Rated Ripple Current




●Impedance-Frequency Characteristics




●105°C Endurance with Rated Ripple Current




●105°C Shelf Life test



●Temperature Characteristics




●Impedance-Frequency Characteristics




●125°C Endurance with Rated Ripple Current

- GXE 35V 100 μ F ϕ 8 $\times$ 12L
- △ GXE 50V 100 μ F ϕ 10 $\times$ 12.5L
- GXE 10V 3300 μ F ϕ 16 $\times$ 25L




●Impedance-Frequency Characteristics

- GXE 35V 100 μ F ϕ 8 $\times$ 12L
- △ GXE 50V 100 μ F ϕ 10 $\times$ 12.5L
- GXE 10V 3300 μ F ϕ 16 $\times$ 25L at 20°C




SMM Series

●85°C Endurance with Rated Ripple Current




KMM Series

●105°C Endurance with Rated Ripple Current




LXG Series

●105°C Endurance with Rated Ripple Current



LXH Series


●105°C Endurance with Rated Ripple Current



RWE/RWF/RWL Series

RWE/RWF series

●85°C Endurance with Rated Ripple Current



RWL series

●85°C Endurance with Rated Ripple Current

