

MINI-BAT/12DC/1.6AH

Order No.: 2866572



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2866572>

Rechargeable battery module, 12 V DC, 1.6 Ah, for use with DC-UPS/4A

Commercial data

EAN	4046356476492
Pack	1 pcs.
Customs tariff	85072098
Weight/Piece	0.8785 KG
Catalog page information	Page 592 (IF-2009)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Input data

Nominal input voltage	12 V DC
-----------------------	---------

Output data

Nominal output voltage	12 V DC
Output current	max. 10 A
Connection in series	No
Output fuse	10 A

General data

Width	67.5 mm
Height	99 mm

Depth	107 mm
Weight	0.9 kg
Degree of protection	IP20
Class of protection	III
Ambient temperature (operation)	0 °C ... 40 °C
Ambient temperature (storage/transport)	0 °C ... 40 °C

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2009 Phoenix Contact
Technical modifications reserved;