

PRODUCT CHANGE NOTIFICATION (PCN)

Release Date: June 16, 2026

Product Category: **3U CompactPCI Blades**

Models Affected: **cPCI-3620**

Purpose of Notification: Product End of Lifecycle Status

Change of Lifecycle Status - End of Life Transition

We are sending this notice to you to advise you of the End-of-Life of the cPCI-3620 all product series. Please see the attached notification for detailed information.

Reason for EOL: Intel FH8065301487717 EOL.

List of Affected Models:

Model Series	Description	Recommended Successor Product(s)
CT-3620/E3845/M4G/S128,ETT,CC	CT-3620/E3845/M4G/S128 ,ETT,CC 1-slot (4HP) rugged conduction cooled 3U Compact-PCI blade with Intel R Atom processor E3845, 4GB DDR3L-1333 soldered memory, and onboard 128GB SSD with ETT -40~85°C and conformal coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
CT-3620/E3845/M4G/S32,ETT,CC	CT-3620/E3845/M4G/S32 ,ETT,CC 1-slot (4HP) rugged conduction cooled 3U Compact-PCI blade with Intel R Atom processor E3845, 4GBDDR3L-1333 soldered memory, and onboard 32GB SSD with ETT -40~85°C and conformal coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
CT-3620ASM/E3845/M4G/S32,ETT,CC	CT-3620ASM/E3845/M4G/S32 ,ETT,CC 1-slot (4HP) rugged conduction cooled 3U Compact-PCI blade with Intel Atom processor E3845,4GB DDR3L-1333 soldered memory,2 USB to rear (applied to customized BP) and onboard 32GB SSD with ETT -40~85°C and conformal coating for Siemens.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

PRODUCT CHANGE NOTIFICATION (PCN)

CT-3620CB/E3845/M4G/S32,ETT,CC	CT-3620CB/E3845/M4G/S32,ETT,CC 1-slot (4HP) rugged conduction cooled 3U Compact-PCI blade with Intel R Atom processor E3845, 4GBDDR3L-1333 soldered memory, and onboard 32GB SSD, coin battery, ETT -40~85°C and conformal coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
CT-3620MRX/E3845/M4G/S32,ETT,CC	CT-3620MRX/E3845/M4G/S32,ETT,CC 1-slot (4HP) rugged conduction cooled 3U Compact-PCI blade with Intel R Atom processor E3845, 4GB DDR3L-1333 soldered memory, and onboard 32GB SSD with ETT -40~85°C and conformal coating for Micromax.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/MS	cPCI-3620/E3845/M4G/MS 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and mSATA socket.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/MS	cPCI-3620/E3845/M4G/MS 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and mSATA socket.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/S160	cPCI-3620/E3845/M4G/S160 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and onboard 160GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/S32	cPCI-3620/E3845/M4G/S32 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and onboard 32GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/S32,CC	cPCI-3620/E3845/M4G/S32,CC 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and onboard 32GB SSD, conformal coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

PRODUCT CHANGE NOTIFICATION (PCN)

cPCI-3620/E3845/M4G/S40/NM	cPCI-3620/E3845/M4G/S40/NM 1-slot(4HP) 3U CompactPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE and onboard 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/S40/NM	cPCI-3620/E3845/M4G/S40/NM 1-slot(4HP) 3U CompactPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE and onboard 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620/E3845/M4G/S40/NM	cPCI-3620/E3845/M4G/S40/NM 1-slot(4HP) 3U CompactPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE and onboard 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620D/E3845/M4G	cPCI-3620D/E3845/M4G 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 keyboard mouse, audio.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620D/E3845/M4G-ASL	cPCI-3620D/E3845/M4G-ASL 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 keyboard mouse, audio, for ASL project.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620D/E3845/M4G/NM	cPCI-3620D/E3845/M4G/NM 2-slot(8HP) 3U CompactPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE, COM(RS-232/422/485), 2xUSB2.0, PS/2 keyboard mouse, audio.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620D/E3845/M4G/S32	cPCI-3620D/E3845/M4G/S32 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 KB/MS, audio, onboard SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

PRODUCT CHANGE NOTIFICATION (PCN)

cPCI-3620D/E3845/M4G/S32	cPCI-3620D/E3845/M4G/S32 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 KB/MS, audio, onboard SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620D/E3845/M4G/Thales	cPCI-3620D/E3845/M4G/Thales 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 keyboard mouse, audio, on board SSD for Thales.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620N/E3845/M2G	cPCI-3620N/E3845/M2G 1-slot(4HP) 3U CompactPCI blade with IntelR Atom? processor E3845 and 2GB DDR3L-1333 ECC soldered memory, no I/O only LED(Power, HDD, WDT, GP, GbE LEDs)	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620N/E3845/M4G/S32	cPCI-3620N/E3845/M4G/S32 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, onboard 32GB SSDno I/O only LED (Power, HDD, WDT, GP, GbE LEDs).	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620T/E3845/M4G	cPCI-3620T/E3845/M4G 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2x GbE in MIL-STD M12 connectors.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620T/E3845/M4G/S32	cPCI-3620T/E3845/M4G/S32 2-slot(8HP) 3U cPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2x GbE in MIL-STD M12 connectors, on board 32GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

PRODUCT CHANGE NOTIFICATION (PCN)

cPCI-3620T/E3845/M4G/S40/NM	cPCI-3620T/E3845/M4G/S40/NM 2-slot(8HP) 3U cPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2x GbE in MIL-STD M12 connectors, on board 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620T/E3845/M4G/S40/NM	cPCI-3620T/E3845/M4G/S40/NM 2-slot(8HP) 3U cPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2x GbE in MIL-STD M12 connectors, on board 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620T/E3845/M4G/S40/NM	cPCI-3620T/E3845/M4G/S40/NM 2-slot(8HP) 3U cPCI blade with Intel Atom® processor E3845 and 4GB DDR3L-1333 ECC soldered memory (non-Micron), supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2x GbE in MIL-STD M12 connectors, on board 40GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620TK/E3845/M4G/MS	cPCI-3620TK/E3845/M4G/MS 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and mSATA socket with customized BIOS for CARS.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-3620TR/E3845/M4G/S32	cPCI-3620TR/E3845/M4G/S32 2-slot (8HP) 3U CompactPCI blade with Intel Atom processor E3845 and 4GB DDR3L-1333 soldered memory, supports VGA, USB 3.0, 4x GbE in RJ-45 connectors, COM (RS-232/422/485), SATA connector, and onboard 32GB SSD.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI-EX3620/E3845/M4G/S32,ETT	cPCI-EX3620/E3845/M4G/S32,ETT 1-slot(4HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE and onboard 32GB SSD, ETT -40°C to +85°C.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

PRODUCT CHANGE NOTIFICATION (PCN)

cPCI- EX3620D/E3845/ M4G,ETT,CC	cPCI- EX3620D/E3845/M4G,ETT,CC 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2x GbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 KB/MS, audio, ETT -40~85°C, Coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI- EX3620D/E3845/ M4G/S32,ETT	cPCI- EX3620D/E3845/M4G/S32,ETT Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, supports VGA, USB3.0, 2xGbE, COM (RS-232/422/485), 2xUSB2.0, PS/2 KB/MS, audio, onboard 32GB SSD, ETT -40°C to +85°C.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.
cPCI- EX3620T/E3845/ M4G,ETT,CC	cPCI- EX3620T/E3845/M4G,ETT,CC 2-slot(8HP) 3U CompactPCI blade with Intel R Atom processor E3845 and 4GB DDR3L-1333 ECC soldered memory, VGA, USB3.0, 2x GbE, COM (RS-232/422/485),2x GbE in MIL- STD M12 connectors, -40~85°C, Coating.	cPCI-3640 Series 3U CompactPCI Quad-Core Intel Atom® Processor X Series Blade.

Key Dates:

Last time buy date: October 26, 2026

Last time ship date: February 26, 2027

ADLINK will accept orders for cPCI-3620 product series until October 26, 2026. Last time ship date is February 26, 2027. Orders for these products will be non-cancelable and non-returnable (NCNR) and dependent upon demand; these products may be subject to a minimum order quantity.

An important part of the Lifecycle Solutions program for ADLINK products is to provide customers with notice of any changes that might affect long-term product usage or availability. Except for circumstances requiring immediate changes, ADLINK normally provides a few months advance notice of changes that affect the form, fit, or function of the product. If you have any questions or concerns about this notice, please contact your ADLINK sales representative.

If you have technical questions about this product notification, please contact your ADLINK Field Applications Engineer directly. Otherwise, you can call ADLINK at 1-800-966-5200 or 408-360-0200. For online technical support, please visit our Ask an Expert page at <http://askanexpert.adlinktech.com/AAE/Answers.aspx> and click the tab labeled "Ask a Question".

PRODUCT CHANGE NOTIFICATION (PCN)
