




Product Change Notification

Date Issued :	July 28, 2022	PCN Number :	512269
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	Align DU with packaging method.		
Assessment of Change :	First Article Inspection		
Planned Implementation Date :	February 03, 2023		
Sample Availability Date:	August 02, 2022		
Internal Molex Qualification Date :	September 08, 2022		
Last date to request Samples by Customer :	August 25, 2022		

Before Picture



SUPER-SAFEWAY

1 1

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



After Picture

Overview

- This notification is to inform you about part(s) listed in this notice that will undergo changes for new Delivery unit. No changes will be made to the product as a result of this change.
- Product Impact
 - No impact to fit, form or function.
- Part Number Impact
 - See attached impacted parts list.
- NO samples available.

2

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



RELEASED

Additional Information :

Additional description

- To facilitate the handling, storage, and shipping, the team requested an update on the DU and MOQ of this product. NO affectation to the product.

3

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:512269
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 512269** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com