




Product Change Notification

Date Issued :	May 08, 2023	PCN Number :	513442
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	Align the SAP DU with the packaging drawing		
Reason for Short Notice :	Corrective Actions		
Assessment of Change :	First Article Inspection		
Planned Implementation Date :	August 01, 2023		
Sample Availability Date:	June 22, 2023		
Internal Molex Qualification Date :	July 21, 2023		
Last date to request Samples by Customer :	June 26, 2023		

Before Picture



Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



1

After Picture

Overview

- a) DU Changing:** This notification is to inform you about part(s) listed in this notice that will undergo changes for new Delivery unit. No changes will be made to the product as a result of this change.
- **Product Impact**
 - No impact to fit, form or function
 - **Part Number Impact**
 - See attached impacted parts list
 - **NO PPAP or samples available per this change.**

2

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



RELEASED

Additional Information :

Additional description

- Need to align the quantity stated in the PK drawing with the SAP system.

3

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.

molex

RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:513442
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 513442** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com