



Product Change Notification


Date Issued :	September 14, 2023	PCN Number :	514070
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	To unify the packaging tray material & improve tray quality, we are moving away from using PS to PET.		
Reason for Short Notice :	Special Request		
Assessment of Change :	No change to parts - Form/Fit/Function		
Planned Implementation Date :	December 15, 2023		
Sample Availability Date:	August 25, 2023		
Internal Molex Qualification Date :	August 27, 2023		
Last date to request Samples by Customer :	October 15, 2023		

Before Picture


- Impacted Products Pictures




34690****



34829****



34936****



14800****

After Picture

Overview

This notification is to inform you about the following changes that are being made to the packaging tray of

Change: To unify the packaging tray material & improve tray quality, we are moving away from using PS to PET.

- Drop test is conducted & has passed, reports can be shared upon request .
- There has been no changes made to SPQ/MOQ.

BEFORE



AFTER



New tray color is slightly brighter than PS

- Product Impact: This changes will have no affect on fit & form, function.
- Part Number Impact: see attached impacted parts list.

RELEASED

You may address inquires regarding this PCN by clicking on the below link

mailto:pcn_coordinator@molex.com?Subject=PCN_Notification:514070

or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 514070** " in the e-mail Subject line for faster response.

[Molex, LLC](http://www.molex.com)
 2222 Wellington Court
 Lisle, IL 60532
 TEL (800) 786-6539
www.molex.com