



Product Change Notification

Date Issued :	August 25, 2023	PCN Number :	514241
Reason for Change :	Retraction		
Description of Change :	This notification is to advise you of a modification to a previously issued PCN. Please refer to the information below for details regarding the amendment.		
Reason for Short Notice :	Supplier Constraints		
Assessment of Change :	First Article Inspection		
Planned Implementation Date :	September 29, 2023		
Sample Availability Date:			
Internal Molex Qualification Date :			
Traceability Code Markings / Date :	Date code		

Before Picture

Overview

- This PCN is a Retraction for a previously issued PCN 514127 communicated on August 17th, 2023 for the following:
 - Need to change encapsulation material due to existing supplier needs to change formulation which requires UL recertification. New encapsulation material is already UL certified and in our UL files to use.
- The reason for this retraction is to avoid service disruptions, the timeline has been reduced for this PCN to implement the change sooner.
- If you are impacted on the new PCN you will be notified.
- No qualification reports, PPAP, or samples will be available for this change due to this retraction.

1 Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?Subject=PCN_Notification:514241
 or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 514241** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
 2222 Wellington Court
 Lisle, IL 60532
 TEL (800) 786-6539
www.molex.com