



Product Change Notification

Date Issued :	July 14, 2025	PCN Number :	517155
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	This notification is to inform you that the parts listed in this notice will undergo changes for new Delivery Unit. No changes will be made to the product as a result of this change.		
Reason for Short Notice :	Update Previously Issued Change Notice		
Assessment of Change :	No change to parts - Form/Fit/Function		
Planned Implementation Date :	October 17, 2025		
Customer Sample Availability Date:	July 03, 2025		
Last date to request Samples by Customer : July 14, 2025			
Please note if Samples are not requested as per Customer Samples Request date, it may take additional 4-6 weeks to arrange Samples.			

Before Picture

BEFORE: The Delivery Unit (DU) was equivalent to single tube pack quantity and could be added to orders of Minimum Line Quantity (MLQ), causing repacking, scrapped boxes, and opportunity for quantity labeling errors.



AFTER: The Delivery Unit (DU) is equivalent to a standard number of tube packs, nothing repackaged per customer order. Minimum Line Quantity (MLQ) is equivalent to 1 or more DU's.



- Example: part 836119023
 - **Before:** Individual box quantity (DU) = 162; Minimum Line Quantity (MLQ) = 162
 - Result is non-standard shipping configurations in various multiples of single tube pack quantity of 162
 - **After:** New standard shipping qty = 3 tube packs of 162 = Delivery Unit of 486
 - Next available quantity above MLQ of 486 is 972 (Delivery Unit x 2)
- No impact to product, smallest package quantities, tubes, trays, or boxes

After Picture

Overview

- Parts from Molex's Tampa Bay Operations to be ordered in multiples of master carton quantities instead of tube pack quantities.
 - This is an update to PCN 515920 communicated on April 1, 2025. The MLQ for PN 836199010 was 396, the correct MLQ will be 220.
- The reason for change is for the benefit of consistent carton quantities and reducing waste of repacking, scrapped boxes, and opportunity for quantity labeling errors.
- Product Impact
 - No change to product, *no change to individual resalable package quantities or box/tube/tray sizes.*
- Part Number Impact
 - See attached impacted parts list
- PCN will be implemented once all required qualification/ validation has been completed, and all necessary approvals have been obtained.

RELEASED

You may address inquiries regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:517155
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 517155** " in the e-mail Subject line for faster response.