



Public Products List

Public Products are off the shelf products. They are not dedicated to specific customers, they are available through ST Sales team, or Distributors, and visible on ST.com

PCI Title : L99LD21xx/ L99LD20xx (UAR7): Datasheet Update (Typo Correction)

PCI Reference : ADG/18/11217

Subject : Public Products List

Dear Customer,

Please find below the Standard Public Products List impacted by the change.

L99LD20Q6	L99LD21Q6	L99LD21Q6TR
L99LD20Q6TR		



IMPORTANT NOTICE – PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

PRODUCT/PROCESS CHANGE NOTIFICATION

SUBJECT **L99LD21xx/ L99LD20xx (UAR7): Datasheet Update
(Typo Correction)**

IMPACTED PRODUCTS	ST Commercial Products: L99LD20Q6TR L99LD20Q6 L99LD21Q6TR L99LD21Q6
IMPACTED MANUFACTURING STEPS	NA
INVOLVED PLANTS	NA
CHANGE REASON	Typo Correction
CHANGE DESCRIPTION	<p>New datasheet revision due to typos. Below details of the typos /corrections</p> <ul style="list-style-type: none"> • IVLEDx (VLEDx pins maximum injected current) from 0.1 A to 0.1 mA • GM (Error amplifier trans-conductance gain) from 570 mΩ-1 to 570 μΩ-1
TRACEABILITY	New datasheet available on www.st.com