



PRODUCT INFORMATION LETTER

PIL IPD-IPC/13/8115
Dated 08 Oct 2013

VIPER17 : introduction of a new test program

Sales Type/product family label	VIPER17 in all package options
Type of change	Test program / platform change
Reason for change	To improve the testing yield
Description	We have made a minor change on the test program of the VIPER17.
Forecasted date of implementation	01-Oct-2013
Forecasted date of samples for customer	01-Oct-2013
Forecasted date for STMicroelectronics change Qualification Plan results availability	01-Oct-2013
Involved ST facilities	ST Shenzhen and ST Long Gang in China

DOCUMENT APPROVAL

Name	Function
Mercadante, Giacomo	Marketing Manager
Sandrini, Francesca Marta	Product Manager
Motta, Antonino	Q.A. Manager



WHAT:

We have introduced a minor modification on the Test program of the VIPER17 products listed below :

Product Line	Commercial Product	Package description	Packing type
MV34	VIPER17HN	PDIP 7 - MDIP .25	Tube
	VIPER17LN	PDIP 7 - MDIP .25	Tube
	VIPER17HD	SO 16 .15 TO JEDEC MS-	Tube
	VIPER17HDTR		Tape&Reel
	VIPER17LD	SO 16 .15 TO JEDEC MS-	Tube
	VIPER17LDTR		Tape&Reel

This modification will not affect any conditions related to form, fit, function, quality and reliability of these products.

WHY:

The change was made in order to improve the testing yield.

The data collected at the Final Test in the Back-End plants have confirmed the yield improvement.

HOW:

The modification consists in the introduction of the following two tests:

IDLIM@ VDD 10V limits 380mA – 420mA

IDLIM@ VDD 8.5V limits 380mA – 460mA

The revision of the datasheet to refer to is the Rev.09

The new products will be identified by our data code, as follows :

Commercial product	Date code (year–assembly week)
VIPER17HN VIPER17LN VIPER17LD(TR)	330
VIPER17HD(TR)	335

WHEN:

The change of the test program is effective immediately.




Scope: showing that I_{DLIM} occurs at $V_{DD} > V_{DDmin}$

Test board: Flyback isolated (12V/0.6A)


Device: VIPer17LN

$V_{IN} = 230V_{AC}$, no load

$V_{DDmin} = 9.975V$



$I_{DRAIN_pk} = 110mA = I_{D_BM}$





- V_{DD} is supplied by the transformers auxiliary winding
- The minimum voltage across V_{DD} pin (V_{DDmin}) is reached in no load condition at $V_{IN} = 230V_{AC}$
- In order to guarantee correct steady-state operation, it should always be: $V_{DDmin} > V_{DDoffmax} = 8.5V$
- P_{IN} is very low, the converter is operated in burst mode and the DRAIN peak current value is the burst mode one (I_{D_BM})

$V_{IN} = 230V_{AC}$, light load (30mA)

$V_{DDmin} = 12.6V$


$I_{DRAIN_pk} = 110mA = I_{D_bm}$




- Connecting some load, even small, to the output, makes V_{DD} significantly increase respect to V_{DDmin}
- While the converter is still in burst mode, the DRAIN peak current value is still I_{D_BM}

$V_{IN} = 230V_{AC}$, medium load (150mA)

$V_{DDmin} = 15.4V$




$I_{DRAIN_pk} = 160mA$




- Further increasing the output load makes the V_{DD} voltage further increase
- As the converter exit burst mode, I_{DRAIN} increases respect to I_{D_BM} , but is still quite low

$V_{IN} = 230V_{AC}$, full load

$V_{DDmin} = 19.1V$



$I_{DRAIN_pk} = 394mA = I_{DLIM}$



- At full load load, when finally I_{DRAIN} reaches I_{DLIM} (400mA), the V_{DD} voltage value is 19V

Conclusions

- V_{DD} minimum value (V_{DDmin}) is reached in no load condition
- It is always $V_{DDmin} > 8.5V$
- When $V_{DD} = V_{DDmin} \rightarrow I_{DRAIN} \approx I_{D_BM}$
- When the load increases, V_{DD} increases as well, rapidly walking away from V_{DDmin}
- In conclusion, the conditions

- 1 - $I_{DRAIN} \approx I_{DLIM}$
- 2 - $V_{DD} \approx V_{DDoff}$

cannot be met at the same time

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND / OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners

© 2013 STMicroelectronics - All rights reserved.

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com





Public Products List

PIL Title : VIPER17 : introduction of a new test program

PIL Reference : IPD-IPC/13/8115

PIL Created on : 07-OCT-2013

Subject : Public Products List

Dear Customer,

Please find below the Standard Public Products List impacted by the change:

ST COMMERCIAL PRODUCT

VIPER17HD
VIPER17LD

VIPER17HDTR
VIPER17LDTR

VIPER17HN
VIPER17LN

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND / OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners

© 2013 STMicroelectronics - All rights reserved.

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com