

PRODUCT / PROCESS CHANGE NOTIFICATION

1. PCN basic data

1.1 Company		STMicroelectronics International N.V
1.2 PCN No.		MDG/22/13409
1.3 Title of PCN		Final Test in MUAR (Malaysia), EWS test in Rousset (France) & Ang Mo Kio (Singapore) - Test platform moves from HP93K to T2K with ARTEAC for STM8AL3x 32K Automotive products
1.4 Product Category		STM8AL3x 32K
1.5 Issue date		2022-07-29

2. PCN Team

2.1 Contact supplier	
2.1.1 Name	ROBERTSON HEATHER
2.1.2 Phone	+1 8475853058
2.1.3 Email	heather.robertson@st.com
2.2 Change responsibility	
2.2.1 Product Manager	Ricardo Antonio DE SA EARP
2.1.2 Marketing Manager	Veronique BARLATIER
2.1.3 Quality Manager	Pascal NARCHE

3. Change

3.1 Category	3.2 Type of change	3.3 Manufacturing Location
Equipment (EWS-FT)	New tester, or prober option or major HW changes (ex: computer), brand or model (Unknown type)	MUAR

4. Description of change

	Old	New
4.1 Description	Test platform HP93K ST MUAR (Malaysia) Final test ST ROUSSET (France) and ST AMK (Singapore) EWS	New Test platform T2K ST MUAR (Malaysia) Final test ST ROUSSET (France) and ST AMK (Singapore) Electrical Wafer Sort (EWS)
4.2 Anticipated Impact on form,fit, function, quality, reliability or processability?	no impact	

5. Reason / motivation for change

5.1 Motivation	Tester obsolescence
5.2 Customer Benefit	SERVICE IMPROVEMENT

6. Marking of parts / traceability of change

6.1 Description	Traceability ensured by ST internal tools
-----------------	---

7. Timing / schedule

7.1 Date of qualification results	2022-09-30
7.2 Intended start of delivery	2022-10-03
7.3 Qualification sample available?	Upon Request

8. Qualification / Validation

8.1 Description	13409 FT EWS test - QUAL PLAN.pdf		
8.2 Qualification report and qualification results	Available (see attachment)	Issue Date	2022-07-29

9. Attachments (additional documentations)

13409 Public product.pdf
13409 FT EWS test - QUAL PLAN.pdf

10. Affected parts

10. 1 Current		10.2 New (if applicable)
10.1.1 Customer Part No	10.1.2 Supplier Part No	10.1.2 Supplier Part No
	STM8AL3136TAY	
	STM8AL3136TCY	
	STM8AL3136UCX	
	STM8AL3136UCY	
	STM8AL3146TAY	
	STM8AL3146TCY	
	STM8AL3148TCY	
	STM8AL3166TAY	
	STM8AL3166TCY	
	STM8AL3166UCY	
	STM8AL3168TAX	
	STM8AL3168TAY	
	STM8AL3168TCY	
	STM8AL3L46TAY	
	STM8AL3L66TAY	
	STM8AL3L66TCY	
	STM8AL3L68TAY	
	STM8AL3L68TCY	

IMPORTANT NOTICE – PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved



PCN13409

Final Test in MUAR (Malaysia), EWS test in Rousset (France) & Ang Mo Kio (Singapore) - Test platform moves from HP93K to T2K with ARTEAC for STM8AL3x 32K Automotive products

Qualification Plan

05-Oct-2021

GPM Engineering, Operations & Quality

Introduction

Description of Changes / Context

- Scope: selected automotive commercial products STM8A (see the full list of impacted products in PCN document)
- The proposed change is linked to production steps of electrical wafer sort (EWS) and final test (FT), and quality acceptance test (QA test - sometimes also called quality control or QC test) within the test and finishing flow.
- The current 93K test platform is becoming obsolete, in order to prepare for the demise of this test platform, as well as to sustain the strong automotive demand and long term market growth, ST GPM group is changing its Electrical Wafer Sort (EWS) and Final Test (FT) production test platform for automotive products by Introducing STM8AL product family on ADVANTEST T2000 test platform that is already qualified for Automotive MCUs on ST production site. this new platform will be maintained by our suppliers for many years and ensures the same test coverage as the previous one.
- As of today, automotive products are, after assembly, subjected first to FT tests and after that to QC test
 - All the sales types have one FT at HOT and one FT at COLD.
 - Quality acceptance test QC is performed once, typically at the end of test flow.
- The basic idea of the change is to replace QC test by so called ARTEAC test (Automated Real Time Electrical and Audit Control) keeping the same test coverage and same lot quality acceptance criteria.
- ARTEAC flow contains at least the same test instances as the existing QC flow (same or larger test coverage compared to QC).
- ARTEAC execution: During the lot final test there is a real time sampling (regular intervals following an algorithm) and the selected units – after passing the FT test - will be subjected to ARTEAC flow, without any disconnection.
- Advantage is that the ARTEAC sampled unit should not be twice contacted (ARTEAC flow executed immediately after the unit passed FT flow) and no loading of QC test is required after FT test, thus reducing quality risk induced by QC handling.

 There is no loss of test coverage or other product quality concern because ARTEAC is simultaneously done at the very last FT step within the test flow.

life.augmented

TEST PLATFORM MOVES – Initial Verifications

- Initial verifications check correct behaviour of test flow solution prior full qualification
- The T2K test platform in ST production sites is already used in mass production of non-automotive STM32, STM8 and other ST automotive products
- The verifications are to be done using a limited number of the impacted automotive finished goods (based on dice 79HZ) and using the T2000 test programs of interest (EWS : ST79HZ_T2KF1, ST79HZ_T2KF2, and Final Test : ST79HZ_T2KFT)

Verification	Criteria	Comment
Verification of test flow integrity	Comparison between reference flow in production with new one	Check of test program integrity
EWS and Final Test correlation	100% Matching of test result – direct matching and F2P or P2F fully explained – between both teste platform	Correct binning and physical sorting
Verification of parametrics	Correct Cp, Cpk and AIV	Aligned with GPM requirement

TEST PLATFORM MOVES EWS Qualification

- EWS1 and 2 : At least 1 wafer will be used for cross-platform correlation on production site
- 1 wafer (5738 Dice) tested in production condition will be used for this trial.
- The units are tested first with reference platform currently in production and after that with new platform.
- Criteria: behavior of both test platform should be identical/All QC fails (if any) must be detected as ARTEAC fails

Test Program Quality Validation with EWS1 Ambient Rejects

Order / Test Stage	Criteria
1. V93000 in Toa Payoh EWS1 @ ambient	<ul style="list-style-type: none">• Pass/Fail exercise on same wafer tested on each EWS1 test platform:<ul style="list-style-type: none">- Acceptance criteria: 100% Bin to Bin correlation (or 100% differences explained)
2. T2000 in Toa Payoh EWS1 @ ambient	<ul style="list-style-type: none">• Parametric exercise on same wafer tested at each EWS test platform:<ul style="list-style-type: none">- Acceptance criteria: Datalog distribution on available parametric tests 100% aligned between each test platform.

Test Program Quality Validation with EWS2 Hot Rejects

Order / Test Stage	Criteria
1. V93000 in Toa Payoh EWS2 @ Hot	<ul style="list-style-type: none">• Pass/Fail exercise on same wafer tested on each EWS2 test platform:<ul style="list-style-type: none">- Acceptance criteria: 100% Bin to Bin correlation (or 100% differences explained)
2. T2000 in Toa Payoh EWS2 @ Hot	<ul style="list-style-type: none">• Parametric exercise on same wafer tested at each EWS test platform:<ul style="list-style-type: none">- Acceptance criteria: Datalog distribution on available parametric tests 100% aligned between each test platform.

TEST PLATFORM MOVES FT Qualification

- Final Test : At least 1000 dice will be used for cross-platform correlation on production site
- The units are tested first with reference platform currently in production and after that with new platform.
- Criteria: behavior of both test platform should be identical.

Test Program Quality Validation with FT Hot Flow

Order / Test Stage	Criteria
1. V93000 in MUAR FT1/QC1 @ HOT	<ul style="list-style-type: none">• Pass/Fail exercise on same parts tested on each FT1/QC1 test platform:<ul style="list-style-type: none">- Acceptance criteria: 100% Bin to Bin correlation (or 100% differences explained)
2. T2000 in MUAR FT1/Arteac @ HOT	<ul style="list-style-type: none">• Parametric exercise on same wafer tested at each FT test platform:<ul style="list-style-type: none">- Acceptance criteria: Datalog distribution on available parametric tests 100% aligned between each test platform.

Test Program Quality Validation with FT2 Cold Flow

Order / Test Stage	Criteria
1. V93000 in Toa Payoh FT2 @ Cold	<ul style="list-style-type: none">• Pass/Fail exercise on same wafer tested on each FT2/QC2 test platform:<ul style="list-style-type: none">- Acceptance criteria: 100% Bin to Bin correlation (or 100% differences explained)
2. T2000 in Toa Payoh FT2/Arteac @ Cold	<ul style="list-style-type: none">• Parametric exercise on same wafer tested at each EWS test platform:<ul style="list-style-type: none">- Acceptance criteria: Datalog distribution on available parametric tests 100% aligned between each test platform.

ARTEAC QC Flow Qualification

- *A separated QC test program is generated, that is containing the exact same content of the 'Arteac QC' flow embedded in the production Final test program.*
- *500 random rejects from FT_Hot production are collected*
- *These parts are tested with the QC test program: Expected outcome, 2 kinds of bad parts captured by QC flow, parts with FT-fail signature, and parts showing open short defect.*
- *500 random rejects from FT_Cold production are collected*
- *These parts are tested with the QC test program: Expected outcome, 2 kinds of bad parts captured by QC flow, parts with FT-fail signature, and parts showing open short defect.*

Gage R&R

- As the production testing will use new ATE systems, we'll proceed to Gage R&R and CPM analysis for the new T2K measurement system
- The gage R&R and CPM analysis follows STM specification ADCS 0042462: "R&R AND CPM FOR MEASUREMENT SYSTEM ANALYSIS"
- To be performed on packaged parts, at 25°C ambient temperature, in ST Muar (Malaysia) manufacturing plant.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics International NV and its affiliates ("ST") reserve the right to make changes corrections, enhancements, modifications, and improvements to ST products and/or to this document any time without notice.

This document is provided solely for the purpose of obtaining general information relating to an ST product. Accordingly, you hereby agree to make use of this document solely for the purpose of obtaining general information relating to the ST product. You further acknowledge and agree that this document may not be used in or in connection with any legal or administrative proceeding in any court, arbitration, agency, commission or other tribunal or in connection with any action, cause of action, litigation, claim, allegation, demand or dispute of any kind. You further acknowledge and agree that this document shall not be construed as an admission, acknowledgement or evidence of any kind, including, without limitation, as to the liability, fault or responsibility whatsoever of ST or any of its affiliates, or as to the accuracy or validity of the information contained herein, or concerning any alleged product issue, failure, or defect. ST does not promise that this document is accurate or error free and specifically disclaims all warranties, express or implied, as to the accuracy of the information contained herein. Accordingly, you agree that in no event will ST or its affiliates be liable to you for any direct, indirect, consequential, exemplary, incidental, punitive, or other damages, including lost profits, arising from or relating to your reliance upon or use of this document.

Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement, including, without limitation, the warranty provisions thereunder.

In that respect please note that ST products are not designed for use in some specific applications or environments described in above mentioned terms and conditions.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

Information furnished is believed to be accurate and reliable. However, ST assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use. No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously in any prior version of this document.





Public Products List

Public Products are off the shelf products. They are not dedicated to specific customers, they are available through ST Sales team, or Distributors, and visible on ST.com

PCN Title : Final Test in MUAR (Malaysia), EWS test in Rousset (France) & Ang Mo Kio (Singapore) - Test platform moves from HP93K to T2K with ARTEAC for STM8AL3x 32K Automotive products

PCN Reference : MDG/22/13409

Subject : Public Products List

Dear Customer,

Please find below the Standard Public Products List impacted by the change.

STM8AL3L48TAY	STM8AL3L46TAY	STM8AL3L68TAX
STM8AL3168TAX	STM8AL3166UAX	STM8AL3146TAY
STM8AL3138TAY	STM8AL3148TCX	STM8AL3L68TCY
STM8AL3166TCY	STM8AL3166TAX	STM8AL3146UCX
STM8AL3168TCY	STM8AL3166UCX	STM8AL3L66TAY
STM8AL3146TCY	STM8AL3L46TCY	STM8AL3166TAY
STM8AL3136TAY	STM8AL3138TCX	STM8AL3146UAX
STM8AL3L48TCY	STM8AL3166UAY	STM8AL3136UCX
STM8AL3146UCY	STM8AL3168TAY	STM8AL3168TCX
STM8AL3148TCY	STM8AL3136UCY	STM8AL3L68TAY
STM8AL3136TCY	STM8AL3146UAY	STM8AL3148TAY
STM8AL3138TCY	STM8AL3166UCY	STM8AL3L66TCY



IMPORTANT NOTICE – PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved