



2106221009 EFM32 QFN6x6 & QFN 9x9 Additional Assembly, Test, Ship Site and MPQ Change

PCN Issue Date: Jun 22, 2021

Effective Date: Sep 28, 2021

PCN Type: Assembly

Description of Change

Silicon Labs is pleased to announce the successful qualification of an additional assembly and test-ship site, ASE Chung-Li (ASECL), for EFM32x QFN 6x6 and QFN 9x9 package. Minimum Packing Quantity (MPQ) will also be changed from 1000/reel to 3000/reel for both packages.

ASECL is an existing qualified assembly and test-ship site for Silicon Labs and is certified to ISO9001, ISO14001 and IATF16949. Same loadboard, test platform and test program are used in the new site, ASECL, as the existing.

As of the effective date of the PCN, Silicon Labs may assemble, test and ship from either of the qualified Assembly, Test and Ship sites. Orders will be fulfilled with 3000/reel after 1000/reel material is depleted after the effective date.

Reason for Change

Additional assembly and test capacity for supply continuity. Higher MPQ to improve productivity.

Impact on Form, Fit, Function, Quality, Reliability

There is no impact on Form, Fit, Function, Quality and Reliability. Customers may notice a slight visual difference on the edge of the package but both versions are within specifications.

Product Identification

Existing Part #
EFM32G200F16G-E-QFN32
EFM32G200F16G-E-QFN32R
EFM32G200F32G-E-QFN32
EFM32G200F32G-E-QFN32R
EFM32G200F64G-E-QFN32
EFM32G200F64G-E-QFN32R
EFM32G210F128G-E-QFN32
EFM32G210F128G-E-QFN32R
EFM32G210P*F128G-E
EFM32G210P*F128G-ER
EFM32G230F32G-E-QFN64
EFM32G230F32G-E-QFN64R
EFM32G230F64G-E-QFN64
EFM32G230F64G-E-QFN64R
EFM32G230F128G-E-QFN64
EFM32G230F128G-E-QFN64R
EFM32G30F128G-E-QFN64
EFM32G30F128G-E-QFN64R
EFM32G840F32G-E-QFN64
EFM32G840F32G-E-QFN64R
EFM32G840F64G-E-QFN64
EFM32G840F64G-E-QFN64R
EFM32G840F128G-E-QFN64
EFM32G840F128G-E-QFN64R

EFM32GG230F512G-E-QFN64
EFM32GG230F512G-E-QFN64R
EFM32GG230F1024G-E-QFN64
EFM32GG230F1024G-E-QFN64R
EFM32GG330F512G-E-QFN64
EFM32GG330F512G-E-QFN64R
EFM32GG330F1024G-E-QFN64
EFM32GG330F1024G-E-QFN64R
EFM32GG840F512G-E-QFN64
EFM32GG840F512G-E-QFN64R
EFM32GG840F1024G-E-QFN64
EFM32GG840F1024G-E-QFN64R
EFM32GG940F512G-E-QFN64
EFM32GG940F512G-E-QFN64R
EFM32GG940F1024G-E-QFN64
EFM32GG940F1024G-E-QFN64R
EFM32HG210F32G-C-QFN32
EFM32HG210F32G-C-QFN32R
EFM32HG210F32N-C-QFN32
EFM32HG210F32N-C-QFN32R
EFM32HG210F64G-C-QFN32
EFM32HG210F64G-C-QFN32R
EFM32HG210F64N-C-QFN32
EFM32HG210F64N-C-QFN32R
EFM32HG310F32G-C-QFN32
EFM32HG310F32G-C-QFN32R
EFM32HG310F32N-C-QFN32
EFM32HG310F32N-C-QFN32R
EFM32HG310F64G-B-QFN32
EFM32HG310F64G-B-QFN32R
EFM32HG310F64G-C-QFN32
EFM32HG310F64G-C-QFN32R
EFM32HG310F64N-C-QFN32
EFM32HG310F64N-C-QFN32R
EFM32LG230C*F256G-F
EFM32LG230C*F256G-FR
EFM32LG230F64G-F-QFN64
EFM32LG230F64G-F-QFN64R
EFM32LG230F128G-F-QFN64
EFM32LG230F128G-F-QFN64R
EFM32LG230F256G-E-QFN64
EFM32LG230F256G-E-QFN64R
EFM32LG230F256G-F-QFN64
EFM32LG230F256G-F-QFN64R
EFM32LG330F64G-F-QFN64
EFM32LG330F64G-F-QFN64R
EFM32LG330F128G-F-QFN64
EFM32LG330F128G-F-QFN64R
EFM32LG330F256G-F-QFN64
EFM32LG330F256G-F-QFN64R
EFM32LG840F64G-F-QFN64
EFM32LG840F64G-F-QFN64R
EFM32LG840F128G-F-QFN64
EFM32LG840F128G-F-QFN64R
EFM32LG840F256G-F-QFN64
EFM32LG840F256G-F-QFN64R
EFM32LG940F64G-F-QFN64
EFM32LG940F64G-F-QFN64R
EFM32LG940F128G-F-QFN64
EFM32LG940F128G-F-QFN64R
EFM32LG940F256G-F-QFN64
EFM32LG940F256G-F-QFN64R
EFM32TG210F32-QFN32T
EFM32TG210F32-QFN32
EFM32TG210F8-D-QFN32
EFM32TG210F8-D-QFN32R
EFM32TG210F16-D-QFN32

EFM32TG210F16-D-QFN32R
EFM32TG210F32-D-QFN32
EFM32TG210F32-D-QFN32R
EFM32TG230F8-D-QFN64
EFM32TG230F8-D-QFN64R
EFM32TG230F16-D-QFN64
EFM32TG230F16-D-QFN64R
EFM32TG230F32-D-QFN64
EFM32TG230F32-D-QFN64R
EFM32TG840F8-D-QFN64
EFM32TG840F8-D-QFN64R
EFM32TG840F16-D-QFN64
EFM32TG840F16-D-QFN64R
EFM32TG840F32-D-QFN64
EFM32TG840F32-D-QFN64R
EFM32WG230F64-B-QFN64
EFM32WG230F64-B-QFN64R
EFM32WG230F128-B-QFN64
EFM32WG230F128-B-QFN64R
EFM32WG230F256-B-QFN64
EFM32WG230F256-B-QFN64R
EFM32WG330F64-B-QFN64
EFM32WG330F64-B-QFN64R
EFM32WG330F128-B-QFN64
EFM32WG330F128-B-QFN64R
EFM32WG330F256-B-QFN64
EFM32WG330F256-B-QFN64R
EFM32WG840F64-B-QFN64
EFM32WG840F64-B-QFN64R
EFM32WG840F128-B-QFN64
EFM32WG840F128-B-QFN64R
EFM32WG840F256-B-QFN64
EFM32WG840F256-B-QFN64R
EFM32WG940F64-B-QFN64
EFM32WG940F64-B-QFN64R
EFM32WG940F128-B-QFN64
EFM32WG940F128-B-QFN64R
EFM32WG940F256-B-QFN64
EFM32WG940F256-B-QFN64R
EFM32ZG20F32-B-QFN32
EFM32ZG20F32-B-QFN32R
EFM32ZG210F32-QFN32T
EFM32ZG210F32-QFN32
EFM32ZG210F4-B-QFN32
EFM32ZG210F4-B-QFN32R
EFM32ZG210F8-B-QFN32
EFM32ZG210F8-B-QFN32R
EFM32ZG210F16-B-QFN32
EFM32ZG210F16-B-QFN32R
EFM32ZG210F32-B-QFN32
EFM32ZG210F32-B-QFN32R

Last Date of Unchanged Product: Sep 28, 2021

Qualification Samples

Available upon request

Customer Response

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change, Ref. JEDEC-J-STD-046.

To request further data or inquire about this notification, please contact your Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.


Customers may approve early PCN acceptance by emailing approval, along with PCN # to PCNEarlyAcceptance@silabs.com

User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Qualification Data

Please refer to the qualification report below



EFM32 QFN ASECL Qualification Report

The information contained in this document is CONFIDENTIAL and PROPRIETARY to Silicon Labs and is intended only for the internal use of Silicon Labs. Any other use or reproduction of any part of this document is prohibited without Silicon Labs' written consent. Any use of this document outside of Silicon Labs is solely at the risk of the user. Silicon Labs disclaims all warranties concerning the accuracy of the information contained in this document. This document is version controlled, printed or electronically saved versions of this documents may be obsolete. Any misuse of this document should be reported to DL.QualitySystems@silabs.com

TSMC Fabrication, ASECL Assembly except as noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
Test Group A – Accelerated Environment Stress Tests							
HAST	JA110 130°C, 85%RH Vcc=3.8V, 96 hours	3 lots, N=>25	Q046347	0/30	1, 2	6 lots 0/0	Pass
			Q046348	0/30	1, 2		
			Q046349	0/30	1, 2		
			Q046446	0/30	1, 2		
			Q046447	0/30	1, 2		
			Q046448	0/30	1, 2		
UHAST	JA118 130°C, 85%RH	3 lots, N=>25	Q047652	0/30	1, 3	5 lots 0/0	Pass
			Q046605	0/25	1, 2		
			Q046608	0/25	1, 2		
			Q046611	0/25	1, 2		
			Q046744	0/30	1, 2		
Temp Cycle	JA104 Cond C: -65°C to 150°C 500 cycles	3 lots, N=>25	Q046298	0/25	1, 3	17 lots 0/0	Pass
			Q047653	0/30	1, 3		
			Q047660	0/30	1, 3		
			Q047663	0/30	1, 3		
			Q046300	0/25	1, 2		
			Q046606	0/25	1, 2		
			Q046609	0/25	1, 2		
			Q046612	0/25	1, 2		
			Q046680	0/30	1, 2		
			Q046681	0/30	1, 2		
			Q046682	0/30	1, 2		
			Q046745	0/30	1, 2		
			Q046746	0/30	1, 2		
			Q046747	0/30	1, 2		
			Q047209	0/30	1, 2		
			Q047212	0/30	1, 2		
			Q047215	0/30	1, 2		

1 silabs.com | EFM32 QFN ASECL Qual Report.xlsx
Prepared on: 2021-05-13 by J. Engel

Qualification Report



EFM32 QFN ASECL Qualification Report


The information contained in this document is CONFIDENTIAL and PROPRIETARY to Silicon Labs and is intended only for the internal use of Silicon Labs. Any other use or reproduction of any part of this document is prohibited without Silicon Labs' written consent. Any use of this document outside of Silicon Labs is solely at the risk of the user. Silicon Labs disclaims all warranties concerning the accuracy of the information contained in this document. This document is version controlled; printed or electronically saved versions of this documents may be obsolete. Any misuse of this document should be reported to DL.QualitySystems@silabs.com

TSMC Fabrication, ASECL Assembly except as noted							
Test Name	Test Condition	Qualification	Lot ID or Start	Fail/Pass or End	Notes	Summary	Status
HTSL	JA103 150°C, 1000hr	3 lots, N=>25	Q047654	0/30	1, 3		
			Q047661	0/30	1, 3		
			Q047664	0/30	1, 3		
			Q046683	0/30	1, 2		
			Q046684	0/30	1, 2		
			Q046685	0/30	1, 2		
			Q046748	0/30	1, 2		
			Q046749	0/30	1, 2	9 lots	
			Q046750	0/30	1, 2	0/0	Pass
Test Group E – Electrical Verification							
ESD-CDM	JS-002	1 lot, N=>3	Q046120		3	TC 750	Class C2b
			Q047308		3	TC 1500	Class C3
			Q046230		2	TC 750	Class C2b
			Q046290		2	TC 500	Class C2a
			Q047015		2	TC 750	Class C2b
			Q046761		2	TC 500	Class C2a

Notes:

1. Parts are Pre-conditioned at MSL3/260°C
2. Performed in 64-QFN-9x9
3. Performed in 32-QFN-6x6

Qualification Report



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOModem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701

<http://www.silabs.com>