



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

Notification# 20251114002.0

**Datasheet for DACx3004W, DAC539E4W, DAC63202W, DAC53xAxW, DACx3204W,
and AFEx32A3W
Information Only**

Date: November 18, 2025

To: MOUSER PCN

Dear Customer:

This is an information-only announcement of a change to a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the Change Management team.

Sincerely,

Change Management Team
SC Business Services





20251114002.0
Information Only Datasheet
Attachments

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, you have recently purchased these devices. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
AFE532A3YBHR	NULL
DAC53004YBHR	NULL
AFE432A3YBHR	NULL
DAC530A2YBHR	NULL
DAC532A3YBHR	NULL
DAC63004YBHR	NULL
DAC63204YBHR	NULL
DAC539E4YBHR	NULL
DAC63202YBHR	NULL

Technical details of this Product Change follow on the next page(s).

PCN Number:	20251114002.0		PCN Date:	November 18, 2025										
Title:	Datasheet for DACx3004W, DAC539E4W, DAC63202W, DAC53xAxW, DACx3204W, and AFEx32A3W													
Customer Contact:	Change Management team	Dept:	Quality Services											
Change Type:	Electrical Specification													
PCN Details														
Description of Change:														
<p>Texas Instruments Incorporated is announcing an information only notification. The product datasheet(s) is being updated as summarized below. The following change history provides further details.</p>														
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div style="text-align: left;">  TEXAS INSTRUMENTS </div> <div style="text-align: right;"> DAC53004W, DAC63004W <small>SLASF72A – MARCH 2023 – REVISED JULY 2025</small> </div> </div>														
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Changes from Revision * (March 2023) to Revision A (July 2025)</td> <td style="text-align: right;">Page</td> </tr> <tr> <td>• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in last bullet in <i>Features</i></td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in <i>Application Information</i></td> <td style="text-align: right;">73</td> </tr> <tr> <td>• Updated YBH package outline with corrected dimensions.....</td> <td style="text-align: right;">77</td> </tr> </table>					Changes from Revision * (March 2023) to Revision A (July 2025)	Page	• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1	• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in <i>Application Information</i>	73	• Updated YBH package outline with corrected dimensions.....	77		
Changes from Revision * (March 2023) to Revision A (July 2025)	Page													
• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1													
• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in <i>Application Information</i>	73													
• Updated YBH package outline with corrected dimensions.....	77													
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div style="text-align: left;">  TEXAS INSTRUMENTS </div> <div style="text-align: right;"> DAC539E4W <small>SLASF63A – JUNE 2023 – REVISED JULY 2025</small> </div> </div>														
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Changes from Revision * (June 2023) to Revision A (July 2025)</td> <td style="text-align: right;">Page</td> </tr> <tr> <td>• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i></td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..</td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.75-mm × 1.75-mm to 1.76-mm × 1.76-mm in <i>Application Information</i></td> <td style="text-align: right;">46</td> </tr> <tr> <td>• Updated YBH package outline with corrected dimensions.....</td> <td style="text-align: right;">53</td> </tr> </table>					Changes from Revision * (June 2023) to Revision A (July 2025)	Page	• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1	• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..	1	• Changed package dimensions from 1.75-mm × 1.75-mm to 1.76-mm × 1.76-mm in <i>Application Information</i>	46	• Updated YBH package outline with corrected dimensions.....	53
Changes from Revision * (June 2023) to Revision A (July 2025)	Page													
• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1													
• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..	1													
• Changed package dimensions from 1.75-mm × 1.75-mm to 1.76-mm × 1.76-mm in <i>Application Information</i>	46													
• Updated YBH package outline with corrected dimensions.....	53													
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div style="text-align: left;">  TEXAS INSTRUMENTS </div> <div style="text-align: right;"> DAC63202W <small>SLASF73A – APRIL 2023 – REVISED JULY 2025</small> </div> </div>														
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Changes from Revision * (April 2023) to Revision A (July 2025)</td> <td style="text-align: right;">Page</td> </tr> <tr> <td>• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i></td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..</td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Application Information</i></td> <td style="text-align: right;">71</td> </tr> <tr> <td>• Updated YBH package outline with corrected dimensions.....</td> <td style="text-align: right;">75</td> </tr> </table>					Changes from Revision * (April 2023) to Revision A (July 2025)	Page	• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1	• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..	1	• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Application Information</i>	71	• Updated YBH package outline with corrected dimensions.....	75
Changes from Revision * (April 2023) to Revision A (July 2025)	Page													
• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1													
• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Package Information</i> table..	1													
• Changed package dimensions from 1.72mm × 1.72mm to 1.76mm × 1.76mm in <i>Application Information</i>	71													
• Updated YBH package outline with corrected dimensions.....	75													
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div style="text-align: left;">  TEXAS INSTRUMENTS </div> <div style="text-align: right;"> DAC530A2W, DAC532A3W <small>SLASFB3A – NOVEMBER 2023 – REVISED JULY 2025</small> </div> </div>														
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Changes from Revision * (November 2023) to Revision A (July 2025)</td> <td style="text-align: right;">Page</td> </tr> <tr> <td>• Updated <i>Device Information</i> table.....</td> <td style="text-align: right;">1</td> </tr> <tr> <td>• Changed package dimensions from 1.72-mm × 1.72-mm to 1.76-mm × 1.76-mm in <i>Application Information</i></td> <td style="text-align: right;">77</td> </tr> <tr> <td>• Updated YBH package outline with corrected dimensions.....</td> <td style="text-align: right;">81</td> </tr> </table>					Changes from Revision * (November 2023) to Revision A (July 2025)	Page	• Updated <i>Device Information</i> table.....	1	• Changed package dimensions from 1.72-mm × 1.72-mm to 1.76-mm × 1.76-mm in <i>Application Information</i>	77	• Updated YBH package outline with corrected dimensions.....	81		
Changes from Revision * (November 2023) to Revision A (July 2025)	Page													
• Updated <i>Device Information</i> table.....	1													
• Changed package dimensions from 1.72-mm × 1.72-mm to 1.76-mm × 1.76-mm in <i>Application Information</i>	77													
• Updated YBH package outline with corrected dimensions.....	81													

Changes from Revision * (November 2022) to Revision A (July 2025)	Page
• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in last bullet in <i>Features</i>	1
• Changed package dimensions from 1.75mm × 1.75mm to 1.76mm × 1.76mm in <i>Application Information</i>	72
• Updated YBH package outline with corrected dimensions.....	76

Changes from Revision * (November 2023) to Revision A (July 2025)	Page
• Updated <i>Device Information</i> table.....	1
• Changed package dimensions from 1.72-mm × 1.72-mm to 1.76-mm × 1.76-mm in <i>Application Information</i>	79
• Updated YBH package outline with corrected dimensions.....	84

The datasheet number will be changing.

Device Family	Change From:	Change To:
DACx3004W	SLASF72	SLASF72A
DAC539E4W	SLASF63	SLASF63A
DAC63202W	SLASF73	SLASF73A
DAC53xAxW	SLASFB3	SLASFB3A
DACx3204W	SLASF71	SLASF71A
AFEx32A3W	SLASFB2	SLASFB2A

These changes may be reviewed at the datasheet links provided.

<http://www.ti.com/product/DAC53004W>

<http://www.ti.com/product/DAC539E4W>

<http://www.ti.com/product/DAC63202W>

<http://www.ti.com/product/DAC530A2W>

<http://www.ti.com/product/DAC53204W>

<http://www.ti.com/product/AFE432A3W>

Reason for Change:

To accurately reflect device characteristics.

Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):

No anticipated impact.

Changes to product identification resulting from this PCN:

None.

Product Affected:

DAC53004YBHR	DAC63204YBHR.A	DAC53204YBHR	AFE532A3YBHR
DAC53204YBHR.A	AFE532A3YBHR.A	DAC539E4YBHR	DAC63004YBHR.A
DAC63004YBHR	DAC63202YBHR	AFE432A3YBHR	DAC530A2YBHR.A

DAC532A3YBHR	DAC530A2YBHR	DAC539E4YBHR.A	DAC63202YBHR.A
AFE432A3YBHR.A	DAC532A3YBHR.A	DAC63204YBHR	DAC53004YBHR.A

For questions regarding this notice, e-mails can be sent to the Change Management team or your local Field Sales Representative.

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES “AS IS” AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI’s products are provided subject to TI’s Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI’s provision of these resources does not expand or otherwise alter TI’s applicable warranties or warranty disclaimers for TI products.