



## SAFETY DATA SHEET

### DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

**Product name** DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

**Product number** MCC-DC1L, MCC-DC1G, MCC-DC1P, MCC-DC1D, MCC-DC1GL, MCC-DC1GG

**Synonyms; trade names** DC1-VERICLEAN FLUX REMOVER, NON AEROSOL

##### Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

##### Details of the supplier of the safety data sheet

**Supplier** MICROCARE CORPORATION

**Manufacturer** MICROCARE CORPORATION  
595 John Downey Drive  
New Britain, CT 06051  
United States of America  
CAGE: OATV9  
Tel: + 1 800 638 0125, +1 860-827-0626  
Fax: +1 860-893-1930  
techsupport@microcare.com

##### Emergency telephone number

**Emergency telephone** CHEMTREC 1-800-424-9300 (within the U.S.)  
+1 703-741-5970 (from anywhere in the world)

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Flam. Liq. 2 - H225

**Health hazards** Not Classified


**Environmental hazards** Aquatic Acute 1 - H400

**Human health** Splashes in the eyes may cause redness and irritation. Keep out of the reach of children. See Section 11 for additional information on health hazards.

**Physicochemical** The product is highly flammable. Vapors may form explosive mixtures with air.

##### Label elements

##### Pictogram



**Signal word** Danger

**DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK**

<b>Hazard statements</b>	H225 Highly flammable liquid and vapor. H400 Very toxic to aquatic life.
<b>Precautionary statements</b>	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P240 Ground/ bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P273 Avoid release to the environment. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
<b>Supplemental label information</b>	Safety data sheet available on request. For use in industrial installations only.

**Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**3. Composition/information on ingredients****Mixtures**

<b>HEXAMETHYLDISILOXANE (Methyl siloxane)</b>	<b>60-100%</b>
CAS number: 107-46-0 M factor (Acute) = 1	
<b>Classification</b> Flam. Liq. 2 - H225 Aquatic Acute 1 - H400	
<b>1-METHOXY-2-PROPANOL</b>	<b>10-30%</b>
CAS number: 107-98-2	
<b>Classification</b> Flam. Liq. 3 - H226 STOT SE 3 - H336	

The full text for all hazard statements is displayed in Section 16.

<b>Composition comments</b>	TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200
-----------------------------	--

**Composition****4. First-aid measures****Description of first aid measures**

<b>General information</b>	Promptly remove any clothing that becomes wet or contaminated. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Inhalation</b>	Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Consult a physician for specific advice.
<b>Skin Contact</b>	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

## DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

### Special hazards arising from the substance or mixture

**Specific hazards** The product is flammable. Heating may generate flammable vapors. Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m<sup>3</sup>.

### Advice for firefighters

**Protective actions during firefighting** Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

### Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Never use water by itself on spillage; this will spread the spill and cause further contamination.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. If leakage cannot be stopped, evacuate area. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. Keep out of the reach of children.

### Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from heat, sparks and open flame.

### Specific end uses(s)

## DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

**Reference to other sections.** Store away from incompatible materials (see Section 10).

### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

##### 1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): ACGIH 50 ppm 184 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 100 ppm 369 mg/m<sup>3</sup>

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

#### **Additional Occupational Exposure Limits**

#### Exposure controls

#### **Protective equipment**



#### **Appropriate engineering controls**

Provide adequate general and local exhaust ventilation.

#### **Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

#### **Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

#### **Other skin and body protection**

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.

#### **Hygiene measures**

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. When using do not eat, drink or smoke.

#### **Respiratory protection**

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Clear liquid. Colorless.
<b>Odor</b>	Slight. Ether.
<b>Odor threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	98°C/210°F @ 101.3 kPa

**DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK**

<b>Flash point</b>	-4.0°C/25°F Method: Tag closed cup.
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Upper flammable/explosive limit: 18.6 %(V) Lower flammable/explosive limit: 1.25 %(V)
<b>Vapor pressure</b>	5.95 kPa @ 20°C
<b>Vapor density</b>	> 1.0
<b>Relative density</b>	No information available.
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	365°C/689°F
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Refractive index</b>	No information available.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	100%
<b>Saturation concentration</b>	No information available.
<b>Critical temperature</b>	No information available.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 87 g/litre.

**10. Stability and reactivity**

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidizing agents. Strong alkalis. Strong mineral acids.
<b>Materials to avoid</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Vapors/gases/fumes of: Silicon dioxide Formaldehyde

**11. Toxicological information****Information on toxicological effects**

## DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b>Inhalation</b>	May cause respiratory system irritation. Vapors may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.
<b>Ingestion</b>	No harmful effects expected from quantities likely to be ingested by accident.
<b>Skin Contact</b>	Product has a defatting effect on skin. May cause skin irritation/eczema.
<b>Eye contact</b>	Irritating to eyes.

### Toxicological information on ingredients.

#### HEXAMETHYLDISILOXANE (Methyl siloxane)

##### Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l) 106.0

Species Rat

### 12. Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

### Ecological information on ingredients.

#### HEXAMETHYLDISILOXANE (Methyl siloxane)

**Toxicity** Very toxic to aquatic organisms.

##### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 0.46 mg/l mg/l, Fish

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 72 hours: 0.79 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC<sub>50</sub>, 96 hours: > 0.93 mg/l, Selenastrum capricornutum

### Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

### Mobility in soil

**Mobility** The product contains volatile substances which may spread in the atmosphere.

### Other adverse effects

**Other adverse effects** Not available.

### 13. Disposal considerations

**DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK****Waste treatment methods**

**General information** Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**14. Transport information****UN Number**

**UN No. (IMDG)** UN1993

**UN No. (ICAO)** UN1993

**UN proper shipping name**

**Proper shipping name (TDG)** UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

**Proper shipping name (IMDG)** UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

**Proper shipping name (ICAO)** UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

**Proper shipping name (DOT)** UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

**Transport hazard class(es)**

**TDG class** 3

**IMDG Class** 3

**ICAO class/division** 3

**Packing group**

**TDG Packing Group** II

**IMDG packing group** II

**ICAO packing group** II

**DOT packing group** II

**Environmental hazards**

**Environmentally Hazardous Substance**

**Special precautions for user**

**EmS** F-E, S-E

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**15. Regulatory information****US Federal Regulations**

**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**  
Not listed.

**DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK****CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

Not listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

Not listed.

**SARA 313 Emission Reporting**

Not listed.

**CAA Accidental Release Prevention**

Not listed.

**SARA (311/312) Hazard Categories**

Fire

**OSHA Highly Hazardous Chemicals**

Not listed.

**US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

Not listed.

**California Air Toxics "Hot Spots" (A-II)**

Not listed.

**Inventories****Canada - DSL/NDSL**

DSL

**US - TSCA**

Yes

**16. Other information**

<b>Revision date</b>	1/17/2019
<b>Revision</b>	37
<b>Supersedes date</b>	4/4/2018
<b>SDS No.</b>	BULK - DC1
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.