

Introducing the world's first QLC SSD and the HDD replacement of choice

The first SSD to challenge hard drives is here. The Micron® 5210 ION is the world's first SSD to market with ground-breaking quad-level cell (QLC) NAND technology, delivering fast capacity for less. *

Designed for the top workloads of today and tomorrow, the Micron 5210 SSD accelerates analysis into action. It's ideal for handling the demands of SQL and NoSQL databases, real-time analytics and big data, block and object stores, media streaming, and the data lakes that feed artificial intelligence (AI) and machine learning.

Before the age of AI, data center read-to-write ratios** were typically 4:1. Now they're more like 5,000:1 and solutions to problems are increasingly found in data patterns. Whether you're querying a 10TB SQL database, streaming content and adjusting to traffic, or analyzing daily transactions to tune your business model; real-time speed is key.

Key Benefits

Spin Struggles. You Don't Have to.

Get 175X faster random reads, 30X faster random writes, 2X faster sequential throughput and 3X more energy efficiency than the largest 10K HDDs.***

Quickly Access and Analyze Data Stores

Cull oceans of data for answers while writing lots of data.**** Adjust endurance and write performance with our signature Flex Capacity feature.

Unlock the Potential of Huge Data Sets

Capacities starting in terabytes, not gigabytes. QLC technology allows you to store 33 percent more bits per cell and get more fast capacity for less.

Rely on a Trusted, Proven Architecture

The same controller and core components as our popular Micron 5200 series of SSDs. New QLC NAND. The result? Easy to qualify at comparable value to 10K RPM hard drives.

Experience a Full Enterprise Feature Set

Get everything you expect: AES 256-bit encryption, TCG Enterprise options, end-to-end data path protection, power loss protection, and 5-year warranty.

Target Workloads & Applications



AL AND MI **DATA LAKES**



SQL AND NOSQL **DATABASES**



ANALYTICS AND **BIG DATA**



BLOCK AND OBJECT STORES



MEDIA **STREAMING**



^{*}The Micron 5210 was the world's first QLC SSD to be shipped and sold on May 21, 2018.

**According to research published in "Data Storage, Al, and IO Patterns" (http://www.enterprisestorageforum.com/print/storage-technology/data-storage-ai-and-io-patterns.html).

**Based on public datashet values for the 1,92TB Micron 5210 SSD (70,000 IOPS random reads, 13,000 IOPS random writes) and SNIIA PTSe IOPS industry-standard test results on 2,4TB 10k HDDs (rounded up to 400 IOPS for both random reads and writes). Actual performance may vary. Energy efficiency comparison based on datasheet values for active average

reads.
****Endurance varies by workload and drive capacity. See the Key Specifications table in this document for additional workload-specific information

How Customers Use QLC SSDs

SQL Databases and Business Intelligence

Quickly mine massive data sets using faster, deeper queries for real-time insights and decision-making.

NoSQL Databases

Breathe life into data-driven workloads like content classification, tagging, and user profile caching.

Real-Time Analytics and Big Data

Quickly access and analyze terabytes of unstructured data that's queried in Hadoop distributed file systems.

Object Stores and Active Archives

Turn scale-out active archives into a strategic asset and deliver massive large block and object stores with ease.

Machine/Deep Learning: Data Lakes

Store and feed the 100TB+ data sets that training platforms depend on for fast learning and overcome the HDD bottleneck.

Content Delivery and Media Streaming

Deliver more assets to more users more consistently while supporting lots of parallel requests and streams.

User Authentication

Perform quick authentication with quick storage.



Key Specifications								
5210 ION								
Capacity ¹		960GB	1.92TB	3.84TB	7.68TB			
Performance	Sequential Reads (MB/s) ²	540	540	540	540			
	Sequential Writes (MB/s) ²	130	260	350	360			
	Random Reads (K IOPS) 3	40	70	83	90			
	Random Writes (K IOPS) 3	7	13	6.5	4.5			
Endurance (DWPD for 5 years)	100% 128K Sequential Writes	0.8	0.8	0.8	0.8	HDD & QLC SSE Best-Fit Zone		
	90% 128K Sequential Writes/ 10% 4K Random Writes	0.71	0.72	0.62	0.56			
	80% 128K Sequential Writes / 20% 4K Random Writes	0.65	0.66	0.56	0.39			
	70% 128K Sequential Writes / 30% 4K Random Writes	0.56	0.56	0.41	0.27			
	50% 128K Sequential Writes / 50% 4K Random Writes	0.43	0.44	0.25	0.16			
	100% 4K Random Writes	0.2	0.2	0.09	0.05			
Basic Attributes	Interface	SATA 6 Gb/s						
	Form Factor	2.5-inch, 7mm						
	NAND	Micron 3D QLC NAND						
	Encryption	AES 256-bit (with TCG Enterprise options)						
Reliability	MTTF	2 million device hours						
	UBER	<1 se						
	Warranty	5 years						
Environmental Characteristics	Power Consumption	Idle: 1.5W Sequential read: 2.8W max Sequential write: 6.3W max						
	Temperature (Operating)	0-70°C						
Physical	Size (L x W x H)	100.45mm x 69.85mm x 7.00mm						
Characteristics	Weight	<70g						
Advanced Features ⁴	FlexProtect, Flex Capacity, AES 256-bit encryption, TCG Enterprise configurability, enterprise power-loss protection (data in flight and at rest), enterprise end-to-end data path protection, sanitize, secure firmware, RAIN, adaptive thermal monitoring, hot pluggable, Storage Executive SSD management tool							

- 1. Unformatted. 1GB = 1 billion bytes. Formatted capacity is less 2. 128KB transfer size, steady state.
- 4. No hardware, software or system can provide absolute security under all conditions. Micron assumes no liability for lost, stolen or corrupted data arising from the use of any Micron products, including those products that incorporate any of the

Base Part Numbers						
Standard Part	Capacity	Form Factor				
MTFDDAK960QDE-2AV1ZABYY	960GB	2.5-inch				
MTFDDAK1T9QDE-2AV1ZABYY	1.92TB	2.5-inch				
MTFDDAK3T8QDE-2AV1ZABYY	3.84TB	2.5-inch				
MTFDDAK7T6QDE-2AV1ZABYY	7.68TB	2.5-inch				

Note: All capacities available with TCG-Enterprise encryption (SED) and/or with FlexProtect, which helps extend endurance and optimizes drive performance for general purpose servers and storage

micron.com/5210



