




PowerLok™ Connector

SYSTEM CONNECTION SKETCH



■ PowerLok™ Connector

PowerLok™ series is a low cost, compact, metal-shell interconnect solution utilizing RADSOK® contact technology for EV and Hybrid transportation applications. Up to 1000V ranging from 70A-500A with HVIL, 360° shielding, environmental sealing, keying, straight and right angle configurations, and up to 3 power circuits. Accommodates cable sizes from 16mm² to 150mm² with and without shielding. Available in assembled and overmolded versions.

Application

PowerLok™ series connectors are engineered for diverse applications as its wide power range coverage, including electric powertrains of automotive, trucks, bus, agricultural and construction machines, and off-road vehicles. Furthermore, PowerLok™ series are also widely employed in stationary energy storage systems.

Key Features

- | | |
|--|---|
| • High Voltage Inter Lock | • Mating Cycle: 100Minimum |
| • 360° shielding | • Mating Force: 75N MAX. |
| • 1POS, 2POS, 3POS Positions Available | • Voltage Rating: 1000VDC |
| • 90D and 180D plug available | • DC Current Rating: 120A, 200A, 300A, 400A, 500A |
| • Multiple keys available | • Insulation Resistance: 500 MΩ |
| 1POS (X, Y, U, V, W, T keys) | • IP rating: IP 67 (mated) |
| 2POS & 3POS (X, Y keys) | • Salt Spray: 48h |
| • RADSOK® contact technology | • Temperature range: -40°C - +125°C |
| • RoHS/REACH Compliant | |

PowerLok™ Recommended Cable Size & Current Rating

Series	Accepted Cable Size	Current Rating
120 Series	16mm ²	90A
	25mm ²	120A
200 Series	25mm ²	120A
	35mm ²	150A
	50mm ²	200A
300 Series	35mm ²	150A
	50mm ²	200A
	70mm ²	250A
	95mm ²	300A
400 Series	70mm ²	250A
	95mm ²	300A
	120mm ²	400A
	135mm ²	450A
500 Series	95mm ²	300A
	120mm ²	400A
	135mm ²	450A
	150mm ²	500A

*If the above does not meet the size you need, you can contact us, we will customize the product according to your needs.

PowerLok™ Receptacle



180 Degree Busbar Lug



Thread Pin






Tubular Lug






90 Degree Busbar Lug

Series	180 Degree BusBar Lug						Thread Pin						Tubular Lug						90 Degree Busbar Lug	
	1POS		2POS		3POS		1POS		2POS		3POS		1POS		2POS		3POS		1POS	
	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL	With HVIL	W/O HVIL
120A	*	*	*	*			*						*							
200A	*	*																		
300A	*	*	*	*	*	*		*	*	*	*		*	*	*	*	*	*	*	*
400A	*	*																	*	*
500A	*	*					*						*						*	*




180 Degree Busbar Lug Receptacle



Product	180 Degree Busbar Lug 1POS Dimensions(mm)								
	Series	A	B	C	D	E	F	G	H
PowerLok™ 1POS 180 Degree Busbar Lug Receptacle	120A	20.0	28.0	Φ3.6	18.0	13.0	31.5	3.0	24.5
	200A	25.0	33.0	Φ4.2	20.7	19.3	39.5	3.0	32.3
	300A	27.0	35.0	Φ4.2	20.7	21.3	49.3	3.0	39.3
	400A	33.5	43.0	Φ4.3	27.2	25.0	55.2	3.5	45.2
	500A	33.5	43.0	Φ4.3	27.2	25.0	56.0	3.5	46.0






Product	180 Degree Busbar Lug 2POS Dimensions(mm)													
	Series	A	B	C	D	E	F	G	H	I	J	K	L	M
PowerLok™ 2POS 180 Degree Busbar Lug Receptacle	120A	35.0	25.5	48.0	34.0	Φ3.6	3.0	18.5	14.5	29.5	49.0	23.5	33.0	9.8
	300A	45.0	38.0	65.6	49.6	Φ6.2	4.0	22.0	20.0	49.0	65.4	35.0	43.0	18.2






Product	180 Degree Busbar Lug 3POS Dimensions(mm)													
	Series	A	B	C	D	E	F	G	H	I	J	K	L	M
PowerLok™ 3POS 180 Degree Busbar Lug Receptacle	300A	75.0	38.0	95.6	49.6	Φ10.0	4.0	22.0	20.7+1.0	44.7+0.1	18.2	35.0+0.1	43.0+0.1	95.6



Thread Pin Receptacle




Product	Thread Pin 1POS Dimensions(mm)							
	Series	A	B	C	D	E	F	G
PowerLok™ 1POS Thread Pin Receptacle	120A	20.0	28.0	Φ3.6	18.0	13.0	32.0	3.0
	300A	27.0	35.0	Φ4.2	20.7	21.3	38.1	3.0
	500A	33.5	43.0	Φ4.3	27.2	25.0	40.5	3.5




Product	Thread Pin 2POS Dimensions(mm)												
	Series	A	B	C	D	E	F	G	H	I	J	K	L
PowerLok™ 2POS Thread Pin Receptacle	300A	45.0	38.0	65.6	49.6	Φ6.2	4.0	22.0	20.7±0.1	44.7±0.1	65.4	24.2±0.1	39.2±0.1




Product	Thread Pin 3POS Dimensions(mm)												
	Series	A	B	C	D	E	F	G	H	I	J	K	L
PowerLok™ 3POS Thread Pin Receptacle	300A	75.0	38.0	95.6	49.6	Φ6.2	4.0	22.0	20.7±0.1	44.7±0.1	95.1	24.2±0.1	39.2±0.1




Product	Tubular Lug 1POS Dimensions(mm)							
	Series	A	B	C	D	E	F	G
PowerLok™ 1POS Tubular Lug Receptacle	120A	20.0	28.0	φ3.6	18.0	13.0	27.5	3.0
	300A	27.0	35.0	φ4.2	20.7	21.3	TBD	3.0
	500A	33.5	43.0	φ4.3	27.2	25.0	46.5	4.5



Product	Tubular Lug 2POS Dimensions(mm)										
	Series	A	B	C	D	E	F	G	H	I	J
PowerLok™ 2POS Tubular Lug Receptacle	300A	45.0	38.0	65.6	49.6	φ6.2	4.0	22.0	20.7	44.7	65.4



Product	Tubular Lug 3POS Dimensions(mm)										
	Series	A	B	C	D	E	F	G	H	I	J
PowerLok™ 3POS Tubular Lug Receptacle	300A	75.0	38.0	95.6	49.6	φ6.2	4.0	22.0	20.7	44.7	95.1





Product	90 Degree Busbar 1POS Dimensions(mm)							
	Series	A	B	C	D	E	F	H
PowerLok™ 1POS 90 Degree Busbar Receptacle	300A	27.0	35.0	φ4.2	20.7	24.1	49.3	39.3
	400A	33.5	43.0	φ4.3	27.2	25.0	55.2	45.2
	500A	33.5	43.0	φ4.3	20.7	25.0	56.0	46.0



PowerLok™ Plug

Series	1POS				2POS				3POS			
	Assembly		Overmolded		Assembly		Overmolded		Assembly		Overmolded	
	Straight	Right Angle	Straight	Right Angle	Straight	Right Angle	Straight	Right Angle	Straight	Right Angle	Straight	Right Angle
120A			*	*			*	*				
200A	*	*										
300A	*	*	*	*	*	*			*	*		
400A			*	*								
500A			*	*								



Straight Assembly Plug



Product	1POS Straight Assembly Plug Dimensions(mm)				
	Series	A	B	D	E(REF)
PowerLok™ 1POS Straight Assembly Plug	200A	29.8	54.3	Φ25.9	30.9
	300A	31.0	63.1	Φ29.5	34.4






Product	2POS Straight Assembly Plug Dimensions(mm)				
	Series	A	B	C	D
PowerLok™ 2POS Straight Assembly Plug	300A	70.5	38.8	31.0	59.6



Product	3POS Straight Assembly Plug Dimensions(mm)				
	Series	A	B	D	E
PowerLok™ 3POS Straight Assembly Plug	300A	31.0	59.6	100.5	38.0

Right Angle Assembly Plug





Product

1POS Right Angle Assembly Plug Dimensions(mm)

Series	A	C	D	F(REF)	W
200A	29.8	34.7	Φ25.9	30.9	68.8
300A	31.0	37.6	Φ29.5	34.4	78.1

PowerLok™ 1POS Right Angle Assembly Plug






Product

2POS Right Angle Assembly Plug Dimensions(mm)

Series	A	D	E	F	G
300A	31.0	70.5	34.8	103.3	79.4

PowerLok™ 2POS Right Angle Assembly Plug



Product



3POS Right Angle Assembly Plug Dimensions(mm)

Series	A	C	D	F	G
300A	31.0	38.0	100.5	103.3	79.4

PowerLok™ 3POS Right Angle Assembly Plug




Note

Amphenol TPI can provide customized solutions based on customer's installation space. If you need to order or ask questions, please contact your sales representative for additional information!

Straight Overmolded Plug**Product****1POS Straight Overmolded Plug Dimensions(mm)**



Series	A	B	D	E	G
120A	22.5	39.0	Φ24.6	28.5	9.9
300A	31.0	45.0	Φ32.0	35.6	9.9
400A	41.1	52.0	Φ42.0	43.6	9.9
500A	41.1	52.0	Φ42.0	43.6	9.9

PowerLok™ 1POS Straight Overmolded Plug

**Product****2POS Straight Overmolded Plug Dimensions(mm)**



Series	A	B	C	D	E
120A	22.5	57.0	29.7	52.5	51.0

PowerLok™ 2POS Straight Overmolded Plug

Right Angle Overmolded Plug**Product****1POS Right Angle Overmolded Plug Dimensions(mm)**

Series	A	C	D	F(PEF)	W	G
120A	22.5	25.3	Φ24.6	55.8	40.0	9.9
300A	31.0	32.5	Φ32.0	69.6	50.0	9.9
400A	41.1	43.0	Φ42.0	78.6	55.0	9.9
500A	41.1	43.0	Φ42.0	78.6	55.0	9.9

PowerLok™ 1POS Right Angle Overmolded Plug


**Product****2POS Right Angle Overmolded Plug Dimensions(mm)**

Series	A	B	C	D	E
120A	22.5	31.2	70.0	52.5	53.0


PowerLok™ 2POS Right Angle Overmolded Plug

PowerLok™ Connector Key Map


1POS-120A




1POS-200A




1POS-300A




1POS-400A




1POS-500A




2POS-120A



2POS-300A



3POS-300A



Ordering Information-PowerLok™ 1POS Receptacle W/O HVIL

Product Type		Connector Type		PL	00	X - 300	- 10	M10	Termination Type		Termination Size		
				Key (Touch Proof Cover Color)		Current & HVIL							
PowerLok™	00	1POS Receptacle	X	Orange	120	120A W/O HVIL	10	Busbar Lug	D ⁽¹⁾ +Stud Size				
			Y	Black	200	200A W/O HVIL	10	Busbar Lug	M ⁽²⁾ +Stud Size				
			U	Yellow	300	300A W/O HVIL	20	Thread Pin	M+Thread Size				
			V	Green	400	400A W/O HVIL	30	Tubular Lug	D+Cable Size				
			W	Red	500	500A W/O HVIL	30	Tubular Lug	D+Cable Size				
			T	Blue									

W/O HVIL												
Series Key	Busbar Lug(D+Stud Size)			Busbar Lug(M+Stud Size)			Thread Pin(M+Thread Size)			Tubular Lug(D+Cable Size)		
	Termi- nation	Description	Part Number	Termi- nation	Description	Part Number	Termi- nation	Description	Part Number	Termi- nation	Description	Part Number
120A	X	PL00X-120-10D6	AC-HA000469	M6	PL00X-120-10M6	AC-HA000479	M6	PL00X-120-20M8	AC-HA000563	D25	PL00X-120-30D25	AC-HA001813
	Y	PL00Y-120-10D6	AC-HA000470		PL00Y-120-10M6	AC-HA000480		PL00Y-120-20M6	AC-HA000564		PL00Y-120-30D25	AC-HA001814
	U	PL00U-120-10D6	AC-HA000471		PL00U-120-10M6	AC-HA000481		PL00U-120-20M6	AC-HA000565		PL00U-120-30D25	AC-HA001815
	V	PL00V-120-10D6	AC-HA000472		PL00V-120-10M6	AC-HA000482		PL00V-120-20M6	AC-HA000566		PL00V-120-30D25	AC-HA001816
	W	PL00W-120-10D6	AC-HA000473		PL00W-120-10M6	AC-HA000483		PL00W-120-20M6	AC-HA000567		PL00W-120-30D25	AC-HA001817
200A	X	-	-	M6	PL00X-200-10M6	PL00X-200-10M6	-	-	-	-	-	-
	Y	-	-		PL00Y-200-10M6	PL00Y-200-10M6	-	-	-	-	-	-
	U	-	-		PL00U-200-10M6	PL00U-200-10M6	-	-	-	-	-	-
	V	-	-		PL00V-200-10M6	PL00V-200-10M6	-	-	-	-	-	-
	W	-	-		PL00W-200-10M6	PL00W-200-10M6	-	-	-	-	-	-
	X	-	-	M8	PL00X-200-10M8	PL00X-200-10M8	-	-	-	-	-	-
	Y	-	-		PL00Y-200-10M8	PL00Y-200-10M8	-	-	-	-	-	-
	U	-	-		PL00U-200-10M8	PL00U-200-10M8	-	-	-	-	-	-
	V	-	-		PL00V-200-10M8	PL00V-200-10M8	-	-	-	-	-	-
	W	-	-		PL00W-200-10M8	PL00W-200-10M8	-	-	-	-	-	-
300A	X	PL00X-300-10D6	AC-HA003928	M6	PL00X-300-10M6	AC-HA003922	M8	PL00X-300-20M8	AC-HA000596	D35	PL00X-300-30D35	AC-HA001454
	Y	PL00Y-300-10D6	AC-HA003929		PL00Y-300-10M6	AC-HA003923		PL00Y-300-20M8	AC-HA000597		PL00Y-300-30D35	AC-HA001455
	U	PL00U-300-10D6	AC-HA003930		PL00U-300-10M6	AC-HA003924		PL00U-300-20M8	AC-HA000598		PL00U-300-30D35	AC-HA001456
	V	PL00V-300-10D6	AC-HA003931		PL00V-300-10M6	AC-HA003925		PL00V-300-20M8	AC-HA000599		PL00V-300-30D35	AC-HA001457
	W	PL00W-300-10D6	AC-HA003932		PL00W-300-10M6	AC-HA003926		PL00W-300-20M8	AC-HA000600		PL00W-300-30D35	AC-HA001458
	T	PL00T-300-10D6	AC-HA003933	M8	PL00T-300-10M6	AC-HA003927	M10	PL00T-300-20M8	AC-HA001390	D50	PL00T-300-30D35	AC-HA001459
	X	PL00X-300-10D8	AC-HA002139		PL00X-300-10M8	AC-HA000407		PL00X-300-20M10	AC-HA000573		PL00X-300-30D50	AC-HA001460
	Y	PL00Y-300-10D8	AC-HA002140		PL00Y-300-10M8	AC-HA000408		PL00Y-300-20M10	AC-HA000574		PL00Y-300-30D50	AC-HA001461
	U	PL00U-300-10D8	AC-HA002141		PL00U-300-10M8	AC-HA000976		PL00U-300-20M10	AC-HA000575		PL00U-300-30D50	AC-HA001462
	V	PL00V-300-10D8	AC-HA002142		PL00V-300-10M8	AC-HA000410		PL00V-300-20M10	AC-HA000576		PL00V-300-30D50	AC-HA001463
	W	PL00W-300-10D8	AC-HA002143	M10	PL00W-300-10M8	AC-HA000409		PL00W-300-20M10	AC-HA000577	D70	PL00W-300-30D50	AC-HA001464
	T	PL00T-300-10D8	AC-HA002144		PL00T-300-10M8	AC-HA001388		PL00T-300-20M10	AC-HA001387		PL00T-300-30D50	AC-HA001465
	X	PL00X-300-10D10	AC-HA000464		PL00X-300-10M10	AC-HA000474		-	-		PL00X-300-30D70	AC-HA001466
	Y	PL00Y-300-10D10	AC-HA000465		PL00Y-300-10M10	AC-HA000475		-	-		PL00Y-300-30D70	AC-HA001467
	U	PL00U-300-10D10	AC-HA000466		PL00U-300-10M10	AC-HA000476		-	-		PL00U-300-30D70	AC-HA001468
	V	PL00V-300-10D10	AC-HA000467		PL00V-300-10M10	AC-HA000477		-	-		PL00V-300-30D70	AC-HA001469
	W	PL00W-300-10D10	AC-HA000468		PL00W-300-10M10	AC-HA000478		-	-		PL00W-300-30D70	AC-HA001470
	T	PL00T-300-10D10	AC-HA000385		PL00T-300-10M10	AC-HA001386		-	-		PL00T-300-30D70	AC-HA001471
	X	-	-	-	-	-	-	-	-	D95	PL00X-300-30D95	AC-HA001818
	Y	-	-	-	-	-	-	-	-		PL00Y-300-30D95	AC-HA001819
	U	-	-	-	-	-	-	-	-		PL00U-300-30D95	AC-HA001820
	V	-	-	-	-	-	-	-	-		PL00V-300-30D95	AC-HA001821
	W	-	-	-	-	-	-	-	-		PL00W-300-30D95	AC-HA001822
T	-	-	-	-	-	-	-	-	-	PL00T-300-30D95	AC-HA001823	
400A	X	PL00X-400-10D8	AC-HA002736	M8	PL00X-400-10M8	AC-HA002746	-	-	-	-	-	-
	Y	PL00Y-400-10D8	AC-HA002737		PL00Y-400-10M8	AC-HA002747	-	-	-	-	-	-
	U	PL00U-400-10D8	AC-HA002738		PL00U-400-10M8	AC-HA002748	-	-	-	-	-	-
	V	PL00V-400-10D8	AC-HA002739		PL00V-400-10M8	AC-HA002749	-	-	-	-	-	-
	W	PL00W-400-10D8	AC-HA002740		PL00W-400-10M8	AC-HA002750	-	-	-	-	-	-
	X	PL00X-400-10D10	AC-HA002726	M10	PL00X-400-10M10	AC-HA002716	-	-	-	-	-	-
	Y	PL00Y-400-10D10	AC-HA002727		PL00Y-400-10M10	AC-HA002717	-	-	-	-	-	-
U	PL00U-400-10D10	AC-HA002728	PL00U-400-10M10		AC-HA002718	-	-	-	-	-	-	
V	PL00V-400-10D10	AC-HA002729	PL00V-400-10M10	AC-HA002719	-	-	-	-	-	-	-	
W	PL00W-400-10D10	AC-HA002730	PL00W-400-10M10	AC-HA002720	-	-	-	-	-	-	-	
500A	X	PL00X-500-10D8	AC-HA002182	M6	PL00X-500-10M8	AC-HA002511	M8	PL00X-500-20M8	AC-HA000578	D95	PL00X-500-30D95	AC-HA011391
	Y	PL00Y-500-10D8	AC-HA002183		PL00Y-500-10M8	AC-HA002512		PL00Y-500-20M8	AC-HA000579		PL00Y-500-30D95	AC-HA011392
	U	PL00U-500-10D8	AC-HA000556		PL00U-500-10M8	AC-HA002513		PL00U-500-20M8	AC-HA000580		PL00U-500-30D95	AC-HA011393
	V	PL00V-500-10D8	AC-HA000557		PL00V-500-10M8	AC-HA002514		PL00V-500-20M8	AC-HA000581		PL00V-500-30D95	AC-HA011394
	W	PL00W-500-10D8	AC-HA000558		PL00W-500-10M8	AC-HA002515		PL00W-500-20M8	AC-HA000582		PL00W-500-30D95	AC-HA011395
	X	PL00X-500-10D10	AC-HA000499	M10	PL00X-500-10M10	AC-HA000504	M10	PL00X-500-20M10	AC-HA000583	D120	PL00X-500-30D120	AC-HA011396
	Y	PL00Y-500-10D10	AC-HA000500		PL00Y-500-10M10	AC-HA000505		PL00Y-500-20M10	AC-HA000584		PL00Y-500-30D120	AC-HA011397
	U	PL00U-500-10D10	AC-HA000501		PL00U-500-10M10	AC-HA000506		PL00U-500-20M10	AC-HA000585		PL00U-500-30D120	AC-HA011398
	V	PL00V-500-10D10	AC-HA000502		PL00V-500-10M10	AC-HA000507		PL00V-500-20M10	AC-HA000586		PL00V-500-30D120	AC-HA011399
	W	PL00W-500-10D10	AC-HA000503		PL00W-500-10M10	AC-HA000508		PL00W-500-20M10	AC-HA000587		PL00W-500-30D120	AC-HA011400
	X	-	-	-	-	-	-	-	-	D135	PL00X-500-30D135	AC-HA011401
	Y	-	-	-	-	-	-	-	-		PL00Y-500-30D135	AC-HA011402
	U	-	-	-	-	-	-	-	-		PL00U-500-30D135	AC-HA011403
	V	-	-	-	-	-	-	-	-		PL00V-500-30D135	AC-HA011404
	W	-	-	-	-	-	-	-	-		PL00W-500-30D135	AC-HA011405
	X	-	-	-	-	-	-	-	-	D150	PL00X-500-30D150	AC-HA011406
	Y	-	-	-	-	-	-	-	-		PL00Y-500-30D150	AC-HA011407
	U	-	-	-	-	-	-	-	-		PL00U-500-30D150	AC-HA011408
	V	-	-	-	-	-	-	-	-		PL00V-500-30D150	AC-HA011409
	W	-	-	-	-	-	-	-	-		PL00W-500-30D150	AC-HA011410

(1) D=Through hole; (2) M=Screw hole

Ordering Information-PowerLok™ 1POS Receptacle W/O HVIL (90 Degree Busbar Lug)

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Termination Type	Termination Size
PowerLok™	00	1POS Receptacle	PL 00 X - 300 - 90 M6	90	90 Degree
		X Orange Y Black U Yellow V Green W Red T Blue	300 300A W/O HVIL 400 400A W/O HVIL 500 500A W/O HVIL		D+Stud Size M+Stud Size

Continued W/O HVIL

Series Key	90D Busbar Lug+(D+Stud Size)			90D Busbar Lug+(M+Stud Size)		
	Termination	Description	Part Number	Termination	Description	Part Number
300A	D6	PL00X-300-90D6	AC-HA004032	M6	PL00X-300-90M6	AC-HA004050
		PL00Y-300-90D6	AC-HA004033		PL00Y-300-90M6	AC-HA004051
		PL00U-300-90D6	AC-HA004034		PL00U-300-90M6	AC-HA004052
		PL00V-300-90D6	AC-HA004035		PL00V-300-90M6	AC-HA004053
		PL00W-300-90D6	AC-HA004036		PL00W-300-90M6	AC-HA004054
		PL00T-300-90D6	AC-HA004037		PL00T-300-90M6	AC-HA004055
	D8	PL00X-300-90D8	AC-HA004026	M8	PL00X-300-90M8	AC-HA004044
		PL00Y-300-90D8	AC-HA004027		PL00Y-300-90M8	AC-HA004045
		PL00U-300-90D8	AC-HA004028		PL00U-300-90M8	AC-HA004046
		PL00V-300-90D8	AC-HA004029		PL00V-300-90M8	AC-HA004047
		PL00W-300-90D8	AC-HA004030		PL00W-300-90M8	AC-HA004048
		PL00T-300-90D8	AC-HA004031		PL00T-300-90M8	AC-HA004049
	D10	PL00X-300-90D10	AC-HA004020	M10	PL00X-300-90M10	AC-HA004038
		PL00Y-300-90D10	AC-HA004021		PL00Y-300-90M10	AC-HA004039
		PL00U-300-90D10	AC-HA004022		PL00U-300-90M10	AC-HA004040
		PL00V-300-90D10	AC-HA004023		PL00V-300-90M10	AC-HA004041
		PL00W-300-90D10	AC-HA004024		PL00W-300-90M10	AC-HA004042
		PL00T-300-90D10	AC-HA004025		PL00T-300-90M10	AC-HA004043
400A	D8	PL00X-400-90D8	AC-HA002784	M8	PL00X-400-90M8	AC-HA002789
		PL00Y-400-90D8	AC-HA002785		PL00Y-400-90M8	AC-HA002790
		PL00U-400-90D8	AC-HA002786		PL00U-400-90M8	AC-HA002791
		PL00V-400-90D8	AC-HA002787		PL00V-400-90M8	AC-HA002792
		PL00W-400-90D8	AC-HA002788		PL00W-400-90M8	AC-HA002793
		PL00X-400-90D10	AC-HA002774	M10	PL00X-400-90M10	AC-HA002779
	D10	PL00Y-400-90D10	AC-HA002775		PL00Y-400-90M10	AC-HA002780
		PL00U-400-90D10	AC-HA002776		PL00U-400-90M10	AC-HA002781
		PL00V-400-90D10	AC-HA002777		PL00V-400-90M10	AC-HA002782
		PL00W-400-90D10	AC-HA002778		PL00W-400-90M10	AC-HA002783
		PL00X-500-90D8	AC-HA007831	M8	PL00X-500-90M8	AC-HA007836
500A	D8	PL00Y-500-90D8	AC-HA007832		PL00Y-500-90M8	AC-HA007837
		PL00U-500-90D8	AC-HA007833		PL00U-500-90M8	AC-HA007838
		PL00V-500-90D8	AC-HA007834		PL00V-500-90M8	AC-HA007839
		PL00W-500-90D8	AC-HA007835		PL00W-500-90M8	AC-HA007840
	D10	PL00X-500-90D10	AC-HA007841	M10	PL00X-500-90M10	AC-HA007846
		PL00Y-500-90D10	AC-HA007842		PL00Y-500-90M10	AC-HA007847
		PL00U-500-90D10	AC-HA007843		PL00U-500-90M10	AC-HA007848
		PL00V-500-90D10	AC-HA007844		PL00V-500-90M10	AC-HA007849
		PL00W-500-90D10	AC-HA007845		PL00W-500-90M10	AC-HA007850

Ordering Information-PowerLok™ 1POS Receptacle With HVIL

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Termination Type	Termination Size
PowerLok™	00 1POS Receptacle	X Orange	121 120A With HVIL	10 180 Degree Busbar Lug	D+Stud Size
		Y Black	201 200A With HVIL		M+Stud Size
		U Yellow	301 300A With HVIL		
		V Green	401 400A With HVIL	90 90 Degree Busbar Lug	D+Stud Size
		W Red	501 500A With HVIL		M+Stud Size
		T Blue			

With HVIL												
Series Key	Busbar Lug(D+Stud Size)			Busbar Lug(M+Stud Size)			90D Busbar Lug+(D+Stud Size)			90D Busbar Lug+(M+Stud Size)		
	Termi-nation	Description	Part Number	Termi-nation	Description	Part Number	Termi-nation	Description	Part Number	Termi-nation	Description	Part Number
120A	X	PL00X-121-10D6	AC-HA000305	M6	PL00X-121-10M6	AC-HA000459	-	-	-	-	-	-
	Y	PL00Y-121-10D6	AC-HA000306		PL00Y-121-10M6	AC-HA000460	-	-	-	-	-	-
	U	PL00U-121-10D6	AC-HA000307		PL00U-121-10M6	AC-HA000461	-	-	-	-	-	-
	V	PL00V-121-10D6	AC-HA000308		PL00V-121-10M6	AC-HA000462	-	-	-	-	-	-
	W	PL00W-121-10D6	AC-HA000309		PL00W-121-10M6	AC-HA000463	-	-	-	-	-	-
200A	X	-	-	M8	PL00X-201-10M8	AC-HA004320	-	-	-	-	-	-
	Y	-	-		PL00Y-201-10M8	AC-HA004321	-	-	-	-	-	-
	U	-	-		PL00U-201-10M8	AC-HA004322	-	-	-	-	-	-
	V	-	-		PL00V-201-10M8	AC-HA004323	-	-	-	-	-	-
	W	-	-		PL00W-201-10M8	AC-HA004324	-	-	-	-	-	-
300A	X	PL00X-301-10D6	AC-HA003940	M6	PL00X-301-10M6	AC-HA003934	D6	PL00X-301-90D6	EX-HA000645	M6	PL00X-301-90M6	EX-HA000659
	Y	PL00Y-301-10D6	AC-HA003941		PL00Y-301-10M6	AC-HA003935		PL00Y-301-90D6	EX-HA000646		PL00Y-301-90M6	EX-HA000660
	U	PL00U-301-10D6	AC-HA003942		PL00U-301-10M6	AC-HA003936		PL00U-301-90D6	EX-HA000647		PL00U-301-90M6	EX-HA000661
	V	PL00V-301-10D6	AC-HA003943		PL00V-301-10M6	AC-HA003937		PL00V-301-90D6	EX-HA000648		PL00V-301-90M6	EX-HA000662
	W	PL00W-301-10D6	AC-HA003944		PL00W-301-10M6	AC-HA003938		PL00W-301-90D6	EX-HA000649		PL00W-301-90M6	EX-HA000663
	T	PL00T-301-10D6	AC-HA003945	M8	PL00T-301-10M6	AC-HA003939		PL00T-301-90D6	EX-HA000650		PL00T-301-90M6	EX-HA000664
	X	PL00X-301-10D8	AC-HA001088		PL00X-301-10M8	AC-HA001976	PL00X-301-90D8	EX-HA000639	PL00X-301-90M8	EX-HA000162		
	Y	PL00Y-301-10D8	AC-HA001089		PL00Y-301-10M8	AC-HA001977	PL00Y-301-90D8	EX-HA000640	PL00Y-301-90M8	EX-HA000161		
	U	PL00U-301-10D8	AC-HA001090		PL00U-301-10M8	AC-HA001978	PL00U-301-90D8	EX-HA000641	PL00U-301-90M8	EX-HA000160		
	V	PL00V-301-10D8	AC-HA001091		PL00V-301-10M8	AC-HA001979	PL00V-301-90D8	EX-HA000642	PL00V-301-90M8	EX-HA000163		
	W	PL00W-301-10D8	AC-HA001092		PL00W-301-10M8	AC-HA001980	PL00W-301-90D8	EX-HA000643	PL00W-301-90M8	EX-HA000160		
	T	PL00T-301-10D8	AC-HA001388	M10	PL00T-301-10M8	AC-HA001981	D10	PL00T-301-90D8	EX-HA000644	M10	PL00T-301-90M8	EX-HA000652
	X	PL00X-301-10D10	AC-HA000454		PL00X-301-10M10	AC-HA000900		PL00X-301-90D10	EX-HA000634		PL00X-301-90M10	EX-HA000653
	Y	PL00Y-301-10D10	AC-HA000455		PL00Y-301-10M10	AC-HA000901		PL00Y-301-90D10	EX-HA000633		PL00Y-301-90M10	EX-HA000654
	U	PL00U-301-10D10	AC-HA000456		PL00U-301-10M10	AC-HA000902		PL00U-301-90D10	EX-HA000635		PL00U-301-90M10	EX-HA000655
	V	PL00V-301-10D10	AC-HA000457		PL00V-301-10M10	AC-HA000903		PL00V-301-90D10	EX-HA000636		PL00V-301-90M10	EX-HA000656
	W	PL00W-301-10D10	AC-HA000458		PL00W-301-10M10	AC-HA000904		PL00W-301-90D10	EX-HA000637		PL00W-301-90M10	EX-HA000657
T	PL00T-301-10D10	AC-HA001382	PL00T-301-10M10		AC-HA001383	PL00T-301-90D10	EX-HA000638	PL00T-301-90M10	EX-HA000658			
400A	X	PL00X-401-10D8	AC-HA002741	M8	PL00X-401-10M8	AC-HA002751	-	-	-	-	-	-
	Y	PL00Y-401-10D8	AC-HA002742		PL00Y-401-10M8	AC-HA002752	-	-	-	-	-	-
	U	PL00U-401-10D8	AC-HA002743		PL00U-401-10M8	AC-HA002753	-	-	-	-	-	-
	V	PL00V-401-10D8	AC-HA002744		PL00V-401-10M8	AC-HA002754	-	-	-	-	-	-
	W	PL00W-401-10D8	AC-HA002745		PL00W-401-10M8	AC-HA002755	-	-	-	-	-	-
	X	PL00X-401-10D10	AC-HA002731	M10	PL00X-401-10M10	AC-HA002721	-	-	-	-	-	-
	Y	PL00Y-401-10D10	AC-HA002732		PL00Y-401-10M10	AC-HA002722	-	-	-	-	-	-
	U	PL00U-401-10D10	AC-HA002733		PL00U-401-10M10	AC-HA002723	-	-	-	-	-	-
	V	PL00V-401-10D10	AC-HA002734		PL00V-401-10M10	AC-HA002724	-	-	-	-	-	-
	W	PL00W-401-10D10	AC-HA002735		PL00W-401-10M10	AC-HA002725	-	-	-	-	-	-
	500A	X	PL00X-501-10D8	AC-HA000568	M8	PL00X-501-10M8	AC-HA002460	D8	PL00X-501-90D8	EX-HA000793	M8	PL00X-501-90M8
Y		PL00Y-501-10D8	AC-HA000569	PL00Y-501-10M8		AC-HA002461	PL00Y-501-90D8		EX-HA000794	PL00Y-501-90M8		EX-HA000799
U		PL00U-501-10D8	AC-HA000570	PL00U-501-10M8		AC-HA002462	PL00U-501-90D8		EX-HA000795	PL00U-501-90M8		EX-HA000800
V		PL00V-501-10D8	AC-HA000571	PL00V-501-10M8		AC-HA002463	PL00V-501-90D8		EX-HA000796	PL00V-501-90M8		EX-HA000801
W		PL00W-501-10D8	AC-HA000572	PL00W-501-10M8		AC-HA002464	PL00W-501-90D8		EX-HA000797	PL00W-501-90M8		EX-HA000802
X		PL00X-501-10D10	AC-HA000489	M10	PL00X-501-10M10	AC-HA000494	D10	PL00X-501-90D10	EX-HA000748	M10	PL00X-501-90M10	EX-HA000807
Y		PL00Y-501-10D10	AC-HA000490		PL00Y-501-10M10	AC-HA000486		PL00Y-501-90D10	EX-HA000803		PL00Y-501-90M10	EX-HA000808
U		PL00U-501-10D10	AC-HA000491		PL00U-501-10M10	AC-HA000496		PL00U-501-90D10	EX-HA000804		PL00U-501-90M10	EX-HA000809
V		PL00V-501-10D10	AC-HA000492		PL00V-501-10M10	AC-HA000497		PL00V-501-90D10	EX-HA000805		PL00V-501-90M10	EX-HA000810
W		PL00W-501-10D10	AC-HA000493		PL00W-501-10M10	AC-HA000498		PL00W-501-90D10	EX-HA000806		PL00W-501-90M10	EX-HA000811

Ordering Information-PowerLok™ 2POS Receptacle

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Termination Type	Termination Size
PowerLok™	08 2POS Receptacle	2X	Orange	120	120A W/O HVIL
				121	120A With HVIL
		2Y	Black	300	120A W/O HVIL
				301	120A With HVIL
				10	Busbar Lug
				20	Thread Pin
				30	Tubular Lug
					D+Stud Size
					M+Stud Size
					M+Thread Size
					D+ Cable Size

W/O HVIL											
Busbar Lug+(D+Stud Size)				Busbar Lug+(M+Stud Size)				Thread Pin+(M+Thread Size)			
Series Key	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description
120A	X	D6	PL082X-120-10D6	AC-HA000771	M6	PL082X-120-10M6	AC-HA000773	-	-	-	-
	Y		PL082Y-120-10D6	AC-HA000772		PL082Y-120-10M6	AC-HA000774	-	-	-	-
	X	D6	PL082X-300-10D6	AC-HA001210	M6	PL082X-300-10M6	AC-HA001212	M6	PL082X-300-20M6	AC-HA002527	35
	Y		PL082Y-300-10D6	AC-HA001211		PL082Y-300-10M6	AC-HA001213		PL082Y-300-20M6	AC-HA002528	
300A	X	D8	PL082X-300-10D8	AC-HA000811	M8	PL082X-300-10M8	AC-HA000813	M8	PL082X-300-20M8	AC-HA000947	50
	Y		PL082Y-300-10D8	AC-HA000812		PL082Y-300-10M8	AC-HA000814		PL082Y-300-20M8	AC-HA000948	
	X	D10	PL082X-300-10D10	AC-HA000807	M10	PL082X-300-10M10	AC-HA000809	M10	PL082X-300-20M10	AC-HA002529	70
	Y		PL082Y-300-10D10	AC-HA000808		PL082Y-300-10M10	AC-HA000810		PL082Y-300-20M10	AC-HA002530	

With HVIL											
Busbar Lug+(D+Stud Size)				Busbar Lug+(M+Stud Size)				Thread Pin+(M+Thread Size)			
Series Key	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description
120A	X	D6	PL082X-121-10D6	AC-HA000767	M6	PL082X-121-10M6	AC-HA000769	-	-	-	-
	Y		PL082Y-121-10D6	AC-HA000768		PL082Y-121-10M6	AC-HA000770	-	-	-	-
	X	D6	PL082X-301-10D6	AC-HA001206	M6	PL082X-301-10M6	AC-HA001208	M6	PL082X-301-20M6	AC-HA002523	35
	Y		PL082Y-301-10D6	AC-HA001207		PL082Y-301-10M6	AC-HA001209		PL082Y-301-20M6	AC-HA002524	
300A	X	D8	PL082X-301-10D8	AC-HA000803	M8	PL082X-301-10M8	AC-HA000805	M8	PL082X-301-20M8	AC-HA001507	50
	Y		PL082Y-301-10D8	AC-HA000804		PL082Y-301-10M8	AC-HA000806		PL082Y-301-20M8	AC-HA001508	
	X	D10	PL082X-301-10D10	AC-HA000799	M10	PL082X-301-10M10	AC-HA000801	M10	PL082X-301-20M10	AC-HA002525	70
	Y		PL082Y-301-10D10	AC-HA000800		PL082Y-301-10M10	AC-HA000802		PL082Y-301-20M10	AC-HA002526	

Ordering Information-PowerLok™ 3POS Receptacle

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Termination Type	Termination Size
PowerLok™	08 3POS Receptacle	3X	Orange	300	300A W/O HVIL
				301	300A With HVIL
		3Y	Black	300	300A W/O HVIL
				301	300A With HVIL
				10	Busbar Lug
				20	Thread Pin
				30	Tubular Lug
					D+Stud Size
					M+Stud Size
					M+Thread Size
					D+ Cable Size

W/O HVIL											
Busbar Lug+(D+Stud Size)				Busbar Lug+(M+Stud Size)				Thread Pin+(M+Thread Size)			
Series Key	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description
300A	X	D6	PL083X-300-10D6	AC-HA001152	M6	PL083X-300-10M6	AC-HA001154	M6	PL083X-300-20M6	AC-HA002451	35
	Y		PL083Y-300-10D6	AC-HA001153		PL083Y-300-10M6	AC-HA001155		PL083Y-300-20M6	AC-HA002452	
	X	D8	PL083X-300-10D8	AC-HA001148	M8	PL083X-300-10M8	AC-HA001150	M8	PL083X-300-20M8	AC-HA001513	50
	Y		PL083Y-300-10D8	AC-HA001149		PL083Y-300-10M8	AC-HA001151		PL083Y-300-20M8	AC-HA001514	
	X	D10	PL083X-300-10D10	AC-HA001144	M10	PL083X-300-10M10	AC-HA001146	M10	PL083X-300-20M10	AC-HA002533	70
	Y		PL083Y-300-10D10	AC-HA001145		PL083Y-300-10M10	AC-HA001147		PL083Y-300-20M10	AC-HA002534	

With HVIL											
Busbar Lug+(D+Stud Size)				Busbar Lug+(M+Stud Size)				Thread Pin+(M+Thread Size)			
Series Key	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description	Part Number	Termination	Description
300A	X	D6	PL083X-301-10D6	AC-HA001140	M6	PL083X-301-10M6	AC-HA001142	M6	PL083X-300-20M6	AC-HA002449	35
	Y		PL083Y-301-10D6	AC-HA001141		PL083Y-301-10M6	AC-HA001143		PL083Y-300-20M6	AC-HA002450	
	X	D8	PL083X-301-10D8	AC-HA001136	M8	PL083X-301-10M8	AC-HA001138	M8	PL083X-300-20M8	AC-HA001511	50
	Y		PL083Y-301-10D8	AC-HA001137		PL083Y-301-10M8	AC-HA001139		PL083Y-300-20M8	AC-HA001512	
	X	D10	PL083X-301-10D10	AC-HA001132	M10	PL083X-301-10M10	AC-HA001134	M10	PL083X-300-20M10	AC-HA002531	70
	Y		PL083Y-301-10D10	AC-HA001133		PL083Y-301-10M10	AC-HA001135		PL083Y-300-20M10	AC-HA002532	

Ordering Information-PowerLok™ 1POS Assembled Plug W/O HVIL

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Accepted Cable Size(mm ²)	Current Rating (A)
PowerLok™	18 Plug Connector, Straight, Shield	X Orange	200 200A W/O HVIL	25	120
	28 Plug Connector, Right Angle, Shield	Y Black		35	150
		U Yellow		50	200
	48 Plug Connector, Straight, Un-shield	V Green	300 300A W/O HVIL	35	150
		W Red		50	200
	58 Plug Connector, Right Angle, Un-shield	T Blue		70	250

W/O HVIL									
Series	Key	18: Plug Connector, Straight, Shield		28: Plug Connector, Right Angle, Shield		48: Plug Connector, Straight, Un-Shield		58: Plug Connector, Right Angle, Un-Shield	
		Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
200A	25	X PL18X-200-25	PL18X-200-25	PL28X-200-25	PL28X-200-25	PL48X-200-25	PL48X-200-25	PL58X-200-25	PL58X-200-25
		Y PL18Y-200-25	PL18Y-200-25	PL28Y-200-25	PL28Y-200-25	PL48Y-200-25	PL48Y-200-25	PL58Y-200-25	PL58Y-200-25
		U PL18U-200-25	PL18U-200-25	PL28U-200-25	PL28U-200-25	PL48U-200-25	PL48U-200-25	PL58U-200-25	PL58U-200-25
		V PL18V-200-25	PL18V-200-25	PL28V-200-25	PL28V-200-25	PL48V-200-25	PL48V-200-25	PL58V-200-25	PL58V-200-25
		W PL18W-200-25	PL18W-200-25	PL28W-200-25	PL28W-200-25	PL48W-200-25	PL48W-200-25	PL58W-200-25	PL58W-200-25
	35	X PL18X-200-35	PL18X-200-35	PL28X-200-35	PL28X-200-35	PL48X-200-35	PL48X-200-35	PL58X-200-35	PL58X-200-35
		Y PL18Y-200-35	PL18Y-200-35	PL28Y-200-35	PL28Y-200-35	PL48Y-200-35	PL48Y-200-35	PL58Y-200-35	PL58Y-200-35
		U PL18U-200-35	PL18U-200-35	PL28U-200-35	PL28U-200-35	PL48U-200-35	PL48U-200-35	PL58U-200-35	PL58U-200-35
		V PL18V-200-35	PL18V-200-35	PL28V-200-35	PL28V-200-35	PL48V-200-35	PL48V-200-35	PL58V-200-35	PL58V-200-35
		W PL18W-200-35	PL18W-200-35	PL28W-200-35	PL28W-200-35	PL48W-200-35	PL48W-200-35	PL58W-200-35	PL58W-200-35
	50	X PL18X-200-50	PL18X-200-50	PL28X-200-50	PL28X-200-50	PL48X-200-50	PL48X-200-50	PL58X-200-50	PL58X-200-50
		Y PL18Y-200-50	PL18Y-200-50	PL28Y-200-50	PL28Y-200-50	PL48Y-200-50	PL48Y-200-50	PL58Y-200-50	PL58Y-200-50
		U PL18U-200-50	PL18U-200-50	PL28U-200-50	PL28U-200-50	PL48U-200-50	PL48U-200-50	PL58U-200-50	PL58U-200-50
		V PL18V-200-50	PL18V-200-50	PL28V-200-50	PL28V-200-50	PL48V-200-50	PL48V-200-50	PL58V-200-50	PL58V-200-50
		W PL18W-200-50	PL18W-200-50	PL28W-200-50	PL28W-200-50	PL48W-200-50	PL48W-200-50	PL58W-200-50	PL58W-200-50
300A	25	X PL18X-300-25	AC-HA004356	-	-	-	-	-	-
		Y PL18Y-300-25	AC-HA004357	-	-	-	-	-	-
		U PL18U-300-25	AC-HA004358	-	-	-	-	-	-
		V PL18V-300-25	AC-HA004359	-	-	-	-	-	-
		W PL18W-300-25	AC-HA004360	-	-	-	-	-	-
		T PL18T-300-25	AC-HA004361	-	-	-	-	-	-
	35	X PL18X-300-35	AC-HA000830	PL28X-300-35	AC-HA000860	PL48X-300-35	AC-HA002608	PL58X-300-35	AC-HA004455
		Y PL18Y-300-35	AC-HA000831	PL28Y-300-35	AC-HA000861	PL48Y-300-35	AC-HA002609	PL58Y-300-35	AC-HA004456
		U PL18U-300-35	AC-HA000832	PL28U-300-35	AC-HA000862	PL48U-300-35	AC-HA002610	PL58U-300-35	AC-HA004457
		V PL18V-300-35	AC-HA000833	PL28V-300-35	AC-HA000863	PL48V-300-35	AC-HA002611	PL58V-300-35	AC-HA004458
		W PL18W-300-35	AC-HA000834	PL28W-300-35	AC-HA000864	PL48W-300-35	AC-HA002612	PL58W-300-35	AC-HA004459
		T PL18T-300-35	AC-HA001286	PL28T-300-35	AC-HA001292	PL48T-300-35	AC-HA008507	PL58T-300-35	AC-HA008513
	50	X PL18X-300-50	AC-HA000835	PL28X-300-50	AC-HA000865	PL48X-300-50	AC-HA002618	PL58X-300-50	AC-HA003745
		Y PL18Y-300-50	AC-HA000836	PL28Y-300-50	AC-HA000866	PL48Y-300-50	AC-HA002619	PL58Y-300-50	AC-HA003746
		U PL18U-300-50	AC-HA000837	PL28U-300-50	AC-HA000867	PL48U-300-50	AC-HA002620	PL58U-300-50	AC-HA003747
		V PL18V-300-50	AC-HA000838	PL28V-300-50	AC-HA000868	PL48V-300-50	AC-HA002621	PL58V-300-50	AC-HA003748
		W PL18W-300-50	AC-HA000839	PL28W-300-50	AC-HA000869	PL48W-300-50	AC-HA002622	PL58W-300-50	AC-HA003749
		T PL18T-300-50	AC-HA001287	PL28T-300-50	AC-HA003528	PL48T-300-50	AC-HA008508	PL58T-300-50	AC-HA008514
	70	X PL18X-300-70	AC-HA000840	PL28X-300-70	AC-HA000870	PL48X-300-70	AC-HA002628	PL58X-300-70	AC-HA004460
		Y PL18Y-300-70	AC-HA000841	PL28Y-300-70	AC-HA000871	PL48Y-300-70	AC-HA002629	PL58Y-300-70	AC-HA004461
		U PL18U-300-70	AC-HA000842	PL28U-300-70	AC-HA000872	PL48U-300-70	AC-HA002630	PL58U-300-70	AC-HA004462
		V PL18V-300-70	AC-HA000843	PL28V-300-70	AC-HA000873	PL48V-300-70	AC-HA002631	PL58V-300-70	AC-HA004463
		W PL18W-300-70	AC-HA000844	PL28W-300-70	AC-HA000874	PL48W-300-70	AC-HA002632	PL58W-300-70	AC-HA004464
		T PL18T-300-70	AC-HA001288	PL28T-300-70	AC-HA003529	PL48T-300-70	AC-HA008509	PL58T-300-70	AC-HA008515

Ordering Information-PowerLok™ 1POS Assembled Plug With HVIL

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Accepted Cable Size(mm ²)	Current Rating (A)
PowerLok™	18 Plug Connector, Straight, Shield	X Orange	201 200A With HVIL	25	120
	28 Plug Connector, Right Angle, Shield	Y Black		35	150
		U Yellow		50	200
	48 Plug Connector, Straight, Un-shield	V Green	301 300A With HVIL	35	150
		W Red		50	200
	58 Plug Connector, Right Angle, Un-shield	T Blue		70	250

With HVIL									
Series	Key	18: Plug Connector, Straight, Shield		28: Plug Connector, Right Angle, Shield		48: Plug Connector, Straight, Un-Shield		58: Plug Connector, Right Angle, Un-Shield	
		Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
200A	25	X PL18X-201-25	AC-HA004290	PL28X-201-25	AC-HA004305	PL48X-201-25	PL48X-201-25	PL58X-201-25	PL58X-201-25
		Y PL18Y-201-25	AC-HA004291	PL28Y-201-25	AC-HA004306	PL48Y-201-25	PL48Y-201-25	PL58Y-201-25	PL58Y-201-25
		U PL18U-201-25	AC-HA004292	PL28U-201-25	AC-HA004307	PL48U-201-25	PL48U-201-25	PL58U-201-25	PL58U-201-25
		V PL18V-201-25	AC-HA004293	PL28V-201-25	AC-HA004308	PL48V-201-25	PL48V-201-25	PL58V-201-25	PL58V-201-25
	35	W PL18W-201-25	AC-HA004294	PL28W-201-25	AC-HA004309	PL48W-201-25	PL48W-201-25	PL58W-201-25	PL58W-201-25
		X PL18X-201-35	AC-HA004295	PL28X-201-35	AC-HA004310	PL48X-201-35	PL48X-201-35	PL58X-201-35	PL58X-201-35
		Y PL18Y-201-35	AC-HA004296	PL28Y-201-35	AC-HA004311	PL48Y-201-35	PL48Y-201-35	PL58Y-201-35	PL58Y-201-35
		U PL18U-201-35	AC-HA004297	PL28U-201-35	AC-HA004312	PL48U-201-35	PL48U-201-35	PL58U-201-35	PL58U-201-35
	50	V PL18V-201-35	AC-HA004298	PL28V-201-35	AC-HA004313	PL48V-201-35	PL48V-201-35	PL58V-201-35	PL58V-201-35
		W PL18W-201-35	AC-HA004299	PL28W-201-35	AC-HA004314	PL48W-201-35	PL48W-201-35	PL58W-201-35	PL58W-201-35
		X PL18X-201-50	AC-HA004300	PL28X-201-50	AC-HA004315	PL48X-201-50	PL48X-201-50	PL58X-201-50	PL58X-201-50
		Y PL18Y-201-50	AC-HA004301	PL28Y-201-50	AC-HA004316	PL48Y-201-50	PL48Y-201-50	PL58Y-201-50	PL58Y-201-50
300A	35	U PL18U-201-50	AC-HA004302	PL28U-201-50	AC-HA004317	PL48U-201-50	PL48U-201-50	PL58U-201-50	PL58U-201-50
		V PL18V-201-50	AC-HA004303	PL28V-201-50	AC-HA004318	PL48V-201-50	PL48V-201-50	PL58V-201-50	PL58V-201-50
		W PL18W-201-50	AC-HA004304	PL28W-201-50	AC-HA004319	PL48W-201-50	PL48W-201-50	PL58W-201-50	PL58W-201-50
		X PL18X-301-35	AC-HA000815	PL28X-301-35	AC-HA000845	PL48X-301-35	AC-HA002603	PL58X-301-35	AC-HA004440
	50	Y PL18Y-301-35	AC-HA000816	PL28Y-301-35	AC-HA000846	PL48Y-301-35	AC-HA002604	PL58Y-301-35	AC-HA004441
		U PL18U-301-35	AC-HA000817	PL28U-301-35	AC-HA000847	PL48U-301-35	AC-HA002605	PL58U-301-35	AC-HA004442
		V PL18V-301-35	AC-HA000818	PL28V-301-35	AC-HA000848	PL48V-301-35	AC-HA002606	PL58V-301-35	AC-HA004443
		W PL18W-301-35	AC-HA000819	PL28W-301-35	AC-HA000849	PL48W-301-35	AC-HA002607	PL58W-301-35	AC-HA004444
	70	T PL18T-301-35	AC-HA001283	PL28T-301-35	AC-HA001289	PL48T-301-35	AC-HA008504	PL58T-301-35	AC-HA008510
		X PL18X-301-50	AC-HA000820	PL28X-301-50	AC-HA000850	PL48X-301-50	AC-HA002613	PL58X-301-50	AC-HA004445
		Y PL18Y-301-50	AC-HA000821	PL28Y-301-50	AC-HA000851	PL48Y-301-50	AC-HA002614	PL58Y-301-50	AC-HA004446
		U PL18U-301-50	AC-HA000822	PL28U-301-50	AC-HA000852	PL48U-301-50	AC-HA002615	PL58U-301-50	AC-HA004447
	70	V PL18V-301-50	AC-HA000823	PL28V-301-50	AC-HA000853	PL48V-301-50	AC-HA002616	PL58V-301-50	AC-HA004448
		W PL18W-301-50	AC-HA000824	PL28W-301-50	AC-HA000854	PL48W-301-50	AC-HA002617	PL58W-301-50	AC-HA004449
		T PL18T-301-50	AC-HA001284	PL28T-301-50	AC-HA001290	PL48T-301-50	AC-HA008505	PL58T-301-50	AC-HA008511
		X PL18X-301-70	AC-HA000825	PL28X-301-70	AC-HA000855	PL48X-301-70	AC-HA002623	PL58X-301-70	AC-HA004450
	70	Y PL18Y-301-70	AC-HA000826	PL28Y-301-70	AC-HA000856	PL48Y-301-70	AC-HA002624	PL58Y-301-70	AC-HA004451
		U PL18U-301-70	AC-HA000827	PL28U-301-70	AC-HA000857	PL48U-301-70	AC-HA002625	PL58U-301-70	AC-HA004452
		V PL18V-301-70	AC-HA000828	PL28V-301-70	AC-HA000858	PL48V-301-70	AC-HA002626	PL58V-301-70	AC-HA004453
		W PL18W-301-70	AC-HA000829	PL28W-301-70	AC-HA000859	PL48W-301-70	AC-HA002627	PL58W-301-70	AC-HA004454
		T PL18T-301-70	AC-HA001285	PL28T-301-70	AC-HA001291	PL48T-301-70	AC-HA008506	PL58T-301-70	AC-HA008512

Ordering Information-PowerLok™ 2POS Assembled Plug

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Accepted Cable Size(mm ²)	Current Rating (A)
PowerLok™	18 Plug Connector, Straight, Shield	2X Orange	300 300A W/O HVIL	35	150
	28 Plug Connector, Right Angle, Shield			50	200
	48 Plug Connector, Straight, Un-Shield			70	250
	48 Plug Connector, Straight, Un-Shield	2Y Black	301 300A With HVIL	35	150
	58 Plug Connector, Right Angle, Un-Shield			50	200
	58 Plug Connector, Right Angle, Un-Shield			70	250

Series	Key	18:Plug Connector, Straight, Shield			28:Plug Connector, Right Angle, Shield		48:Plug Connector, Straight, Un-Shield		58:Plug Connector, Right Angle, Un-Shield	
		Description	Part Number		Description	Part Number	Description	Part Number	Description	Part Number
W/O HVIL										
300A	35	2X	PL182X-300-35	AC-HA000787	PL282X-300-35	AC-HA000793	PL482X-300-35	AC-HA002635	PL582X-300-35	AC-HA004490
		2Y	PL182Y-300-35	AC-HA000788	PL282Y-300-35	AC-HA000794	PL482Y-300-35	AC-HA002636	PL582Y-300-35	AC-HA004491
	50	2X	PL182X-300-50	AC-HA000789	PL282X-300-50	AC-HA000795	PL482X-300-50	AC-HA002639	PL582X-300-50	AC-HA004492
		2Y	PL182Y-300-50	AC-HA000790	PL282Y-300-50	AC-HA000796	PL482Y-300-50	AC-HA002640	PL582Y-300-50	AC-HA004493
	70	2X	PL182X-300-70	AC-HA000791	PL282X-300-70	AC-HA000797	PL482X-300-70	AC-HA002643	PL582X-300-70	AC-HA004494
		2Y	PL182Y-300-70	AC-HA000792	PL282Y-300-70	AC-HA000798	PL482Y-300-70	AC-HA002644	PL582Y-300-70	AC-HA004495
With HVIL										
300A	35	2X	PL182X-301-35	AC-HA000775	PL282X-301-35	AC-HA000781	PL482X-301-35	AC-HA002446	PL582X-301-35	AC-HA002448
		2Y	PL182Y-301-35	AC-HA000776	PL282Y-301-35	AC-HA000782	PL482Y-301-35	AC-HA002634	PL582Y-301-35	AC-HA004485
	50	2X	PL182X-301-50	AC-HA000777	PL282X-301-50	AC-HA000783	PL482X-301-50	AC-HA002637	PL582X-301-50	AC-HA004486
		2Y	PL182Y-301-50	AC-HA000778	PL282Y-301-50	AC-HA000784	PL482Y-301-50	AC-HA002638	PL582Y-301-50	AC-HA004487
	70	2X	PL182X-301-70	AC-HA000779	PL282X-301-70	AC-HA000785	PL482X-301-70	AC-HA002641	PL582X-301-70	AC-HA004488
		2Y	PL182Y-301-70	AC-HA000780	PL282Y-301-70	AC-HA000786	PL482Y-301-70	AC-HA002642	PL582Y-301-70	AC-HA004489

Ordering Information-PowerLok™ 3POS Assembled Plug

Product Type	Connector Type	Key (Touch Proof Cover Color)	Current & HVIL	Accepted Cable Size(mm ²)	Current Rating (A)
PowerLok™	18 Plug Connector, Straight, Shield	3X Orange	300 300A W/O HVIL	35	150
	28 Plug Connector, Right Angle, Shield			50	200
	48 Plug Connector, Straight, Un-Shield			70	250
	48 Plug Connector, Straight, Un-Shield	3Y Black	300 300A With HVIL	35	150
	58 Plug Connector, Right Angle, Un-Shield			50	200
	58 Plug Connector, Right Angle, Un-Shield			70	250

Series	Key	18:Plug Connector, Straight, Shield		28:Plug Connector, Right Angle, Shield		48:Plug Connector, Straight, Un-Shield		58:Plug Connector, Right Angle, Un-Shield		
		Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number	
W/O HVIL										
300A	35	3X	PL183X-300-35	AC-HA001114	PL283X-300-35	AC-HA001126	PL483X-300-35	-	PL583X-300-35	-
		3Y	PL183Y-300-35	AC-HA001115	PL283Y-300-35	AC-HA001127	PL483Y-300-35	-	PL583Y-300-35	-
	50	3X	PL183X-300-50	AC-HA001116	PL283X-300-50	AC-HA001128	PL483X-300-50	-	PL583X-300-50	-
		3Y	PL183Y-300-50	AC-HA001117	PL283Y-300-50	AC-HA001129	PL483Y-300-50	-	PL583Y-300-50	-
	70	3X	PL183X-300-70	AC-HA001118	PL283X-300-70	AC-HA001130	PL483X-300-70	-	PL583X-300-70	-
		3Y	PL183Y-300-70	AC-HA001119	PL283Y-300-70	AC-HA001131	PL483Y-300-70	-	PL583Y-300-70	-
With HVIL										
300A	35	3X	PL183X-301-35	AC-HA001108	PL283X-301-35	AC-HA001120	PL483X-301-35	-	PL583X-301-35	-
		3Y	PL183Y-301-35	AC-HA001109	PL283Y-301-35	AC-HA001121	PL483Y-301-35	-	PL583Y-301-35	-
	50	3X	PL183X-301-50	AC-HA001110	PL283X-301-50	AC-HA001122	PL483X-301-50	-	PL583X-301-50	-
		3Y	PL183Y-301-50	AC-HA001111	PL283Y-301-50	AC-HA001123	PL483Y-301-50	-	PL583Y-301-50	-
	70	3X	PL183X-301-70	AC-HA001112	PL283X-301-70	AC-HA001124	PL483X-301-70	-	PL583X-301-70	-
		3Y	PL183Y-301-70	AC-HA001113	PL283Y-301-70	AC-HA001125	PL483Y-301-70	-	PL583Y-301-70	-

Ordering Information-PowerLok™ 1POS Overmolded Plug

Product Type		Connector Type	Key (Touch Proof Cover Color)		Current & HVIL		Accepted Cable Size(mm ²)	Current Rating (A)
PowerLok TM	10	1POS Plug Straight	X	Orange	120	120A W/O HVIL	16	90
					121	120A With HVIL	25	120
			Y	Black	300	300A W/O HVIL	35	150
						50	200	
			U	Yellow	301	300A With HVIL	70	250
						95	300	
	20	1POS Plug Right Angle	V	Green	400	400A W/O HVIL	70	250
						95	300	
					401	400A With HVIL	120	400
						135	450	
			W	Red	500	500A W/O HVIL	95	300
						120	400	
			T	Blue	501	500A With HVIL	135	450
						150	500	

Ordering Information-PowerLok™ 2POS Overmolded Plug

							-			
Product Type	Connector Type		Key (Touch Proof Cover Color)			Current & HVIL		Accepted Cable Size(mm ²)	Current Rating (A)	
PowerLok™	10	2POS Plug Straight	2X	Orange		120	120A W/O HVIL	16	90	
	20	2POS Plug Right Angle	2Y	Black		121	120A With HVIL	25	120	

▲ The information contained in this data sheet is for reference only

Amphenol Technical Products International provides the above product specifications for the standard PowerLok™ series of connectors to assist users in identifying the correct product for the system to which the connectors may be applied. Specifications are subject to change without notice. Contact your nearest Amphenol Corporation Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements of suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. Specifications are typical and may not apply to all connectors. Note that these specifications are derived from relevant global standards used in the automotive and industrial transportation markets, but they are not a substitute for system level design validation testing, which is the sole responsibility of the system designer and/or end user.

Amphenol Technical Products International

Asia Pacific

GuangZhou, China

Tel: +86-20-3210 6099

Add: No.5 JianTaShan Road,GuangZhou Science City

Zip Code: 510663

Email: info@amphenol-tpi.com

North America

Winnipeg, Canada

Tel: +1 204 697 2222

Add: 2110 Notre Dame Avenue

Europe

Milano, Italy

Tel: +39 02 932541

Add: Via Barbaiana 5, 20020 Lainate (MI)