ITEM NO.	NAME	MATERIAL	NOTES
1	COVER	PA66	UL94-V0, RED
2	PIN	COPPER ALLOY	TIN PLATED

REVISIONS

REV	ZONE	DESCRIPTION	DATE	ECN	BY
A	-	INITIAL RELEASE	09/24/2012	BU-J12374	TJN

PART NUMBER	NUMBER OF POLES	MARK	"A" DIM	"B" DIM
DSS4N-02P	2	DSS4N-02P	6	10
DSS4N-03P	3	DSS4N-03P	12	16
DSS4N-04P	4	DSS4N-04P	18	22
DSS4N-10P	10	DSS4N-10P	54	58





NOTES:

1. RATINGS: UL 600V/30A, IEC 1000V/32A
   PITCH: 6.0MM
   INSULATION WITHSTAND VOLTAGE 2000VAC/1MINUTE
   TEMPERATURE RANGE -40°C~105°C
2. ASSEMBLY MUST BE FREE OF OIL, GREASE AND OTHER FOREIGN MATERIALS.
3. ASSEMBLY MUST COMPLY WITH RoHS SPECIFICATION #1P2163.

MODEL SOURCE DATA: --
MODEL VERSION:

THIS DRAWING IS AN UNCONTROLLED COPY IF PRINTED OR SENT ELECTRONICALLY. DO NOT SCALE DRAWING

GENERAL DRAWING PRACTICES IN ACCORDANCE WITH **ASME - Y14.100-2004**
DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH **ASME - Y14.5M-1994**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES TO BE
ONE PLACE X.X = ±0.3 mm
TWO PLACE X.X X = ±0.13 mm
ALL ANGLES X.X = ± 1°

SPECIAL CHARACTERISTIC ◇ (0)
SIGNIFICANT CHARACTERISTIC △ (0)

THIRD ANGLE PROJECTION

APPROVALS	DATE
ENGINEER: TJN	09/26/2012
DRAWN: TJN	09/26/2012
MANUFACTURING ENGINEER: --	--/--/----

MATERIAL: SEE TABLE
FINISH: SEE TABLE

COOPER Bussmann
St. Louis, MO 63178 (USA)

TITLE: SCREW ON BRIDGE

SIZE: A3 | DWG NO.: DSS4N-XXP | REV: A
SCALE: 6:1 | SHEET 1 OF 1

SLA3_BUSS_NAE_GENRL_REV_A