



In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.






RECOMMEND P.C.B LAYOUT

NOTE 1. ☆ MARK IS C.T.F (CRITICAL TO FACTOR/FUNCTION) POINT

2. CARD DETECTION SWITCH



③ CO-PLANARITY SHALL BE 0.1mm MAX

④  PATTERN PROHIBITION AREA

WHEN YOU CONFIGURE A CIRCUIT BETWEEN THE PATTERN BE CAREFUL

⑤ PACKING TYPE :TAPE AND REEL . 1,500PCS PER 1REEL

⑥ MANUFACTURING DATE SYSTEM

H 6 1 26 1 & A


PRODUCTION LINE : LINE No.

DATE : 26TH

MONTH : JAN

YEAR : 2016

SUPPLIER : HIROSE KOREA




PATTERN PROHIBITION AREA (MOUNTING SIDE)

PIN No.	Name
C1	Vcc
C2	RST
C3	CLK
C4	Reserved
C5	GND
C6	Vpp
C7	I/O
C8	Reserved


MICRO SIM CARD ASSIGNMENT

Detect A	GND
Detect B	Signal


DETECT SWITCH



MICRO SIM CARD PAD LAY OUT



SECTION A-A



Detail A

(20:1)

⑥ TABLE.1

YEAR	MONTH	DATE	YEAR	MONTH	DATE	YEAR	MONTH	DATE	YEAR	MONTH	DATE
2013	3	Jan.	1	1	1	11	11	21	21	21	21
2014	4	Feb.	2	2	2	12	12	22	22	22	22
2015	5	Mar.	3	3	3	13	13	23	23	23	23
2016	6	Apr.	4	4	4	14	14	24	24	24	24
2017	7	May.	5	5	5	15	15	25	25	25	25
2018	8	Jun.	6	6	6	16	16	26	26	26	26
2019	9	Jul.	7	7	7	17	17	27	27	27	27
2020	9	Aug.	8	8	8	18	18	28	28	28	28
2021	1	Sep.	9	9	9	19	19	29	29	29	29
2022	2	Oct.	A	10	10	20	20	30	30	30	30
		Nov.	B					31	31	31	31
		Dec.	C								

Sep.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

