




Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal & Splice Type: **Receptacle**
Mating Tab Width: **1 mm [.039 in]**
Mating Tab Thickness: **.64 mm [.025 in]**
Terminal Transmits: **0 – 24 A (Low Power)**
Wire Size: **.5 – .75 mm²**

[All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB \(29\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body
Wire Type	Copper

Contact Features

Typical Current Rating	11 A
Crimp Type	F-Crimp
Terminal & Splice Type	Receptacle
Mating Tab Width	1 mm[.039 in]
Mating Tab Thickness	.64 mm[.025 in]
Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)

Termination Features

Termination Method	Crimp
--------------------	-------

Dimensions

Wire Size	.5 – .75 mm²
Wire Size Search	.5 mm², .6 mm², .75 mm²



Wire Insulation Diameter	1.6 – 1.9 mm[.055 – .081 in]
--------------------------	------------------------------

Usage Conditions

Operating Temperature Range	-40 – 125 °C, -40 – 125 °C[-40 – 125 °F]
-----------------------------	--

Packaging Features

Packaging Method	Reel
Packaging Quantity	10000

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # 2305570-1
TERMINAL CUTTER, SIDE FEED



TE Model / Part # CAT-G3353-CH8172
GET .64 CONNECTOR SYSTEM,
CONNECTOR HSG



TE Model / Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Model / Part # CAT-G3353-T273
GET .64 CONNECTOR SYSTEM,
RECEPT AND TAB



TE Model / Part # CAT-T319-CH8172
TH/.025 CONNECTOR SYSTEM,
HOUSING



TE Model / Part # 2-2151539-1
OCEAN-2.0-APPLICATOR-S-
070F068SP



TE Model / Part # 2151539-1
OCEAN-2.0-APPLICATOR-S-
070F068SP



TE Model / Part # 2151539-2
OCEAN-2.0-APPLICATOR-S-
070F068SP



KIT
REPRESENTATION ONLY

TE Model / Part # 7-2151539-7
OCEAN_2.0_SPARE_PART_KIT-
070F068SP




TE Model / Part # 2203663-6
2X9 SEALED PLUG ASSY KEY B



TE Model / Part # 1411001-7
2x4 SEALED HARN ASSY W/O CPA



TE Model / Part # 1411001-6
SEALED HARN ASSY W CPA KEY B



TE Model / Part # 2272006-1
Plug Assembly, 20P GET, w/o CPA



TE Model / Part # 2-2151539-2
OCEAN-2.0-APPLICATOR-S-
070F068SP



TE Model / Part # 7-2151539-1
OCEAN-2.0-APPLICATOR-S-
070F068SP



TE Model / Part # 7-2151539-2
OCEAN-2.0-APPLICATOR-S-
070F068SP



TE Model / Part # 1924639-2
1X8 FEMALE ASSY KEY D, LP LATC



TE Model / Part # 1-1456570-6
SUB-ASSY,PLUG,2.8/6.3,38 WAY,ABS



TE Model / Part # 1456570-6
SUB-ASSY,PLUG,2.8/6.3,38 WAY,ABS



TE Model / Part # 1456570-8
SUB-ASSY,PLUG,2.8/6.3,38 WAY,ABS

Also in the Series | [Get .64 Connector System](#)



Automotive Connector Caps & Covers (7)



Automotive Headers(2)



Automotive Housings(120)



Automotive Terminals(29)

Customers Also Bought



TE Model / Part #1241380-1
AMP MCP, RECEPTACLE AND TAB




TE Model / Part #964972-1
EINZELLEITERDICHUNG



TE Model / Part #1-967616-1
MQS, CONNECTOR HOUSING




TE Model / Part #1393367-1
GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



TE Model / Part #967056-1
MQS BLINDSTOPFEN4MM



TE Model / Part #1394872-1
SEALING PLUG 1,5MM



TE Model / Part #967067-1
MQS SGL WIRE SEAL

Documents

Product Drawings

V23540X7000Y 21=GET-FEM TERM S

English

V23540X7000Y 21=GET-FEM TERM S

English

V23540X7000Y 21=GET-FEM TERM S

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1393366-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1393366-1_B.3d_igs.zip

English



Customer View Model

[ENG_CVM_CVM_1393366-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_1393366-1_05032018317_dmtec](#)

English

[MD_1393366-1_05032018317_dmtec](#)

English

Instruction Sheets

[UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR](#)

Japanese

[Instruction Sheet \(non U.S.\)](#)

Japanese