

General Purpose Adhesive Cleaner 08984

Technical Data February 2019

| 3M Part Number | 3M Part Descriptor |
|----------------|--------------------------------------|
| 08984 | 3M™ General Purpose Adhesive Cleaner |

Product Description

3M™ General Purpose Adhesive Cleaner is a specially blended solvent for removal of light paint overspray, adhesive residue, wax, grease, tree sap, road tar, and oil. **3M**™ General Purpose Adhesive Cleaner will not harm most thoroughly cured automotive paint, vinyl, or fabrics when properly used.

Note: test in an inconspicuous area prior to full application to confirm compatibility.

Features

- Convenient pour spout can
- Compatible with most substrates
- Effectively cleans many contaminants

Typical Physical Properties

| Container | 32 fl. oz (946.2 mL) Metal Can |
|---------------------------------------|---|
| Base | Xylene, Naptha, Toluene Blend |
| Density | 6.75 lbs./Gal. (.808 g/mL) |
| Color | Clear |
| Flash Point (°F) | 52°F (11°C) closed cup method |
| Viscosity (CPS) Brookfield Viscometer | 3 centipoise |
| voc | 100% |
| Consistency | Liquid |
| Service Temperature (°F) | 40°to 95°F (4° to 35° C) surface temperature |

Product Uses

3M[™] General Purpose Adhesive Cleaner is an excellent surface cleaner for the removal of adhesive, tar, grease, oil, and paint overspray on metal and painted surfaces. It may also be used on most plastics and some fabrics for spot cleaning of the above fore mentioned contaminates.

Note: test in an inconspicuous area prior to full application to confirm compatibility.

For professional use only. Not intended for retail sale.

3M[™] General Purpose Adhesive Cleaner 08984

Directions For Use

- . For best results apply 3M™ General Purpose Adhesive Cleaner to a paper or cloth towel or for stubborn contaminants saturate a towel and place directly on the contaminant for approximately two minutes allowing the cleaner to dissolve the contaminant.
- 2. Wipe the area, wiping in one direction and turning the towel prevents recontaminating the surface.
- 3. Inspect the area to determine if additional cleaning is required, if so repeat steps one and two. If additional cleaning is not required finish by rewiping with a clean dry paper or cloth towel.

Note: test in an inconspicuous area prior to full application to confirm compatibility.

Applications

Cleaning of common auto body substrates.

Storage and Handling

HANDLING

Avoid eye contact with vapors, mists or spray. Do not breathe vapors. Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

STORAGE

When stored at the recommended conditions in original, unopened containers, this product has a shelf life of 24 months from the date of manufacture. Store away from acids. Keep container in well-ventilated area.

3M[™] General Purpose Adhesive Cleaner

08984

Precautionary Information

Before using this product, please reference Product Label and/or Safety Data Sheet for Health and Safety Information. Note: Laws controlling the acceptable amounts of Volatile Organic Compounds (VOCs) vary by state, and in some cases by locality. For surface preparation and clean-up activities, consult federal, state and local regulations regarding use of products containing VOCs in your area.

Technical Information

The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use

Many factors beyond 3M's control and uniquely within the user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a purpose and suitable for user's method of application.

Warranty, Limited Remedy and Disclaimer

Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANYIMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability

Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

3M:

7000000492