




A





1. MATERIALS:

- | | | |
|--------------|---------------|---------------|
| SPRINGS | SS | |
| CONTACTS | Be Cu | PLATING : Au |
| IC GUIDES | PES | COLOR : BLACK |
| PRESSURE PAD | PES | COLOR : BLACK |
| COVER | PPS or equiv. | COLOR : BLACK |
| BASE | PES | COLOR : BLACK |
2. SEE THE REGULATORY INFORMATION APPENDIX (RIA) IN THE "RoHS COMPLIANCE" SECTION WWW.3MCONNECTOR.COM FOR COMPLIANCE INFORMATION (RIA E1 & C1 APPLY).
3. FOR PRODUCT SPECIFICATIONS AND WARRANTY INFORMATION SEE:
- WWW.3MCONNECTOR.COM PN 232-5205-01

DESIGN REFERENCE										NEXT ASSEMBLY										A 47213 INITIAL RELEASE										ARM																													
REV										ECO										ISSUE DATE AND DESCRIPTION										DRFT										CHKD																			
DISTRIBUTION CODES																				DATE										MFG										DATE																			
																				DATE										APPVL										DATE																			
DIVISION										DIVISION CODE										 3M Center St. Paul, MN 55144										© 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.																													
DO NOT SCALE DRAWING										SCALE 5 1										TOLERANCES EXCEPT AS NOTED										TITLE QFN TEST SOCKET, 0.5mm, 32 pos, EVEN ROW, 5X5 PKG, WITH TP																													
										INCHES .0 ± .1 .00 ± .002 .000 ± .002 .0000 ± .0002																																																	
THIRD ANGLE PROJECTION										MILLIMETERS 0 ± 0 ± 0 ± .00 ± .000 ±																																																	
INTERPRET PER ASME Y14.5 - 1994																				CAGE NUMBER										SIZE										DRAWING NO.										REV.									
MAX SURFACE ROUGHNESS										125 ✓ <input type="checkbox"/> ALL SURFACES <input checked="" type="checkbox"/> MARKED ONLY										ANGLES ± 1°										78-5100-2468-6										A																			
MODEL										TEXT TOOL - QFN										DET. TS										<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO										SHT 1 OF 2																			

[illegible]

DESIGN REFERENCE		NEXT ASSEMBLY		REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD
DISTRIBUTION CODES				DRFT	DATE		MFG	DATE	
				CHKD	DATE		APPL	DATE	
DIVISION		DIVISION CODE		 <div> <div>3M Center</div> <div>St. Paul,</div> <div>MN 55144</div> </div>		© 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.			
DO NOT SCALE DRAWING		SCALE 5 1				TOLERANCES EXCEPT AS NOTED		TITLE <h1>QFN TEST SOCKET, 0.5mm, 32 pos, EVEN ROW, 5X5 PKG, WITH TP</h1>	
				INCHES .0 ± .1 .00 ± .02 .000 ± .005 .0000 ± .0002					
THIRD ANGLE PROJECTION		INTERPRET PER ASME Y14.5 - 1994		MILLIMETERS 0 ± .1 .0 ± .02 .00 ± .005 000 ± .0002		CAGE NUMBER <div> <div>C</div> <div>78-5100-2468-6</div> </div>			
MAX SURFACE ROUGHNESS 125 ✓		<input type="checkbox"/> ALL SURFACES <input checked="" type="checkbox"/> MARKED ONLY		ANGLES ± 1°					
				MODEL		TEXT TOOL - QFN		DET. LISTS <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	
								SHT 2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

3M:

[232-5205-01](#)