












UC-368

uPCI 4xRS422/485 1MBaud Opto Isolated

"SERIAL CARDS ENGINEERED TO EXCEED EXPECTATIONS"



brainboxes

Features

- 4 port RS422/485
- PCI 3.0
- 64 Byte Tx and 64 Byte Rx FIFOs
- Up to 921,600 Baud
- DB9 connector (9 Pin Male)
- Drivers for all popular operating systems
- Sample Programs, Test & Terminal software
- Lifetime Support
- Lifetime Warranty (registration required)

Options



uPCI 4xRS422/485 1MBaud Opto Isolated

Description

Universal PCI providing four Opto Isolated RS422/485 serial ports with transient spike protection. Data transfer rates up to 921,600 baud rates and the 64 byte deep transmit and 64 byte receive FIFOS, coupled with 1Mbit/s line drivers deliver uncompromising performance on your PC.Includes drivers for all Windows 32 bit and 64 bit Operating Systems, including Windows 7.

With Brainboxes industry renowned Lifetime Warranty and Lifetime Support!

Software

Microsoft signed drivers (easy installation & robust operation) for:

- Windows 7 32 bit 64 bit Editions
- Windows Server 2008 32 bit 64 bit Editions



- Windows Vista 32 bit 64 bit editions
- Windows Server 2003 32 bit 64 bit Editions

As well as: full product documentation, a thorough troubleshooting guide and terminal software. Detailed sample source code for many popular programming languages. Further OS support on next page.







ORDER Description

uPCI 4xRS422/485 1MBaud Opto Isolated

Code UC-368



uPCI 4xRS422/485 1MBaud Opto Isolated

UC-368Full Specification

Connector DB9 Connector - 9 Pin Male	Port	Ports	4 x RS422/485
FIFO size Operating Distance Cable Operating Distance Cable Operating Distance Cable Operating Distance Av9 pin cable 921,600 921,600 921,600 921,600 Parity Odd, Even, None, Mark or Space 1, 1.5 or 2 Flow Control Ty/Rx Modes Full Duplex, Half Duplex Autogating, Hardware Autogating, TxD always/ RTS true enabled, RxD always enabled, RxD RTStrue disables CTS forced true OS Compatibility Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2003 32	Paradia Pi		
Operating Distance Cable Sert Settings Baud Rate 921,600 Parity Odd, Even, None, Mark or Space 1, 1, 5 or 2 Flow Control TyRx Modes Port Settings TyRx Modes TyRx Modes TyRx Modes To Compatibility TyRx Modes To Compatibility To Compatibili	Pin 2 TXD+ Pin 1 Pin 5		
Cable Ay9 pin cable	Pin 5 GND		
Data Bits Parity Stop Bits Plow Control Tx/Rx Modes Full Duplex, Half Duplex Autogating, Hardware Autogating, TxD always RTS true enabled, RxD Always enabled, RxD RTStrue disables CTS forced true Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows X			4x9 pin cable
Parity Stop Bits Stop Bits Flow Control Tx/Rx Modes Full Duplex, Half Duplex Autogating, Hardware Autogating, TxD always RTS true enabled, RxD always enabled, RxD RTStrue disabled CTS forced true Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows X	Port Settings	Baud Rate	921,600
Stop Bits 1, 1.5 or 2	921,600	Data Bits	5,6,7 or 8
Flow Control Tx/Rx Modes Flow Control Tx/Rx Modes Full Duplex, Half Duplex Autogating, Hardware Autogating, TxD always/ RTS true enabled, RxD always enabled, RxD RTStrue disabled CTS forced true OS Compatibility Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Striks 32 bit 64 bit Editions Windows Striks 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows Y 32 bit 64 bit Editions Windows Y 32 bit 64 bit Editions Windows YP 32 bit 64 bit Editions Window		Parity	Odd, Even, None, Mark or Space
Ty/Rx Modes Full Duplex, Half Duplex Autogating, Hardware Autogating, TxD always RTS true enabled, RxD always enabled, RxD RTStrue disabled CTS forced true OS Compatibility Microsoft Windows 7 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows ZP 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows XP 32 bit 64 b	baud	Stop Bits	1, 1.5 or 2
always/ RTS true enabled, RxD always enabled, RxD RTStrue disabled CTS forced true Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Microsoft Windows 2000 DOS BUS PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt Pci slots. AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE Pci Compliant TAA Microsoft Approvals Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows Vista 42 bit 64 bit edit		Flow Control	
Windows Server 2008 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Microsoft Windows 2000 DOS PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt Pt slots. Approvals Industry Approvals AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE Ft Compliant TAA Microsoft Approvals Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows Server 2008 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bi		Tx/Rx Modes	always/ RTS true enabled, RxD always enabled, RxD RTStrue disabled
Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows SP 32 bit 64 bit Editions Microsoft Windows 2000 DOS BUS PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt Postots. Approvals Industry Approvals AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE Formaliant TAA Microsoft Approvals Windows 7 32 bit 64 bit Editions Windows 7 32 bit 64 bit editions Windows Server 2008 32 bit 64 bit editions Windows Server 2008 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2008 32 bit 64 bit	Interface	OS Compatibility	
Windows Server 2003 32 bit 64 bit Editions Windows VP 32 bit 64 bit Editions Microsoft Windows 2000 DOS BUS PCI: Universal PCI is fully compatible with both 3.3Volt and 5Volt PCI is fully compatible with both 5.3Volt PCI is fully compatible subtraction of the School PCI is fully compatible subtraction of the School PCI is fully co			
Microsoft Windows 2000 DOS BUS PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt Pci slots. AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE Fc Compliant TAA Microsoft Approvals Windows 7 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows VP 32 bit 64 bit editions	DOI"		Windows Server 2003 32 bit 64 bit Editions
BUS PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt PCI slots. APPROVAIS Industry Approvals AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE PCI Compliant TAA Microsoft Approvals Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions ###################################	PCI		
Approvals Industry Approvals AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE For Compliant TAA Microsoft Approvals Microsoft Approvals Microsoft Approvals Microsoft Approvals Microsoft Approvals Windows 7 32 bit 64 bit editions Windows Server 2008 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Microsoft Approvals Weight 550mA @ 5V Weight 0.131 kg Size 1731 x 18w x 127h mm Packaging Installation CD including manual, Microsoft signed drivers & utilities uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Product Support Warranty Lifetime (online registration required) Lifetime (online registration required) Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume			
Compliant TAA Microsoft Approvals Microsoft Approvals Microsoft Approvals Microsoft Approvals Mindows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Mindows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions 4 Power Consumption Source Consumption Found Consumption Weight Size 1731 x 18w x 127h mm Installation CD including manual, Microsoft signed drivers & utilities Are upCl 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Product Support Warranty Lifetime (online registration required) Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume		BUS	PCI : Universal PCI is fully compatible with both 3.3Volt and 5Volt PC
Windows Server 2008 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions Windows XP 32 bit 64 bit editions PCB Layers 4 Power Consumption 550mA @ 5V 0.131 kg Size 1731 x 18w x 127h mm Installation CD including manual, Microsoft signed drivers & utilities Card UPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Ufetime (online registration required) Support Uifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume	Approvals	Industry Approvals	AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE FC Compliant TAA
Windows Server 2003 32 bit 64 bit editions Windows XP 32 bit 64 bit editions PCB Layers 4 Power Consumption Weight Size 1731 x 18w x 127h mm Packaging Installation CD including manual, Microsoft signed drivers & utilities Card uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Varranty Lifetime (online registration required) Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume		Microsoft Approvals	Windows Server 2008 32 bit 64 bit editions
Windows XP 32 bit 64 bit editions 4 PCB Layers 4 Power Consumption 550mA @ 5V Weight 5ize 1731 x 18w x 127h mm Box Content Packaging Installation CD including manual, Microsoft signed drivers & utilities uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Product Support Warranty Lifetime (online registration required) Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional DEM option Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume			
Power Consumption Weight Size 173l x 18w x 127h mm Packaging Installation CD including manual, Microsoft signed drivers & utilities uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Warranty Lifetime (online registration required) Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Made In Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume			
Power Consumption Weight Size 173l x 18w x 127h mm Packaging Installation CD including manual, Microsoft signed drivers & utilities Card UPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Varranty Lifetime (online registration required) Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume	General	PCB Layers	4
Size 1731 x 18w x 127h mm Packaging Installation CD including manual, Microsoft signed drivers & utilities uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Varranty Lifetime (online registration required) Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume		Power Consumption	550mA @ 5V
Packaging Card UPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Uifetime (online registration required) Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume		Weight	0.131 kg
Card uPCI 4xRS422/485 1MBaud Opto Isolated 4x9 pin cable Ureduct Support Warranty Lifetime (online registration required) Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume		Size	173l x 18w x 127h mm
Warranty Support Definition of the Year Warranty Support Definition of the Year Winner Wi	Box Content	Packaging	Installation CD including manual, Microsoft signed drivers & utilities
Support Lifetime (online registration required) Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Definition (online registration required) Lifetime (online registration required)		Card	uPCI 4xRS422/485 1MBaud Opto Isolated
Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Customisable Support Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team Available for bulk buy OEM Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume			4x9 pin cable
staff who work in and alongside the Product Development Team Additional OEM option Available for bulk buy OEM Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" WINNER WINNER Manufacturer of the Year "Brainboxes operate a "Perfect Fit Custom Design" policy for volume	Product Support	Warranty	Lifetime (online registration required)
Additional OEM option Available for bulk buy OEM Made In Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" WINNER WINNER Manufacturer of the Year " Customisable Brainboxes operate a "Perfect Fit Custom Design" policy for volume		Support	Lifetime Web, Email and Phone Support from fully qualified, friendly
Elektro O5 Wanufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year" Wanufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume			staff who work in and alongside the Product Development Team
Electronics Industry Awards "Manufacturer of the Year" WINNER WINNER Customisable Electronics Industry Awards "Manufacturer of the Year" Brainboxes operate a "Perfect Fit Custom Design" policy for volume	Additional	OEM option	Available for bulk buy OEM
Manufacturer of the Year	***	Made In	
	Manufacturer of the Year 🗡 🛨 🗡		

+44(0) 151 220 2500 | sales@brainboxes.com | www.brainboxes.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Brainboxes:

<u>UC-368</u>