

Crimp Information Sheet

DELPHI

Terminal Part Number: 10737717

Surface Plating: SN

Material Thickness [mm]: 0,30

Cross Section [mm²]: 1,00 | 1,50

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2010

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 1,80 - 2,40

Seal(s): 15324973 | 15324974 | 15324976

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 1,00 / 15324973		1,95	160	1,40	0,05	2,20	0,10	3,60	0,10	4,00	0,10
2010 1,00 / 15324974		1,95	160	1,40	0,05	2,25	0,10	4,00	0,10	4,00	0,10
2010 1,00 / 15324976		1,95	160	1,40	0,05	2,25	0,10	4,20	0,10	4,20	0,10
2010 1,50 / 15324973		2,20	200	1,50	0,05	2,25	0,10	3,90	0,10	4,05	0,10

Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



Terminal Part Number: 10737717
Surface Plating: SN
Material Thickness [mm]: 0,30
Cross Section [mm²]: 1,00 | 1,50

This document is non-contractual
and for information only.


For more information, please
consult your local sales office

Cable Type codes: 2044
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Insulation Range Φ[mm]: 1,82 - 2,40
Seal(s): 15324976

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2044 1,00 / 15324976		1,96	160	1,40	0,05	2,20	0,10	4,20	0,10	4,00	0,10
2044 1,50 / 15324976		2,25	200	1,50	0,05	2,20	0,10	4,30	0,10	4,05	0,10

Cable type code legend:

2044: A3Z, F3Z, FL RENAULT A3Z
Industry Designator: NRA
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: XLPA/PVDF, XLPE, X-POLY ZH
Insul. Wall Designator: THIN



Crimp Information Sheet

DELPHI

Terminal Part Number: 10737717

Surface Plating: SN

Material Thickness [mm]: 0,30

Cross Section [mm²]: 1,00 | 1,50

*This document is non-contractual
and for information only.*

*For more information, please
consult your local sales office*

Cable Type codes: 2055

Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY

Insulation Range Φ [mm]: 1,75 - 2,25

Seal(s): 10720769 | 15324976

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2055 1,00 / 10720769		1,93	160	1,40	0,05	2,25	0,10	3,85	0,10	4,00	0,10
2055 1,00 / 15324976		1,93	160	1,40	0,05	2,25	0,10	3,85	0,10	4,00	0,10
2055 1,50 / 15324976		2,18	200	1,50	0,05	2,25	0,10	4,05	0,10	4,05	0,10
2055 1,50 / 10720769		2,18	200	1,50	0,05	2,25	0,10	4,05	0,10	4,05	0,10

Cable type code legend:

2055: AGP0119, RENAULT F3Z



Industry Designator: NRA

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: POLYOLEFIN

Insul. Wall Designator: THIN



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Aptiv:](#)

[10737717](#)