



DWG STATUS					ZONE	REVISION HISTORY	AUTH	DR	APVD 1	APVD 2
DATE	STG	REV	N/P	CHG						
17AU09	U	01	-	-	CREATED PD AND MATH MODEL	404708	MH	MH	MH	
26AU09	U	02	-	-	ALL PARTS - UPDATED PDM ATTRIBUTES	408741	MH	MH	MH	
03SE09	U	03	-	-	ALL PARTS - 17.95 WAS 18.1; 20.57 WAS 20.72; UPDATED PDM ATTRIBUTES	408847	MH	MH	MH	
07SE09	U	04	-	-	ALL PARTS - UPDATED PDM ATTRIBUTES	408866	MH	MH	MH	
21SE09	U	05	-	-	ALL PARTS - UPDATED PDM ATTRIBUTES	408988	MH	MH	MH	
29JN10	U	06	-	-	ALL PARTS - ADDED REAR VIEW	411257	MHS	MHS	MHS	
24AU10	R	07	-	-	ALL PARTS - UPDATED GRAPHICS	411373	MHS	MHS	MHS	
25AU11	R	08	-	-	ALL PARTS - UPDATED SECONDARY LOCK CALLOCUT ON CHART	415235	CBG	CBG	DGR	
04SE11	R	09	-	-	ALL PARTS - REVISED GRAPHICS	411781	MHS	MHS	MHS	
11NO11	R	10	-	-	ALL PARTS - CORRECTED ECL DATE	416099	AGG	AGG	MHS	
04MY12	R	11	-	-	ALL PARTS - ADDED NOTES #5, #6 & #7, UPDATED PDM ATTRIBUTES	417703	DTM	MHS	AGG	
11MY12	R	12	-	-	ALL PARTS - UPDATED PDM ATTRIBUTES	418167	FOO	FOO	FOO	
29MY12	R	13	-	-	ALL PARTS - DRAWING NAME WAS ASM CONN B F 064	418344	AHG	JAA	AGG	
12NO12	R	14	-	-	13782037 - BASE CONN WAS 13782034; 13782838 - BASE CONN WAS 13782035	420401	IMF	JVM	AGG	
23NO12	R	15	-	-	13782037 - REVISION 03AC WAS 04 FOR AUTH NUMBER 420401 & BASE CONN WAS 13942894; 13782038 - REVISION 03AC WAS 04 FOR AUTH NUMBER 420401 & BASE CONN WAS 13942895	420554	APB	JAA	AGG	
22MR13	R	16	-	-	13782037 - BASE CONNECTOR WAS 13782034 AND UPDATED DIMS 2 PLCS 13782038 - BASE CONNECTOR WAS 13782035 AND UPDATED DIMS 3 PLCS	421656	IMF	JAA	AGG	
23AP13	R	17	-	-	13782037 - REVISION 03AE WAS 04 FOR AUTH NUMBER 421656 & BASE CONN WAS 13942894; 13782038 - REVISION 03AE WAS 04 FOR AUTH NUMBER 421656 & BASE CONN WAS 13942895	422256	ACB	AGG	ACB	
13MY13	R	18	-	-	13782038 - BASE CONNECTOR WAS 13782035 AND ADDED DIMS (2 PLCS)	422548	AGC	JAA	ACB	
19JN13	R	19	-	-	13782037 - BASE CONNECTOR WAS 13782034 AND REMOVED DIMS (2 PLCS)	423030	AGC	JVM	ACB	
04NO15	R	20	-	-	REMOVED NOTE # 7	431328	HMH	HMH	MHS	
11MR16	R	21	-	-	ALL PARTS - UPDATED REV LEVEL TO 04AB INSTEAD OF 04AA	432293	ORA	JVM	HMH	

- NOTES
1. UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:

DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
 2. THIS PRODUCT IS NOT CATEGORIZED AS AN APPEARANCE ITEM, MINOR IMPERFECTIONS INCLUDING, BUT NOT LIMITED TO, FLOW MARKS, COLOR BLEMISHES, GATE VESTIGE, AND SOFT FLASH THAT DO NOT AFFECT THE FIT, FORM, OR FUNCTION OF THE PART ARE PERMISSIBLE PER DPNP-4.7-CS-01.
 3. FOR APPLICATION DATA SEE THE INDIVIDUAL APPLICATION DRAWINGS.
 4. TO ASSURE CORRECT TERMINAL POSITION, AN ELECTRICAL TEST HOLDER APPROVED BY BOTH THE DELPHI PACKARD NORTH AMERICA PRODUCT LINE ENGINEER AND ASSEMBLY TOOLING BUSINESS UNIT MUST BE USED. FAILURE TO USE AN APPROVED TEST HOLDER MAY RESULT IN UNSEATED TERMINALS.
 5. THESE CONNECTORS CANNOT BE APPLIED INTO DEVICES THAT HAVE 2 8-WAY CONNECTORS SIDE-BY-SIDE, THESE CONNECTORS DO NOT FULLY COMPLY WITH THE USCAR 064-U-008-02-202 FOR SPACING REQUIREMENTS (DIM 7).
 6. THESE CONNECTORS ARE CPA CAPABLE.

<h1 style="margin: 0;">DELPHI</h1> <p style="margin: 0;">DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE</p> <p style="margin: 0;">COPYRIGHT 2008 DELPHI CORPORATION AND/OR ITS AFFILIATES. WAREHO, OH. ALL RIGHTS RESERVED. REVISED 2016</p> <p style="margin: 0;">THIS DRAWING IS THE PROPERTY OF DELPHI CORPORATION AND CONTAINS CONFIDENTIAL INFORMATION. THE REPRODUCTION, DISTRIBUTION AND UTILIZATION OF THIS DOCUMENT OR ITS RELATED CAD DATA, AS WELL AS COMMUNICATION OF ANY CONTENT TO OTHERS, WITHOUT EXPRESS AUTHORIZATION, IS PROHIBITED.</p>					
					DATE
DR					
APV01	M.	HERNANDEZ		17AU08	
APV02	M.	HERNANDEZ		17AU09	
APV03	M.	HERNANDEZ		17AU09	
APV04					
APV05					
SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 10949001					
MATERIAL SEE CHART					
DRAWING NAME					
TAXI ASM CONN B F OCS 0.64 IUR					
DRAWING NUMBER					
1.37820.39					
SIZE	SCALE	FRAME NO	SHEET NO	STS	REV
A2x1	1:OE 2	1	OF 1	R	21

LIMITS ARE ESTABLISHED									
DIMENSIONAL RANGE (MM)		CHART E							
FROM TO	> 0 20	> 20 30	> 30 70	> 70 100	> 100 150	> 150 200	> 200 250	> 250 300	> 300 400
TOLERANCE UNLESS OTHERWISE SPECIFIED									
	±0.15	±0.2	±0.3	±0.4	±0.5	±0.6	±0.8	±1	±1.2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Aptiv:](#)
[13782037](#)