

USED IN ASSEMBLY	MATING CONFIG DETAIL	MATING NON-DELPHI PART NUMBER	MATING DELPHI PART NUMBER	PREVIOUS PART NUMBER
-	-	-	-	12162202

CAVITY INFORMATION					
CAVITY NAME	TERMINAL	CABLE SEAL	CAVITY PLUG	*INSULATION CRIMP HEIGHT	*INSULATION CRIMP WIDTH
A,B	12124075	-	-	2.68	2.72

SEE NOTES

NOTES

1. MAX CABLE O.D. MUST BE LESS THAN 2.72.
2. TERMINAL POSITION ASSURANCE FEATURE IS ACHIEVED BY USE OF PULL-TO-SEAT TERMINAL DESIGN.

APPLICATION DRAWING
UNLESS OTHERWISE SPECIFIED
WHEN APPLICABLE, EQUIVALENT PART NUMBERS MAY BE SUBSTITUTED FOR ANY OF THE PART NUMBERS SHOWN IN THE CHARTS ON THIS DRAWING.
* THE VALUES REPRESENT THE CAVITY CAPABILITIES. THE ACTUAL TERMINAL CRIMP DIMENSIONS MUST BE LESS THAN THE VALUES SHOWN.

DELPHI	
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE WARREN, OH	
APVD1 A. CARBONEY	DATE 12DE07
APVD2 JUAN GONZALEZ	18JA07
PUBLISHED DATE 25JA08	
DRAWING NAME CONN 2 F M/P 150.2 BLU	
DRAWING NUMBER 15473845	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Aptiv:](#)

[15473845](#)