ASSOCIATED PARTS							
PART	NUMBER	QTY	DESCRIPTION				
1 36	67839	1	COV	WIRE	DRESS		
1 36	67840	1	COV	WIRE	DRESS		
155	45822	1	COV	WIRE	DRESS		
155	45824	1	COV	WIRE	DRESS		

CAVITY INFORMATION							
CAVITY NAME	TERMINAL	CABLE SEAL	CAVITY PLUG	*INSULATION CRIMP HEIGHT	*INSULATION CRIMP WIDTH		
1-4	1 378 3267	-	1 3756465	4.2	4.2		
5-17,19,21-22,25 -26,28	13663715	-	1 3756464	4.0	4.0		
18,20,23-24,27, 29	1 3654423	-	1 3756464	3.0	3.0		

NOTES

ICH AND ICW REPRESENT DIAMETRIC VALUES

5

- ASSEMBLIES MEET PRESSURE/VACUUM LEAK SUBMERGED IN WATER OF GREATER THAN 7 PSI AFTER THERMAL CONDITIONING.
- ASSEMBLY NUT TORQUE TO BE 2.5 TO 3.5 NM.

5

DELPHI

DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE WARREN, OH

COPYRIGHT 2013 DELPHI CORPORATION AND/OR ITS AFFILIATES. ALL RIGHTS RESERVED.

REVISED 2015
THIS DRAWING IS THE PROPERTY OF DELPHI CORPORATION.
THE REPRODUCTION, DISTRIBUTION AND UTILIZATION
OF THIS DOCUMENT OR ITS RELATED CAD MATH DATA,
AS WELL AS COMMUNICATION OF ANY CONTENT TO OTHERS,
WITHOUT EXPRESS AUTHORIZATION IS PROHIBITED.

	DATE
APVDI IVAN MACIAS	05JN13
APVD2 G. ROBISON	06JN13
PUBLISHED DATE 26FE15	

PUBLISHED DATE

DRAWING NAME

ASM CONN 29 M HES 1.0 1.6 2.4 SLD MODULAR

DRAWING NUMBER

A LINE DRAWN THROUGH A PART NUMBER
INDICATES THAT PHYSICAL PARTS ARE NOT AVAILABLE FOR ORDERING.

PART NUMBERS THAT DO NOT HAVE A LINE PRESENT INDICATE THAT PHYSICAL PARTS ARE AVAILABLE FOR ORDERING.

CONTACT DELPHI SALES TO ASSURE AVAILABILITY OF PARTS.

APPLICATION DRAWING

UNLESS OTHERWISE SPECIFIED

WHEN APPLICABLE, EQUIVALENT PART NUMBERS MAY BE SUBSTITUTED FOR ANY OF THE PART NUMBERS SHOWN IN THE CHARTS ON THIS DRAWING.

* THE VALUES REPRESENT THE CAVITY CAPABILITIES. THE ACTUAL TERMINAL CRIMP DIMENSIONS MUST BE LESS THAN THE VALUES SHOWN.

4

3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Aptiv:

15544328 15544328-B