



Delta 12b

868 MHz LoRa Terminal Mount Whip Antenna



Key Features

- 863 870 MHz Support
- 3dBi gain
- Flexible Rubber 1/4 Wave Whip Antenna

General Description

The Delta 12 antenna range are ¼ wave ISM whip antennas. This style of antenna is offered in a number of different frequencies covering the popular ISM bands.


This antenna is perfect for high volume ISM applications within the mobile applications world.

The Delta 12b is tuned to the ISM (Industrial, Scientific and Medical) radio frequency bands of 868 and 869MHz.

Additional Considerations

- Small format design for applications with limited space
- Meets all EU compliance criteria for electronic goods









868 MHz LoRa Terminal Mount Whip Antenna


Key Specifications - Electrical

Temperature range:	-30° to +75°C
Gain:	3 dBi
VSWR:	<3.0:1
Impedance:	50 Ohms
Frequency Bands:	863 - 870 MHz
Polarization:	Linear


Key Specifications - Mechanical

Dimensions:	150mm x 15mm
Connector:	SMA
Mounting method:	Terminal Mount


Return Loss



VSWR



Radiation Efficiency










Delta 12b

868 MHz LoRa Terminal Mount Whip Antenna


Radiation Plots







3D Radiation Plot




Ordering Details

Part Number Description

DELTA12B/x/SMAM/S/S/17 868 MHz LoRa Terminal Mount Whip Antenna SMA Male Connector

Test Setup (in Freespace)



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siretta:

DELTA12B/X/SMAM/S/S/17 DELTA12B/x/BNCM/S/S/17 DELTA12B/x/SMAM/S/S/17 HIGH GAIN