



Delta 12C

915 MHz LoRa Terminal Mount Whip Antenna



Key Features

- 902 928 MHz MHz Support
- 3dBi gain
- Flexible Rubber 1/4 Wave Whip Antenna

General Description

The Delta 12 antenna range are ¼ wave ISM whip antennas. This style of antenna is offered in a number of different frequencies covering the popular ISM bands.


This antenna is perfect for high volume ISM applications within the mobile applications world.

The Delta 12c is tuned to the ISM (Industrial, Scientific and Medical) radio frequency range of 902 to 928 MHz.

Additional Considerations

- Small format design for applications with limited space
- Meets all EU compliance criteria for electronic goods









Delta 120

915 MHz LoRa Terminal Mount Whip Antenna


Key Specifications - Electrical

Temperature range:	-30° to +75°C
Gain:	3 dBi
VSWR:	<3.0:1
Impedance:	50 Ohms
Frequency Bands:	902 -928 MHz
Polarization:	Linear


Key Specifications - Mechanical

Dimensions:	150mm x 15mm		
Connector:	SMA		
Mounting method:	Terminal Mount		


Return Loss



VSWR



Radiation Efficiency










Delta 12C

915 MHz LoRa Terminal Mount Whip Antenna


Radiation Plots








3D Radiation Plot





Ordering Details

0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1					
Part Number	Description				
DELTA12C/X/SMAM/S/S/17	915 MHz LoRa Terminal Mo	ount Whip Antenna SMA Male Co	onnector		
DELTA12C/X/BNCM/S/S/17	915 MHz LoRa Terminal Mount Whip Antenna BNC Male Connector				
Registered in England No. 08405712		Siretta Ltd	sales	+44(0)118 976 9014	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siretta:

DELTA12C/X/SMAM/S/S/17 DELTA12C/x/BNCM/S/S/17