
Contact Dimensions: 540-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.560(14.22) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing


.160[4.06] POINT OF CONTACT

150 [3.81]


.330[8.38] CARD SLOT

1





- INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0 CONTACT MATERIAL; COPPER TIN ALLOY
- CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE








	ACAD REFERENCE NO. 345-ENG-MASTER				
	DRAWN: R.STA.MONICA	DATE: MA	Y.16/2017		
	CHECKED:	DATE:			
	SCALE: 1:1	SHEET '	1 OF 2		
)	DRAWING NUMBER		ISSUE		
	345-ENG-MASTER		1		

SECTION A-A











Contact Code 558

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO. 345-ENG-MASTER					
	DRAWN: R.STA.MONI	WN: R.STA.MONICA		DATE:MAY.16/2017		
J	CHECKED:		DATE:			
,	SCALE: 1:1		SHEET	2 OF 2		
ED	DRAWING NUMBER			ISSUE		

345-ENG-MASTER

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

345-005-540-688