




$\land \Box$
$X \mid \Box$







NOTES:

MATERIAL:


.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W	7224-7N6	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7224-7N6	1



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



628-24W7224-7N6

		<u>↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓</u>			₽ [₽]
		11W1 Male/Female	27W2 Male/Fema	le	
47.06 23.63 14.48 14.48 0 0 0 0 0 0 0 0 0 0 0 0 0	SW8 Female 31.75 22.87 2.87 4 4 4 4 4 4 4 4 4 4	33.30 19.65 9.70		63.50 2 + + + + + + + + + + + + + + + + + + +	- - -
BE CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ØA	17W2 Male/Female	21W1 Male/Fema	10 23.03 24.05 25.05	Ø
	COMBINA	TION D-SUB	SW REFERENCE NO.: 628 (DRAWN: C.B CHECKED:	21W1 Male/Female 21W1 Male/Female EFERENCE NO.: 628 COMBO ASSEMBLY /N: C.B DATE: JAN. 01/2019 KED: DATE: E: N.T.S SHEET 3 OF 4 //ING NUMBER: 628-24W7224-7N6 ISSUE	
S SERIES FULLY CONFORMS TO E EUROPEAN UNION DIRECTIVES 1/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONT. CANADA YOUR CONNECTION TO QUALITY & SERV	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		I /7224-7N6	ISSUE

5W5 Male


5W5 Female

47,05

23.53


14.48





63.50

3.30



WITHOUT WRITTEN PERMISSION.

COMPLIANT

THIS S THE EU 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male











36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAGE EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-24W7224-7N6		ISSUE
			PART NUMBER: 628-24W	7224-7N6	1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC: 628-24W7224-7N6