
**Contact Dimensions:** 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing

 $160igl[ar{4}.06igr]$  POINT OF CONTACT

.330[8.38] CARD SLOT

1



INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING

CONTACT MATERIAL; COPPER TIN ALLOY

ON THE CONTACT TAILS, NICKEL UNDERPLATE

PART NUMBER: 345-018-500-

YOUR CONNECTION TO QUALITY & SERVICE

1:1 SHEET 1 OF 2 345-ENG-MASTER

DRAWN: R.STA.MONICA

345/395 SERIES CARD EDGE CONNECTOR 458

345-ENG-MASTER

DATE:MAY.16/2017

**SECTION A-A** 









**Contact Code 558** 

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO. 345-ENG-MASTER DATE:MAY.16/2017 DRAWN: R.STA.MONICA 1:1 SHEET 2 OF 2

345-ENG-MASTER

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

345-018-500-458