Mountin 01-No M	g <b>Option</b> ounting Lugs	Contact Detail 500-Wire Hole .087x.013(2.21x0.33) - Tail LG.=.28156 [3.96] Contact Spacing x .140 [3.56] Row Space	(7.16) DO NOT	A C.A.D. GENERATED DRAWING MAKE MANUAL REVISIONS TO MAST	TER	ISSUE NUMBER ORIGINAL
.05	rd Slot Accepts 4 (1.37) to .070 (1.78) ck P.C. Board	6.404[162.66]				
		6.550[166.37]				
						0.295 [7.49] Card Slot
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				C	0.090[2.29] of Contact	
0.460[11.68]		305 / 315 / 35	5 Card Edge Conn			SECTION A-A  NO. 305 ENG MASTER
	Accompanying Page for: Mounting Options		BDAC INC TORONTO, ONTARIO CANADA THESE D ARE THE SHALL N OR USEE MANUFAC	DRAWINGS AND SPECIFICATIONS E PROPERTY OF EDAC INCAND	DRAWN: J.LEE C HECKED: SCALE: NTS DRAWING NUMBER 305 Assemble	DATE: SEPT. 21/09  DATE: SHEET 1 OF 2  ISSUE  1



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

305-080-500-201