
**Mounting Option** 


04-.156 (3.96) Dia. Mounting Holes


#### **Contact Detail**

541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.750(19.05)

.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing







## **See Accompanying Page for:**

- **Bend Detail**
- **Mounting Options**
- **Features and Specifications**

333 Series Card Edge Connector Part Number: 333-025-541-604



| ACAD REFERENCE NO. 333 ENG MASTER |                  |  |
|-----------------------------------|------------------|--|
| DRAWN: J.LEE                      | DATE: OCT. 14/09 |  |
| CHECKED:                          | DATE:            |  |
| SCALE: NTS                        | SHEET 1 OF 4     |  |
| DRAWING NUMBER                    | ISSUE            |  |

333 Assembly

**SECTION A-A** 

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER

ORIGINAL

1



| 333 Series Card Edge Connector<br>Contact Bend Detail  |                | ACAD REFERENCE NO. 333 ENG MASTER |          |                  |  |
|--|----------------|-----------------------------------|----------|------------------|--|
|  |                | DRAWN: J.LEE                      | DATE: OC | DATE: OCT. 14/09 |  |
|  |                | CHECKED:                          | DATE:    |                  |  |
| EDAC INC THESE DRAWINGS AND SPECIFICATIONS   |                | SCALE: NTS                        | SHEET 2  | 2 OF 4           |  |
| TORONTO, ONTARIO  ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE RASIS FOR THE | DRAWING NUMBER |                                   | ISSUE    |                  |  |
| YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.   |                | 333 Assembly                      |          | 1                |  |

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



SSUE NUMBER

DRIGINAL

1



| 333 Series Card Edge Connector<br>Mounting Options |  | ACAD REFERENCE NO. 333 ENG MASTER  |  |         |             |        |       |
|--|--|--|--|---------|-------------|--------|-------|
|  |  | DRAWN:   | J.LEE  | DATE: O | CT. 14/09   |        |       |
|  |  | CHECKED:   |  | DATE:   |             |        |       |
|  | EDAC INC THESE DRAWINGS AND SPECIFICATIONS |  | SCALE:   | NTS     | SHEET :     | 3 OF 4 |       |
|  |  | RONTO, ONTARIO   | ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE | DRAWING | NUMBER      |        | ISSUE |
|  | YOUR CONNECTION TO QUA                     | CTION TO QUALITY & SERVICE OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. |  | 3       | 33 Assembly |        | 1     |

ISSUE NUMBER

ORIGINAL



#### **Features**

- .156 (3.96) Contact Spacing x .200 (5.08) Row Spacing
- Accepts .062 (1.57) Nominal Thickness P.C. Board
- High Profile Insulator Body .600 (15.24)
- Contact Termination Options include P.C. Tail, Wire Hole, Wire Wrap, 90 Degree, & Extender Board Bends
- Single or Dual Row Configurations
- Variety of Mounting Options, Flush or Offset Lugs
- Accepts Between Contact and In-Contact Polarizing Keys

### **Specifications**

- Insulator Material: Thermoplastic Polyester, UL 94V-0, Colour: Green
- Contact Material: Copper, Nickel, Tin Alloy CA-725
- Contact Plating: Gold on the Mating Area, Tin on the Contact Tails, Nickel Underplate
- Current Rating: 3 Amperes Continuous
- Contact Resistance: 10 Milliohms Maximum
- Dielectric Withstanding Voltage: 1800 V AC rms at Sea Level Between Adjacent Contacts
- Insulation Resistance: 5000 Megohms Minimum
- Operating Temperature: -65 to +105 Degrees C
- Insertion Force: 16 oz (4.45 N) Maximum per Contact Pair when Tested with a .070 (1.78) Thick Gauge
- Withdrawal Force: 1 oz (0.28 N) Minimum per Contact Pair when Tested with a .054 (1.37) Thick Gauge

| 333 Series Card Edge Connector | ACAD REFERENCE NO. 333 ENG MASTER                |
|--------------------------------|--|
| Features and Specifications    | DRAWN: J.LEE DATE: OCT. 14/09                    |
| realities and specifications   | CHECKED: DATE:                                   |
|                                | WINGS AND SPECIFICATIONS SCALE: NTS SHEET 4 OF 4 |
|                                | BE REPRODUCED, OR COPIED DRAWING NUMBER ISSUE    |
|                                | JRE OR SALE OF APPARATUS 333 Assombly 1          |

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

333-025-541-604