**Mounting Option** 

02-.128 (3.25) Dia. Mounting Holes

#### **Contact Detail**

559-90 Degree Bend (Code 541 Contacts)


.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MA




1

ORIGINAL







## **See Accompanying Page for:**

- Bend Detail
- Mounting Options
- Features and Specifications

| 333 Series Card Edge Connector |
|--------------------------------|
| Part Number: 333-062-559-202   |



EDAC INC TORONTO, ONTARIO CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS
ARE THE PROPERTY OF EDAC INC. AND
SHALL NOT BE REPRODUCED OR COPIED
OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS
WITHOUT WRITTEN PERMISSION.

|   | ACAD REFERENCE NO | . 333 ENG MASTER |
|---|-------------------|------------------|
|   | DRAWN: J.LEE      | DATE: OCT. 14/09 |
|   | CHECKED:          | DATE:            |
|   | SCALE: NTS        | SHEET 1 OF 4     |
| ) | DRAWING NUMBER    | ISSUE            |

NG NUMBER ISSUE

333 Assembly 1

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER

ORIGINAL

1



| 333 Series Card Edge Conn         | ACAD REFERENCE NO. 333 ENG MASTER   |                  |         |        |
|-----------------------------------|---|------------------|---------|--------|
| Contact Bend Detail               | DRAWN: J.LEE  | DATE: OCT. 14/09 |         |        |
| Confact bend belaii               |   | CHECKED:         | DATE:   |        |
| THESE BRANCOS AND SECULOARIONS TO |   | SCALE: NTS       | SHEET 2 | 2 OF 4 |
|                                   | TORONTO, ONTARIO ARE THE PROPERTY OF EDAG INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER   |         | ISSUE  |
|                                   | CANADA  OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.                   |                  |         | 1      |

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



SSUE NUMBER

DRIGINAL

1



| 333 Series Card Edge Connector |  |                | ACAD REFERENCE NO. 333 ENG MASTER  |             |         |           |       |
|--------------------------------|--|----------------|--|-------------|---------|-----------|-------|
|                                | Mounting Options   |                | DRAWN:   | J.LEE       | DATE: O | CT. 14/09 |       |
|                                |  |                | CHECKED  | ):          | DATE:   |           |       |
|                                | The second secon |                | SCALE:   | NTS         | SHEET : | 3 OF 4    |       |
|                                |  | RONTO, ONTARIO | ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE | DRAWING     | NUMBER  |           | ISSUE |
|                                | YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISSION.   |                | 3  | 33 Assembly |         | 1         |       |

ISSUE NUMBER

ORIGINAL



### **Features**

- .156 (3.96) Contact Spacing x .200 (5.08) Row Spacing
- Accepts .062 (1.57) Nominal Thickness P.C. Board
- High Profile Insulator Body .600 (15.24)
- Contact Termination Options include P.C. Tail, Wire Hole, Wire Wrap, 90 Degree, & Extender Board Bends
- Single or Dual Row Configurations
- Variety of Mounting Options, Flush or Offset Lugs
- Accepts Between Contact and In-Contact Polarizing Keys

## **Specifications**

- Insulator Material: Thermoplastic Polyester, UL 94V-0, Colour: Green
- Contact Material: Copper, Nickel, Tin Alloy CA-725
- Contact Plating: Gold on the Mating Area, Tin on the Contact Tails, Nickel Underplate
- Current Rating: 3 Amperes Continuous
- Contact Resistance: 10 Milliohms Maximum
- Dielectric Withstanding Voltage: 1800 V AC rms at Sea Level Between Adjacent Contacts
- Insulation Resistance: 5000 Megohms Minimum
- Operating Temperature: -65 to +105 Degrees C
- Insertion Force: 16 oz (4.45 N) Maximum per Contact Pair when Tested with a .070 (1.78) Thick Gauge
- Withdrawal Force: 1 oz (0.28 N) Minimum per Contact Pair when Tested with a .054 (1.37) Thick Gauge

| 333 Series Card Edge Connector     | ACAD REFERENCE NO. 333 ENG MASTER                |
|------------------------------------|--|
| Features and Specifications        | DRAWN: J.LEE DATE: OCT. 14/09                    |
| realities and specifications       | CHECKED: DATE:                                   |
|                                    | WINGS AND SPECIFICATIONS SCALE: NTS SHEET 4 OF 4 |
| I SI I I ORONTO, ONTARIO SHALL NOT | BE REPRODUCED, OR COPIED DRAWING NUMBER ISSUE    |
|                                    | JRE OR SALE OF APPARATUS 333 Assombly 1          |

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

333-062-559-202