
Contact Dimensions: 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing -2x Ø.156[3.96] CARD SLOT ACCEPTS .054" [1.37] TO .070"[1.78] THICK PCB -6.100 [154.94] -6.260[159] -6.575 [167.01] POINT OF CONTACT 330[8.38] CARD SLOT 60 4.06



SECTION A-A

ERENCE NO. 345-ENG-MAST
STA.MONICA DATE MAY.16/20

1

INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0

600 [15.24]

 CONTACT MATERIAL; COPPER TIN ALLOY
 CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE 345/395 SERIES CARD EDGE CONNECTOR PART NUMBER: 345-120-500-288

EDNG

EDAC INC TORONTO, ONTARIO CANADA

CANADA OR USED AS THE BASI
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERM
OR USED AS THE BASI

THESE DRAWINGS AND SPECIFICATIONS
ARE THE PROPERTY OF EDAG INC. AND
SHALL NOT BE REPRODUCED,OR COPIED
DRAWING ALL OF APPARATUS
WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 345-ENG-MASTER		
DRAWN: R.STA.MONICA DATE:MAY.16/2017		
CHECKED:	ECKED: DATE:	
SCALE: 1:1	SHEET 1	I OF 2
DRAWING NUMBER		ISSUE
345-ENG-MASTER		1









Contact Code 558

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO. 345-ENG-MASTER DATE:MAY.16/2017 DRAWN: R.STA.MONICA 1:1 SHEET 2 OF 2

345-ENG-MASTER

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

345-120-500-288