
Contact Dimensions: 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing









CARD SLOT ACCEPTS -.054" [1.37] TO .070"[1.78] THICK PCB

-2x Ø.156[3.96]



.330[8.38] **CARD SLOT**

SECTION A-A



.160 4.06 POINT OF CONTACT

845/895 SERIES HIGH TEMP CARD EDGE CONNECTOR PART NUMBER: 845-015-500-103

YOUR CONNECTION TO QUALITY & SERVICE

845-ENG-MASTER DRAWN: R.STA.MONICA DATE:MAY.16/2017 1:1 SHEET 1 OF 2 845-ENG-MASTER

CONTACT MATERIAL; COPPER TIN ALLOY
CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING
ON THE CONTACT TAILS, NICKEL UNDERPLATE

INSULATOR MATERIAL: THERMOPLASTIC, UL 94V-0







INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

Contact Code 558

CONTACT MATERIAL; COPPER ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

845/895 SERIES HIGH TEMP CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

Contact Code 559

	ACAD REFERENCE NO. 845-ENG-MASTER	
	DRAWN: R.STA.MONICA	DATE:MAY.16/2017
	CHECKED:	DATE:
	SCALE: 1:1	SHEET 2 OF 2
D	DRAWING NUMBER	ISSUE

Contact Code 560

845-ENG-MASTER

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

845-015-500-103