

Contact Dimensions: 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing





INSULATOR MATERIAL: THERMOPLASTIC, UL 94V-0

CONTACT MATERIAL; COPPER TIN ALLOY
CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING
ON THE CONTACT TAILS, NICKEL UNDERPLATE



1

.330[8.38] CARD SLOT **SECTION A-A** −.370[9.40<u>]</u> .160 [4.06] POINT OF CONTACT .200 [5.08]

845/895 SERIES HIGH TEMP CARD EDGE CONNECTOR PART NUMBER: 895-040-500-212

YOUR CONNECTION TO QUALITY & SERVICE

845-ENG-MASTER DRAWN: R.STA.MONICA DATE:MAY.16/2017 1:1 SHEET 1 OF 2

845-ENG-MASTER







- INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0 DAP MATERIAL AVAILABLE UPON REQUEST
- CONTACT MATERIAL; COPPER ALLOY

Contact Code 558

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

845/895 SERIES HIGH TEMP CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

Contact Code 559

	ACAD REFERENCE NO	. 845-ENG-MASTER
	DRAWN: R.STA.MONICA	DATE:MAY.16/2017
	CHECKED:	DATE:
	SCALE: 1:1	SHEET 2 OF 2
D	DRAWING NUMBER	ISSUE

Contact Code 560

845-ENG-MASTER

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

EDAC:

895-040-500-212