## **SIEMENS**

Data sheet 3RW5954-0SN04



Power semiconductor module 480 V, for 3RW55, 210 A

product designation	Power semiconductor module
design of the product	480 V, 210 A
manufacturer's article number	
of soft starter	3RW5543HA.4 (3x)
Substance Prohibitance (Date)	02/15/2018
Ambient conditions	
ambient temperature during storage	-40 +80 °C
Certificates/ approvals	
	For use in heavy

General Product Approval

For use in hazardous locations

**Declaration of Conformity** 

**Test Certificates** 

Confirmation



Explosion Protection Certificate





Type Test Certificates/Test Report

Marine / Shipping









Confirmation

other

## Further information

Siemens has decided to exit the Russian market (see here).

 $\underline{\text{https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business}}$ 

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5954-0SN04

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5954-0SN04

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RW5954-0SN04

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ EPLAN\ macros,\ ...)$ 

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3RW5954-0SN04&lang=en

Characteristic: Tripping characteristics, I²t, Let-through current

https://support.industry.siemens.com/cs/ww/en/ps/3RW5954-0SN04/char

Characteristic: Installation altitude

 $\underline{\text{http://www.automation.siemens.com/bilddb/index.aspx?view=Search\&mlfb=3RW5954-0SN04\&objecttype=14\&gridview=view1}$ 

st modified:	1/18/2021 🗗	

Simulation Tool for Soft Starters (STS)

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

3RW59540SN04