SIEMENS

Addressing plug, for assigning the PROFIBUS address to SIMOCODE pro without PC/PG

General technical data

product brand name	SIRIUS
product designation	addressing plug
design of the product	For assigning the PROFIBUS or Modbus RTU address without using a PC/PG
ambient temperature	
● during storage	-40 ... +80 °C
● during operation	-25 ... +60 °C
● during transport	-40 ... +80 °C

Certificates/ approvals

General Product Approval	EMC
CSA CCC [Confirmation] UL EAC	RCM

Declaration of Conformity	Test Certificates	Marine / Shipping
CE EG-Konf. UK CA	[Type Test Certificates/Test Report]	ABS Lloyd's Register LRS RMRS

Marine / Shipping	other
DNV·GL DNVGL.COM/AF	[Confirmation] Profibus

Further information

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7910-0AA00-0

7/8/2023

7/8/2023

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information: