SIEMENS

Data sheet 3UF7937-0CA00-0



Y-connecting cable for use in connection with the initialization module, length 1.0 m / 1.0 m, connects basic unit, current or current/ voltage measuring module and initialization module.

General	tool	hnical	data
General	LEC	IIIIIcai	uata

product designation Y connecting cable/length 1.0 m

design of the product For use in connection with the initialization module

Certificates/ approvals

General Product Approval

EMC

Declaration of Conformity

Confirmation











Test Certificates

Marine / Shipping

Type Test Certificates/Test Report











other

Confirmation



Profibus

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7937-0CA00-0

Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF7937-0CA00-0

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3UF7937-0CA00-0

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF7937-0CA00-0\&lang=ender.pdf} \\$







♂

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

3UF79370CA000